

ROCKER PLATE "C" **EXPANSION BEARING**

10" BEARING

ſ	TOTAL LOAD	PLA	TE .	4	PL.	ATE	В	PL	ATE	С	PL	ATE	D	HEIGH1
	(KIPS)	х	Υ	Z	х	Υ	Z	х	Υ	Z	х	Υ	Z	FEET
	100	9"	5⁄8"	10"	5"	1/2"	10"	7"	17/16"	1'-0'/4"	8"	11/2"	1'-8"	0.360
	180	1'-1"	%"	10"	9"	1/2"	10"	11"	23/8"	1'-0'/4"	8"	11/2"	1'-8"	0.438
	260	1'-5"	5/8"	10"	1'-1"	1/2"	10"	1'-3"	3%"	1'-0'/4"	11"	2"	1'-8"	0.604

14" BEARING

TOTAL	PLAT	EΑ		PL	ATE	В	Pl	ATE	С	Pi	ATE	D	HEIGHT
(KIPS)	х	Y	Z	х	Υ	Z	х	Υ	Z	х	Υ	Z	FEET
210	11"	%"	1'-2"	7"	1/2"	1'-2"	9"	115/16"	1'-4'/4"	8"	11/2"	2'-0"	0.401
375	1'-5"	%"	1'-2"	1'-1"	1/2"	1'-2"	1'-3"	31/8"	1'-4'/4"	1'-2"	2 1/8"	2'-0"	0.677
500	1'-9"	%"	1'-2"	1'-5"	1/2"	1'-2"	1-7"	41/8"	1'-4'/4"	1'-5"	33/8"	2"-1"	0.802

18" BEARING

TOTAL	PL	ATE	Α	PL	ATE	В	PL	ATE	С	PL	ATE	D	HEIGHT
(KIPS)	х	Υ	Z	х	Υ	Z	×	Υ	Z	х	Υ	Z	FEET
280	11"	5%"	1'-6"	7"	1/2"	1'-6"	9"	115/16"	1'-8'/4"	9"	2"	2'-4"	0.443
360	1'-1"	%"	1'-6"	9"	1/2"	1'-6"	11"	23/8"	1'-8'/4"	11"	2"	2'-4"	0.479
600	1'-7"	5/8"	1'-6"	1'-3"	1/2"	1'-6"	1'-5"	3%"	1'-8'/4"	1'-5"	3¾"	2'-5"	0.719
650	1'-11"	%"	1'-6"	1'-7"	1/2"	1'-6"	1'-9"	41/8"	1'-8'/4"	1'-10"	31/8"	2'-5"	0.844

12" BEARING

TOTAL LOAD	PLAT	EΑ		PL	ATE	В	PL	ATE	С	PL	ATE	D	HEIGHT
(KIPS)	х	Υ	Z	х	Υ	Z	х	Υ	Z	х	Υ	Z	FEET
125	9"	%"	1'-0"	5"	1/2"	1'-0"	7"	11/16"	1'-2'/4"	8"	11/2"	1'-10"	0.360
175	11"	%"	1'-0"	7"	1/2"	1'-0"	9"	115% "	1'-21/4"	8"	11/2"	1'-10"	0.401
275	1'-3"	5/8"	1'-0"	11"	1/2"	1'-0"	1'-1"	2%"	1'-2'/4"	11"	2"	1'-10"	0.521

16" BEARING

TOTAL	Pl	ATE	Α	PLA	TE	В	Pι	ATE	С	PL	ATE	D	HEIGHT	
(KIPS)	х	Υ	Z	х	Υ	Z	х	Υ	Z	х	Y	Z	FEET	
245	11"	%"	1'-4"	7"	1/2"	1'-4"	9"	115%6"	1'-6'/4"	8"	11/2"	2'-2"	0.401	
370	1'-3"	%"	1'-4"	11"	1/2"	1'-4"	1'-1"	21/8"	1'-6'/4"	1'-0"	23/8"	2'-3"	0.552	
525	1-7"	5%"	1'-4"	1'-3"	1/2"	1'-4"	1'-5"	3%"	1'-6'/4"	1'-4"	3%"	2'-3"	0.719	
575	1'-9"	5%"	1'-4"	1'-5"	1/2"	1'-4"	1'-7"	41/8"	1'-6'/4"	1'-6"	3%"	2'-3"	0.844	

20" BEARING

TOTAL LOAD	PLA	TE	A	PL/	ATE.	В	PL#	TE I	С	PL	ATE	D	HEIGHT
(KIPS)	х	Υ	Z	х	Υ	Z	х	Υ	Z	х	Y	Z	FEET
225	9"	5/8"	1'-8"	5"	1/2"	1'-8"	7"	11/16"	1'-10'/4"	8"	11/2"	2'-6"	0.360
315	11"	5⁄8"	1'-8"	7"	1/2"	1'-8"	9"	115/16"	1'-101/4"	9"	2"	2'-6"	0.443
495	1'-3"	%"	1'-8"	11"	1/2"	1'-8"	1'-1"	2%"	1'-10'/4"	1'-1"	2%"	2'-7"	0.594
675	1'-7"	5⁄8"	1'-8"	1'-3"	1/2"	1'-8"	1'-5"	3%"	1'-10'/4"	1'-6"	3%"	2'-7"	0.760
705	1'-11"	5%"	1'-8"	1'-7"	1/2"	1'-8"	1'-9"	41/8"	1'-10'/4"	1'-11''	3%"	2'- 7 "	0.844

BEARING NOTES

ALL BEARINGS ARE SYMMETRICAL ABOUT $\mathbb Q$ OF GIRDER AND $\mathbb Q$ OF BEARING.

₱ FINISH THESE SURFACES TO ANSI 250 IF 'Y' DIMENSION IS GREATER THAN 2".

ANCHOR BOLTS, NUTS AND WASHERS SHALL BE GALVANIZED IN ACCORDANCE WITH ASTM A153,

ROCKER PLATE "C" AND MASONRY PLATE "D" SHALL BE GALVANIZED, TOP PLATE "A" AND STEEL PLATE "B" SHALL BE SHOP PAINTED. USE A WELDABLE PRIMER ON TOP PLATE "A". DO NOT PAINT STAINLESS STEEL OR TEFLON SURFACES.

ALL MATERIAL IN BEARINGS, INCLUDING SHIM PLATES, BUT EXCLUDING STAINLESS STEEL SHEET, TEFLON SURFACE, PINTLES, ANCHOR BOLTS, NUTS AND WASHERS SHALL CONFORM TO ASTM A709 GRADE 50W.

IN LIEU OF USING SHIM PLATES, FABRICATOR MAY INCREASE THICKNESS OF TOP PLATE "A" OR MASONRY PLATE "D" BY THE SHIM PLATE THICKNESS.

 $\ \ \,$ DIMENSION IS 2" WHEN 11/4" DIA. ANCHOR BOLTS ARE USED AND 21/4" WHEN 11/2" DIA. ANCHOR BOLTS ARE USED.

ALL MATERIAL IN TYPE "A-T" BEARINGS, INCLUDING SHIM, PLATES AND BEARING PADS, SHALL BE PAID FOR AT THE UNIT PRICE BID FOR "BEARING ASSEMBLIES EXPANSION B-_-", EACH.

CHAMFER ANCHOR BOLTS PRIOR TO THREADING.

ALL FINISHED SURFACES SHALL BE MACHINE FINISHED BY AN AUTOMATIC PROCESS.

ALL PLATE CUTS SHALL BE MACHINE OR MACHINE FLAME CUTS.

ALL STRUCTURAL STEEL BEARING PLATES SHALL BE FLAT ROLLED STEEL PLATES WITH ALL SURFACES SMOOTH AND FREE FROM WARP AND ALL EDGES SMOOTH, STRAIGHT AND VERTICAL.

PROVIDE $\slash\!\!/_8"$ THICK BEARING PAD THE SAME SIZE AS MASONRY PLATE "D" FOR EACH BEARING.

ANCHOR BOLTS SHALL BE THREADED 3", PROVIDE ONE STANDARD WROUGHT WASHER AND ONE HEX NUT PER BOLT. PROJECT ANCHOR BOLTS, MASONRY PLATE "D" THICKNESS + $2^{1}/4$ ", ABOVE TOP OF CONCRETE.

CHAMFER TOP OF PINTLES 1/8". DRILL HOLES FOR ALL PINTLES IN MASONRY PLATE "D" FOR A DRIVING FIT.

STEEL PINTLES SHALL CONFORM TO ASTM A449 OR ASTM A572 GRADE 50.

ANCHOR BOLTS, NUTS AND WASHERS SHALL CONFORM TO ASTM F1554 GRADE 55, OR MATERIAL OF EQUIVALENT YIELD STRENGTH AND ELONGATION.

PLACE SHIM PLATES BETWEEN BEARING PAD AND MASONRY PLATE "D". PLATES SHALL HAVE 'X' AND 'Z' DIMENSIONS THAT MATCH MASONRY PLATE "D".

PROVIDE A METHOD FOR HANDLING ROCKER PLATE "C" DURING GALVANIZING.

A BOND STEEL PLATE "B" AND TEFLON WITH ADHESIVE MATERIAL MEETING THE REQUIREMENTS FOUND IN THE STANDARD SPECIFICATION.

DRILLED HOLES FOR ANCHOR BOLTS IN MASONRY PLATE "D" SHALL HAVE A DIAMETER 3/6" LARGER THAN ANCHOR BOLT.

AT INSTALLATION, ENSURE STAINLESS STEEL SLIDING FACE OF THE UPPER ELEMENT AND THE TEE SLIDING FACE OF THE LOWER ELEMENT HAVE THE SURFACE FINISH SPECIFIED AND ARE CLEAN AND FREE OF ALL DUST, MOISTURE, OR ANY OTHER FOREIGN MATTER.

ANCHOR BOLT NOTES

LOAD" REACTION.

DESIGNER NOTES

☆ FOR WELD SIZE, REFER TO STANDARD 24.02.

BOLT CLEARANCE INFORMATION.

▲ ADJUST HEIGHT IF BEVELED ROCKER PLATE "C" IS USED.

FOR SPAN LENGTHS UP TO 100°-0°: USE A TYPE I MASONRY PLATE "D" WITH (2) - 1 $^{1}\!/_{4}$ " DIA, × 1'-5" LONG ANCHOR BOLTS.

(SEE "DESIGNER NOTES" FOR BEARING REPLACEMENTS)

HEIGHT OF BEARINGS GIVEN IN TABLES INCLUDES 1/6" BEARING PAD, 16 GAGE STAINLESS STEEL SHEET AND 1/6" TEFLON SURFACE.

DETAIL SHIM PLATES AS DESCRIBED IN NOTES ON STANDARD 24.02.

SEE STANDARD 27.02 FOR THE USE OF BEVELED ROCKER PLATE "C" ON GRADES GREATER THAN 3% AND ALSO CLEARANCE REQUIREMENTS.

AT ABUTMENTS, WHEN THE 'X' DIMENSION OF PLATE "A" EXCEEDS 11" INCREASE STANDARD DISTANCE FROM ${\mathfrak C}$ OF BEARING TO END OF GRIDER.

FOR BEARING REPLACEMENTS, DESIGNER SHALL UTILIZE A WIDER BEARING THAN THE EXISTING GIRDER BOTTOM FLANCE WIDTH TO ALLOW FOR FIELD WELDING OF THE EDGE OF THE BOTTOM FLANCE TO THE TOP OF PLATE "A". SEE STANDARD 40.08 FOR DETAILS.

FOR BEARING REPLACEMENTS, SEE STD. 27.02 FOR MINIMUM ANCHOR

▼ DIMENSION 'X' SHOWN FOR TOP PLATE 'A' IS A MINIMUM. PROVIDE ADEOUATE LENGTH TO ENSURE PLATE 'B' IS ALWAY'S COVERED FOR ALL EXPECTED MOVEMENTS. SEE STD. 27.10 FOR ADDITIONAL

CALCULATE THE REACTIONS AT THE BEARINGS DUE TO "TOTAL LOADS" AND ALSO "DEAD LOADS" ONLY. USE THE AASHTO LEFO SERVICE I LOAD COMBINATION. CONSIDER ONLY DEAD LOAD (DC + DW) AND HL-93 LIVE LOADS (LL), INCLUDING A 33Z DYNAMIC LOAD ALLOWANCE (M).

THE VALUES IN THE TABLES ARE THE BEARING CAPACITIES FOR "TOTAL LOAD" (DC + DW + (LL + IM)). TAKE 60% OF THE VALUES IN THE TABLES TO DETERMINE THE BEARING CAPACITIES FOR "DEAD LOAD" ONLY (DC + DW).

SELECT A BEARING THAT HAS A "TOTAL LOAD" CAPACITY GREATER THAN OR EQUAL TO THE CALCULATED "TOTAL LOAD" REACTION AND ALSO A "DEAD LOAD" CAPACITY GREATER THAN OR EQUAL TO THE CALCULATED "DEAD LOAD" REACTION.

FOR SPAN LENGTHS FROM 100'-0" UP TO 150'-0": USE A TYPE I MASONRY PLATE "D" WITH (2) - $1\frac{1}{2}$ " DIA. X 1'-10" LONG ANCHOR BOLTS.

FOR SPAN LENGTHS GREATER THAN 150'-0": USE A TYPE II MASONRY PLATE "D" WITH (4) - 1/2" DIA. X 1'-10" LONG

CHECK THAT ANCHOR BOLTS PROVIDE ADEQUATE HORIZONTAL CAPACITY.

STAINLESS STEEL - TFE EXPANSION BEARING DETAILS TYPE 'A-T'



APPROVED: <u>Laura Shadewald</u>

7-23