

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

"Use Ctrl F to search "

2023 Approved Mix Design List

Sorted by YEAR and WisDOT 250-Test #

All mix design will have a 3-year life cycle consisting of the current year and the 2 subsequent years, all mixes will still need to meet requirements in CMM 866 for Mix Design Life, as well as tables 460-2 & 3 in the Standard Specification.

2023 (expires 12/31/2025)

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	1	2023	RR0418	LT	Beloit	5		SW
250	2	2023	RR0417	LT	Beloit	3		SW
250	3	2023	RR0416	MT	Beloit	2		SW
250	4	2023	RR0421	LT	Monroe	3		SW
250	5	2023	RR0422	MT	Monroe	3		SW
250	6	2023	RR0425	LT	Monroe	5		SW
250	7	2023	800123	LT	Burnett	3		NE
250	8	2023	800223	LT	Burnett	4		NE
250	9	2023	800323	MT	Burnett	4		NE
250	10	2023	800623	MT	Rugby	4		SE
250	11	2023	RR0424	MT	Monroe	4		SW
250	12	2023	RR0426	MT	Monroe	5		SW
250	13	2023	801423	LT	Aggrecon	4		NE
250	14	2023	801323	MT	Aggrecon	3		NE
250	15	2023	800423	MT	Rugby	3		SE
250	16	2023	500623	MT	Waukesha	3		SE
250	17	2023	508022	MT	LaGrange	3		SE
250	18	2023	508122	MT	LaGrange	4		SE
250	19	2023	500723	MT	Waukesha	3		SE
250	20	2023	508222	MT	LaGrange	5		SE
250	21	2023	800523	MT	Rugby	3		SE
250	22	2023	396-23-3HTRS303(184)	HT	Mosinee	3	0.2% Evotherm antistrip additive	NC
250	23	2023	396-23-3HTRSW303(185)	HT	Mosinee	3	WMA	NC
250	24	2023	396-23-4HTRS301(180)	HT	Mosinee	4		NC
250	25	2023	396-23-4HTRSW301(181)	HT	Mosinee	4	WMA	NC
250	26	2023	396-23-4LTR302(203)	LT	Mosinee	4		NC
250	27	2023	396-23-4LTRSW302(204)	LT	Mosinee	4	WMA	NC

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	28	2023	366-23-3HTRSW301(284)	HT	Arnott	3	WMA	NC
250	29	2023	366-23-3HTRS301(283)	HT	Arnott	3		NC
250	30	2023	500923	SMA	Waukesha	4	w/0.30% fibers	SE
250	31	2023	500823	MT	Waukesha	2		SE
250	32	2023	110-23 3 LT	LT	Jones Farm	3		SE
250	33	2023	RR0427	MT	Monroe	3		SW
250	34	2023	500123	LT	Waukesha	5		SE
250	35	2023	500423	MT	Waukesha	4		SE
250	36	2023	500323	MT	Waukesha	4		SE
250	37	2023	500223	MT	Waukesha	5		SE
250	38	2023	508322	LT	LaGrange	5		SE
250	39	2023	801623	MT	Eden	4		NE
250	40	2023	RR0423	LT	Monroe	4		SW
250	41	2023	500523	HT	Waukesha	4		SE
250	42	2023	800823	MT	Ripon	3		NE
250	43	2023	11-23 3 LT	LT	enomonee Fa	3		SE
250	44	2023	31-23 3 MT	MT	enomonee Fa	3		SE
250	45	2023	110-23 3 LT	LT	Jones Farm	3		SE
250	46	2023	604-23 4 MT	MT	enomonee Fa	4		SE
250	47	2023	310-23 3 MT	MT	Jones Farm	3		SE
250	48	2023	RR0428	MT	Monroe	4	Virgin design no RAM	SW
250	49	2023	603-23 3 MT	MT	enomonee Fa	3		SE
250	50	2023	605-23 5 MT	MT	enomonee Fa	5		SE
250	51	2023	12-23 4 LT	LT	enomonee Fa	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	52	2023	13-23 5 LT	LT	enomonee Fa	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	53	2023	32-23 4 MT	MT	enomonee Fa	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	54	2023	801023	MT	Ripon	4		NE
250	55	2023	120-23 4 LT	LT	Jones Farm	4		SE
250	56	2023	130-23 5 LT	LT	Jones Farm	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S/H (58-28S/H)	SE
250	57	2023	5286-23-3MTR301(#5)	MT	LaCrosse	3		SW

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	58	2023	5286-23-3LTR301(#2)	LT	LaCrosse	3		SW
250	59	2023	5286-23-4LTR301(#7)	LT	LaCrosse	4		SW
250	60	2023	5286-23-4MTR301(#9)	MT	LaCrosse	4	no longer approved	SW
250	61	2023	501023	SMA	Waukesha	4	58-28V	SE
250	62	2023	1145-23-4HTRS301(282)	HT	Heyn	4	0.35% Evotherm antistrip additive	NC
250	63	2023	1145-23-4HTRSW301(283)	HT	Heyn	4	0.35% Evotherm antistrip/WMA additive	NC
250	64	2023	801923	LT	Glenmore	4		NE
250	65	2023	801723	LT	Pound	4		NE
250	66	2023	801123	LT	Ripon	4		NE
250	67	2023	801823	MT	Glenmore	4		NE
250	68	2023	802123	LT	Green Bay	3		NE
250	69	2023	800923	LT	Ripon	3		NE
250	70	2023	121-23 4 LT NR	LT	Jones Farm	4		SE
250	71	2023	300323	LT	K&N	4		SE
250	72	2023	300823	LT	K&N	3		SE
250	73	2023	301423	LT	K&N	5		SE
250	74	2023	301323	MT	K&N	3		SE
250	75	2023	300623	MT	Vienna	2		SW
250	76	2023	300523	LT	Vienna	3		SW
250	77	2023	300723	MT	Vienna	3		SW
250	78	2023	5286-23-4MTR302(#9)	MT	LaCrosse	4		SW
250	79	2023	503223	MT	Honey Creek	4	WMA	SE
250	80	2023	501623	MT	Fitchburg	4		SW
250	81	2023	501523	LT	Fitchburg	4		SW
250	82	2023	501723	LT	Fitchburg	5		SW
250	83	2023	503323	MT	Honey Creek	4	WMA	SE
250	84	2023	802223	LT	Green Bay	3		NE
250	85	2023	503523	MT	Honey Creek	3		SE
250	86	2023	501823	MT	Fitchburg	5		SW
250	87	2023	301523	MT	K&N	2		SE
250	88	2023	220-23-4LTRS301	LT	Baraboo	4	0.30% Evotherm M-1 antistrip additive	SW
250	89	2023	220-23-4MTR301	MT	Baraboo	4	0.30% Evotherm M-1 antistrip additive	SW
250	90	2023	420-22	HT	Delafield	4		SE
250	91	2023	13-23 5 LT VIR	LT	enomonee Fa	5	Virgin design no RAM	SE
250	92	2023	12-23 4 LT VIR	LT	enomonee Fa	4	Virgin design no RAM	SE

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	93	2023	155-23-3HTR301	HT	Tomah	3		SW
250	94	2023	155-23-4HTR301	HT	Tomah	4		SW
250	95	2023	738-23-4MTRSW301(246)	MT	Naedler	4	WMA	NC
250	96	2023	738-23-4MTRS301(245)	MT	Naedler	4		NC
250	97	2023	503023	HT	Fitchburg	3		SW
250	98	2023	802523	LT	Burnett	3	WMA	NE
250	99	2023	802623	LT	Burnett	4	WMA	NE
250	100	2023	503623	SMA	Fitchburg	4	58-28V	SW
250	101	2023	222-23-3MTRSW301	MT	Eau Claire	3	WMA	NW
250	102	2023	222-23-3MTRS301	MT	Eau Claire	3		NW
250	103	2023	220-23-3HTRS-301	HT	Baraboo	3	0.30% Evotherm M-1 antistrip additive	SW
250	104	2023	734-23-5MTR301	MT	Holmen	5	58-34V	NW
250	105	2023	503723	LT	Honey Creek	3	WMA	SE
250	106	2023	802823	MT	Burnett	4	WMA	NE
250	107	2023	802923	MT	Green Bay	3		NE
250	108	2023	503823	LT	Honey Creek	4	WMA	SE
250	109	2023	131-23 5 LT Virgin	LT	Jones Farm	5	Virgin design no RAM	SE
250	110	2023	PW-HO-3MT-23	MT	Holtan Pit	3	0.2% FacTac anti-strip additive	NC
250	111	2023	PW-HO-4MT-23	MT	Holtan Pit	4	0.2% FacTac anti-strip additive	NC
250	112	2023	SPC23113	MT	ampton/Susse	3		SE
250	113	2023	803023	MT	Denmark	3		NE
250	114	2023	502723	MT	LaGrange	3		SE
250	115	2023	220-23-4HTRS301	HT	Baraboo	4	0.30% Evotherm M-1 antistrip additive	SE
250	116	2023	504023	MT	Waterloo	4	WMA	SW
250	117	2023	504223	HT	LaGrange	4		SW
250	118	2023	220-23-5MTRS301	MT	Baraboo	5	0.30% Evotherm M-1 antistrip additive	SW
250	119	2023	220-23-3MTRS301	MT	Baraboo	3	0.30% Evotherm M-1 antistrip additive	SW
250	120	2023	220-23-5LTR301	LT	Baraboo	5	0.30% Evotherm M-1 antistrip additive	SW
250	121	2023	802723	MT	Burnett	3	WMA	NE
250	122	2023	301923	HT	Kenosha	5		SE
250	123	2023	301823	MT	Kenosha	5		SE
250	124	2023	301723	MT	Kenosha	3		SE
250	125	2023	301623	LT	Kenosha	3		SE
250	126	2023	302923	MT	Vienna	4	WMA	SW
250	127	2023	SPC23112	MT	ampton/Susse	2		SE

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	128	2023	5286-23-5MTR301(#16)	MT	LaCrosse	5		SW
250	129	2023	5286-23-5LTR301(#17)	LT	LaCrosse	5		SW
250	130	2023	303023	LT	Vienna	3	WMA	SW
250	131	2023	303123	MT	Vienna	3	WMA	SW
250	132	2023	222-23-3HTRS301	HT	Eau Claire	3		NW
250	133	2023	5788-23-4LTR301	LT	Swiggum Qry	4		SW
250	134	2023	154-23-4MTR301	MT	Highbridge Qr	4	0.30% Evotherm antistrip additive	NW
250	135	2023	5788-23-3LTR301	LT	Swiggum Qry	3		SW
250	136	2023	794-23-4MTRW301(22)	MT	Jim Falls	4	WMA	NW
250	137	2023	198-23-4MTRW301	MT	Hayward	4	WMA	NW
250	138	2023	803623	LT	Denmark	3		NE
250	139	2023	RR0420	MT	Beloit	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S/H (58-28S/H)	SW
250	140	2023	RR0419	LT	Beloit	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S/H (58-28S/H)	SW
250	141	2023	222-23-3LTRS301	LT	Eau Claire	3		NW
250	142	2023	SPC23103	LT	Ampton/Susse	3		SE
250	143	2023	503923	LT	Honey Creek	5		SE
250	144	2023	504123	HT	LaGrange	3		SW
250	145	2023	504723	LT	Waterloo	4		SW
250	146	2023	803723	MT	Glenmore	3		NE
250	147	2023	803823	LT	Glenmore	3		NE
250	148	2023	RR0429	LT	Naber	3		SW
250	149	2023	307-23-3LTR301	LT	WI Dells	3	0.30% Evotherm M-1 antistrip additive	SW
250	150	2023	307-23-4LTR301	LT	WI Dells	4	0.30% Evotherm M-1 antistrip additive	SW
250	151	2023	177-23-4LTRW301	LT	Gordon	4	WMA	NW
250	152	2023	296-23-3LTRW301	LT	Spooner	3	WMA	NW
250	153	2023	5302-23-4MTRW301(246)	MT	Hay Creek	4	WMA	NC
250	154	2023	5302-23-4MTR301(245)	MT	Hay Creek	4		NC
250	155	2023	296-23-1LTRW301	LT	Spooner	4	WMA	NW
250	156	2023	154-23-4MTR301	MT	Highbridge Qr	4	WMA	NW
250	157	2023	120122	HT	Arlington	2		SW
250	158	2023	222202	HT	Arlington	3		SW
250	159	2023	332302	HT	Arlington	4		SW
250	160	2023	222-23-4HTRS301	HT	Eau Claire	4		NW

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	161	2023	RR0431	MT	Naber	3		SW
250	162	2023	312-23-3LTRW301(11)	LT	Amery	3	WMA	NW
250	163	2023	312-23-4MTRW301(23)	MT	Amery	4	WMA	NW
250	164	2023	RR0432	MT	Naber	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW
250	165	2023	220-23-3LTR301	LT	Baraboo	3	0.30% Evotharm M-1 antistrip additive	SW
250	166	2023	SPC23104	LT	ampton/Susse	4		SE
250	167	2023	220-23-4LTR301	LT	Baraboo	4	0.30% Evotharm M-1 antistrip additive	SW
250	168	2023	RR0430	LT	Naber	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW
250	169	2023	794-23-5MTRW301	MT	Jim Falls	5	WMA	NW
250	170	2023	312-23-5MTRW301(25)	MT	Amery	5	WMA	NW
250	171	2023	801223	Interlayer	Green Bay	6	PG58-34E	NE
250	172	2023	155-23-4SMAR451	SMA	Tomah	4	PG58-28V	SW
250	173	2023	827-23-4MTR301(55)	MT	Superior	4		NW
250	174	2023	827-23-3MTR301	MT	Superior	3		NW
250	175	2023	396-23-5MTRS304(165)	MT	Mosinee	5	0.35% Evotharm P antistrip additive	NC
250	176	2023	396-23-5MTRSW304(166)	MT	Mosinee	5	WMA	NC
250	177	2023	302123	LT	Kenosha	4		SE
250	178	2023	302223	LT	Kenosha	5		SE
250	179	2023	TCM 3 LT 23	LT	Chippewa Falls	3		NW
250	180	2023	504323	LT	Cedar Lake	4		SE
250	181	2023	504423	MT	Cedar Lake	4		SE
250	182	2023	501423	MT	Fitchburg	3		SW
250	183	2023	803323	MT	Garvey	3		NE
250	184	2023	803223	LT	Pound	5		NE
250	185	2023	1008-23-5MTR301	MT	Feltes	5		NW
250	186	2023	158-23-3MTR301	MT	Wittwer Pit	3		NW
250	187	2023	803523	LT	Garvey	4		NE
250	188	2023	505023	LT	Waterloo	3		SE
250	189	2023	505123	MT	Waterloo	3		SE
250	190	2023	804423	LT	Richards	4		NE
250	191	2023	804723	LT	Rugby	4		SE
250	192	2023	220-23-5HTR301	HT	Baraboo	5	0.30% Evotharm M-1 antistrip additive	SW
250	193	2023	SPC23213	MT	Racine	3		SE

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	194	2023	222-23-4LTR301	LT	Eau Claire	4		NW
250	195	2023	303323	Interlayer	Vienna	6	PG58-34E	SW
250	196	2023	337-23-3MTRW301(248)	MT	Stratford	3	WMA	NC
250	197	2023	SPC2314	MT	Racine	4		SE
250	198	2023	274-23-4MTRW301	MT	Jim Falls	4	WMA	NW
250	199	2023	804823	MT	Monico	3		NE
250	200	2023	302023	LT	Kenosha	3		SE
250	201	2023	302323	MT	Kenosha	3		SE
250	202	2023	302423	MT	Kenosha	4		SE
250	203	2023	803423	MT	Garvey	4		NE
250	204	2023	504923	MT	Jackson	2		SE
250	205	2023	501323	LT	Fitchburg	3		SW
250	206	2023	302523	MT	Kenosha	5		SE
250	207	2023	3 LT - Mackville	LT	Mackville	3		NE
250	208	2023	160-23-4MTRW301	MT	Jew Richmon	4	PG58-34V	NW
250	209	2023	1008-23-4MTR301	MT	Feltes Qry	4	PG58-34V	NW
250	210	2023	274-23-3MTRW301	MT	Jim Falls	3		NW
250	211	2023	805023	LT	Hazelhurst	4		NE
250	212	2023	330-23-3MTR301	MT	rosemeyer Qr	3		SW
250	213	2023	4 LT - Mackville	LT	Mackville	4		NE
250	214	2023	3 LT - Seymour	LT	Seymour	3		NE
250	215	2023	4 LT - Seymour	LT	Seymour	4		NE
250	216	2023	330-23-4MTHR301	MT	rosemeyer Qr	4	High Pbr - ok upper layers. Continuous Grading meet PG58-34S (52-34S)	SW
250	217	2023	220-23-3LTRW301	LT	Baraboo	3	WMA	SW
250	218	2023	220-23-3MTRSW301	MT	Baraboo	3	WMA	SW
250	219	2023	220-23-4MTRW301	MT	Baraboo	4	WMA	SW
250	220	2023	220-23-4LTRW301	LT	Baraboo	4	WMA	SW
250	221	2023	804523	MT	Richards	3		NE
250	222	2023	804623	MT	Richards	4		NE
250	223	2023	330-23-4LTHR301	LT	rosemeyer Qr	4	High Pbr - ok upper layers. Continuous Grading meet PG58-34S (52-34S)	SW
250	224	2023	804923	LT	Hazelhurst	3		NE
250	225	2023	803123	LT	Pound	4		NE

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	226	2023	274-23-3MTR301	MT	Jim Falls	3		NW
250	227	2023	274-23-4MTR301	MT	Jim Falls	4		NW
250	228	2023	172-23-4MTR301	MT	Geier Rd Qry	4	0.30% Evotherm M-1 antistripping additive	SW
250	229	2023	805323	MT	Pound	4	WMA	SE
250	230	2023	505223	MT	Oregon	3		SW
250	231	2023	502123	LT	Fitchburg	5		SW
250	232	2023	705-23-4LTRW301	LT	Menomonie	4	WMA	NW
250	233	2023	705-23-4LTR301	LT	Menomonie	4		NW
250	234	2023	337-23-4MTHRW302(250)	MT	Kafka/Stratford	4	WMA High Pbr - ok upper layers. Continuous Grading meet PG58-34S (52-34S)	NC
250	235	2023	502523	LT	Racine	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	236	2023	TCM 4 LT 23	LT	Chippewa Falls	4		NW
250	237	2023	220-23-3MTR301	MT	Baraboo	3	0.30% Evotherm M-1 antistripping additive	SW
250	238	2023	804123	LT	Pound	3	WMA	NE
250	239	2023	705-23-3LTRW301	LT	Menomonie	3	WMA	NW
250	240	2023	705-23-3LTR301	LT	Menomonie	3		NW
250	241	2023	220-23-3HTR301	HT	Baraboo	3	0.30% Evotherm M-1 antistripping additive	SW
250	242	2023	220-23-4HTR301	HT	Baraboo	4	0.30% Evotherm M-1 antistripping additive	SW
250	243	2023	705-23-3MTR301	MT	Menomonie	3		NW
250	244	2023	705-23-3MTRW301	MT	Menomonie	3	WMA	NW
250	245	2023	155-23-4MTR301	MT	Thompson Quarry	4		SW
250	246	2023	5337-23-3MTR301(244)	MT	Maple Ridge	3		NC
250	247	2023	3 MT (RAP only) - Mackville	MT	Mackville	3		NE
250	248	2023	4 MT (virgin) - Mackville	MT	Mackville	4	Virgin design no RAM	NE
250	249	2023	5310-23-5MTRS301(242)	MT	Ruby	5		NC
250	250	2023	5337-23-3MTRW301(245)	MT	Maple Ridge	3	WMA	NC
250	251	2023	5310-23-5MTRSW301(243)	MT	Ruby	5	WMA	NC
250	252	2023	827-23-4MTR302	MT	Superior	4		NW
250	253	2023	296-23-4MTRW301	MT	Spoooner	4	WMA	NW
250	254	2023	505823	HT	Fitchburg	3		SW
250	255	2023	505723	MT	LaGrange	4		SW
250	256	2023	505323	LT	Oregon	3		SW
250	257	2023	506123	MT	Jackson	3	AIP P402	SE
250	258	2023	303823	MT	Herman	3		SW

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	259	2023	303923	MT	Herman	3	WMA	SW
250	260	2023	304023	MT	Herman	4		SW
250	261	2023	304123	MT	Herman	4	WMA	SW
250	262	2023	805123	MT	Glenmore	4		NE
250	263	2023	197-23-4SMAR451	SMA	Kimball Qry	4	PG58-34V	NW
250	264	2023	4 MT - Mackville	MT	Mackville	4		NE
250	265	2023	330-23-4LTR301	LT	Rosemeyer Qr	4		SW
250	266	2023	5303-23-4MTR301(245)	MT	Krug	4		NC
250	267	2023	5303-23-4MTRW301(246)	MT	Krug	4	WMA	NC
250	268	2023	353-23-5MTR301	MT	Kings Bluff	5	PG58-34V	NW
250	269	2023	758-23-5MTRW301	MT	Gordon	5	WMA	NW
250	270	2023	502023	LT	Fitchburg	4		SW
250	271	2023	506223	MT	Jackson	4	AIP P402 (virgin mix no RAM)	SE
250	272	2023	353-23-4MTR301	MT	Kings Bluff	4	PG58-34V	NW
250	273	2023	304423	LT	Herman	4		SE
250	274	2023	304523	LT	Herman	4	WMA	SE
250	275	2023	172-23-4MTRS302	LT	Geier Rd Qry	4	0.30% Evotherm M-1 antistrip additive	SW
250	276	2023	758-23-5MTRW301	MT	Gordon	5	WMA	NW
250	277	2023	1133-23-3LTR301	LT	Mollett Qry	3	0.20% Evotherm M-1 antistrip additive	SW
250	278	2023	RR0433	MT	Paulson Pit	4		SW
250	279	2023	RR0434	LT	Paulson Pit	4		SW
250	280	2023	805723	LT	Poppler River	4		NE
250	281	2023	304323	LT	Herman	3	WMA	SE
250	282	2023	304223	LT	Herman	3		SE
250	283	2023	804023	LT	Pound	4	WMA	NE
250	284	2023	5LT-Seymour-Wimme	LT	Seymour	5		NE
250	285	2023	506523	HT	Jackson	3		SE
250	286	2023	155-23-3LTR301	LT	Tomah	3		SW
250	287	2023	1140-23-4LTR301	LT	Tomah	4		SW
250	288	2023	4 LT (REDESIGN) - MACKVILLE	LT	Mackville	4		NE
250	289	2023	198-23-4MTRW302	MT	Hayward	4	WMA	NW
250	290	2023	198-23-4MTRW303	MT	Hayward	4	WMA	NW
250	291	2023	5LT-Mackville-Wimme	LT	Mackville	5		NE
250	292	2023	1133-23-4LTR301	LT	Mollett Qry	4		SW
250	293	2023	353-23-5MTR302	MT	Kings Bluff	5	58-34V	NW

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	294	2023	5337-23-4MTHR302(240)	MT	Maple Ridge	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW
250	295	2023	5337-23-4MTHRW302(241)	MT	Maple Ridge	4	WMA High Pbr - ok upper layers. Continuous Grading meet PG58-34S (52-34S)	SW
250	296	2023	506323	LT	LaGrange	4		SW
250	297	2023	502323	LT	Fitchburg	5		SW
250	298	2023	805223	LT	Glenmore	4		NE
250	299	2023	804323	MT	Pound	3	WMA	NE
250	300	2023	330-23-5LTR301	LT	Rosemeyer Qr	5		SW
250	301	2023	244-23-4LTR301	LT	Simmon Qry	4	0.20% Evotherm M-1 antistrip additive	SW
250	302	2023	330-23-5MTR301	MT	Rosemeyer Qr	5	0.30% Evotherm M-1 antistrip additive	SW
250	303	2023	198-23-4MTRW304	MT	Hayward	4	WMA	NW
250	304	2023	806523	LT	Kelley	4		NE
250	305	2023	806223	MT	Kelley	3		NE
250	306	2023	192-23-4MTR302	MT	Palecek	4		NC
250	307	2023	806323	MT	Kelley	4	high Pbr, lower layer application only	NE
250	308	2023	506423	LT	LaGrange	5		SW
250	309	2023	806423	MT	Kelley	4		NE
250	310	2023	1140-23-4LTR302	LT	Tomah	4	0.2% Evotherm antistrip additive	SW
250	311	2023	806723	LT	Brocker	4		NE
250	312	2023	197-23-4MTR301	MT	Kimball Qry	4		NW
250	313	2023	403123	LT	ACI Burlingtor	3		SW
250	314	2023	403223	LT	ACI Burlingtor	4		SW
250	315	2023	601-23-3MTR301	MT	Dubuque	3		SW
250	316	2023	806123	LT	Glenmore	5		NE
250	317	2023	PW-V-4LT-23	LT	Volkman	4	0.20% FasTac antistrip additive	NC
250	318	2023	5110-23-4LTHR301	LT	Prairie du Chie	4	0.3% Evotherm antistrip additive	SW
250	319	2023	506723	MT	Franklin	3		SE
250	320	2023	506023	MT	Jackson	1		SE
250	321	2023	RR0436	LT	Naber	3		SW
250	322	2023	329-23-3MTR303(250)	MT	Tomahawk	3		NC
250	323	2023	329-23-3MTRW303(251)	MT	Tomahawk	3	WMA	NC
250	324	2023	329-23-5MTRS301(244)	MT	Tomahawk	5		NC
250	325	2023	329-23-5MTRSW301(245)	MT	Tomahawk	5	WMA	NC
250	326	2023	5319-23-4TRW301(241)	MT	Mercer	4	WMA	NC

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	327	2023	5319-23-4MTR301(240)	MT	Mercer	4	NC
250	328	2023	506923	LT	Franklin	4	SE
250	329	2023	312-23-5MT402	MT	Amery	5	AIP P402 - no RAM NW
250	330	2023	158-23-5MTRW301	MT	Ashland Yard	5	WMA (PG58-34V) NW
250	331	2023	507323	LT	Racine	3	SE
250	332	2023	806623	LT	Brocker	3	NE
250	333	2023	5632000-23-5MTRW301	MT	Home Run Qr	5	WMA (PG58-34V) NW
250	334	2023	1105-23-4MTR301	MT	Chicknect Qr	4	0.20% Evotherm M-1 antistrip additive SW
250	335	2023	1105-23-4LTR301	LT	Chicknect Qr	4	0.20% Evotherm M-1 antistrip additive SW
250	336	2023	5632000-23-4MTRW301	MT	Home Run Qr	4	WMA (PG58-34V) NW
250	337	2023	806823	LT	Sturgeon Bay	4	NE
250	338	2023	164-23-4LTR301	LT	Gordon	4	NW
250	339	2023	164-23-4LTRW301	LT	Gordon	4	WMA NW
250	340	2023	164-23-5MTR301	MT	Gordon	5	NW
250	341	2023	164-23-5MTRW301	MT	Gordon	5	WMA NW
250	342	2023	3 MT - Seymour	MT	Seymour	3	NE
250	343	2023	4 MT - Seymour	MT	Seymour	4	NE
250	344	2023	5 MT - Seymour	MT	Seymour	5	NE
250	345	2023	5 MT - Mackville	MT	Mackville	5	NE
250	346	2023	806923	MT	Beecher	3	NE
250	347	2023	505623	LT	LaGrange	4	SW
250	348	2023	803923	MT	Shawano	3	NE
250	349	2023	807023	MT	Beecher	4	NE
250	350	2023	507023	MT	Franklin	4	SW
250	351	2023	5110-23-3MTR301	MT	Prairie du Chie	3	SW
250	352	2023	807123	MT	Jadin	4	NE
250	353	2023	164-23-4SMA451	SMA	Gordon	4	PG58-34V NW
250	354	2023	5110-23-4MTR301	MT	Prairie du Chie	4	0.30% Evotherm M-1 antistrip additive SW
250	355	2023	RR0437	MT	Naber	3	SW
250	356	2023	805923	HT	Glenmore	4	NE
250	357	2023	506623	LT	Franklin	3	SE
250	358	2023	507523	HT	Muskego	3	SE
250	359	2023	RR0435	LT	Naber	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S) SW
250	360	2023	507423	LT	Racine	4	SE

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	361	2023	506823	HT	Franklin	3		SE
250	362	2023	507123	LT	Franklin	5		SE
250	363	2023	804223	MT	Pound	4	WMA	NE
250	364	2023	5110-23-4LTR301	LT	rairie du Chie	4	0.30% Evotherm M-1 antistrip additive	SW
250	365	2023	507223	MT	Franklin	5		SE
250	366	2023	164-23-4SMA452	SMA	Gordon	4	PG58-34V	NW
250	367	2023	507623	HT	Waukesha	5		SE
250	368	2023	RR0438	MT	Naber	4		SW
250	369	2023	220-23-4MTR301	MT	Baraboo	4	0.30% Evotherm M-1 antistrip additive	SW
250	370	2023	807323	LT	Shawano	4		NE
250	371	2023	5107-23-4LTR301	LT	Welsch Pit	4		SW
250	372	2023	398-23-3MTR301	MT	lanthey East F	3	0.30% Evotherm M-1 antistrip additive	SW
250	373	2023	398-23-4MTR301	MT	lanthey East F	4		SW
250	374	2023	5107-23-4MTR301	MT	Welsch Pit	4	0.30% Evotherm M-1 antistrip additive	SW
250	375	2023	5107-23-3MTR301	MT	Welsch Pit	3	0.30% Evotherm M-1 antistrip additive	SW
250	376	2023	5107-23-3LTR301	LT	Welsch Pit	3	0.30% Evotherm M-1 antistrip additive	SW
250	377	2023	SPC23215	MT	Racine	5		SE
250	378	2023	806023	MT	Brocke	5		NE
250	379	2023	821-23-4LTR301	LT	Brackett Qry	4		NC
250	380	2023	5286-23-4LTR302	LT	La Crosse	4		SW
250	381	2023	807523	MT	Laesen	3		NE
250	382	2023	5286-23-4MTR303	MT	La Crosse	4		SW
250	383	2023	807623	LT	Larsen	5		NE
250	384	2023	807423	MT	Larsen	4		NE
250	385	2023	3LT-Mackville redesign	LT	Mackville	3		NE
250	386	2023	RR0439	LT	enomonee Fa	6	Lower layer application only	SE
250	387	2023	403323	MT	ICI - Burlingto	4		SW
250	388	2023	5286-23-3HTR301	HT	LaCrosse	3		SW
250	389	2023	403423	MT	Jefferson	4		SW
250	390	2023						
250	391	2023						
250	392	2023						
250	393	2023						
250	394	2023						
250	395	2023						

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	396	2023						
250	397	2023						
250	398	2023						
250	399	2023						
250	400	2023						
250	401	2023						

2022 (expires 12/31/2024)								
250	1	2022	RR0406	LT	Townhall	4	High Pbr - lower layer only	SW
250	2	2022	RR0407	LT	Townhall	4	High Pbr - lower layer only	SW
250	3	2022	RR0405	SMA	Townhall	4	w/0.30% CF	SW
250	4	2022	500422	MT	Waukesha	5		SE
250	5	2022	800322	HT	Green Bay	4		NE
250	6	2022	800822	LT	Sturgeon Bay	3		NE
250	7	2022	800722	MT	Sturgeon Bay	3		NE
250	8	2022	500722	LT	Waukesha	3		SE
250	9	2022	500822	LT	Waukesha	4		SE
250	10	2022	5341-22-4LTRW301	LT	Mercer	4	WMA	NC
250	11	2022	800922	MT	Menasha	4		NE
250	12	2022	801122	MT	Shawano	4		NE
250	13	2022	500622	MT	Fitchburg	4		SW
250	14	2022	501722	HT	Fitchburg	4	High Pbr - lower layer only	SW
250	15	2022	500922	LT	Lagrange	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	16	2022	801222	LT	Shawano	4		NE
250	17	2022	500122	MT	Fitchburg	3		SW
250	18	2022	501422	LT	Lagrange	3	High Pbr - ok lower layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	19	2022	501322	LT	Lagrange	3	High Pbr - ok lower layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	20	2022	218-22-4MTRW304(245)	MT	Smasal	4	WMA	NC
250	21	2022	218-22-4MTR302(244)	MT	Smasal	4		NC

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	22	2022	218-22-5MTR301(240)	MT	Smasal	5		NC
250	23	2022	218-22-5MTRW301(241)	MT	Smasal	5	WMA	NC
250	24	2022	329-22-4MTRW301(243)	MT	Tomahawk	4	WMA	NC
250	25	2022	329-22-4MTR301(242)	MT	Tomahawk	4		NC
250	26	2022	801022	MT	Menasha	5		NE
250	27	2022	805021	LT	Menasha	2		NE
250	28	2022	501922	MT	Lake Geneva	3		SE
250	29	2022	502122	MT	Franklin	3		SE
250	30	2022	502322	MT	Franklin	5		SE
250	31	2022	502222	MT	Franklin	4		SE
250	32	2022	502622	LT	Jackson	5		SE
250	33	2022	502522	LT	Jackson	4		SE
250	34	2022	502422	MT	Jackson	4		SE
250	35	2022	802022	MT	Denmark	4		NE
250	36	2022	802222	HT	Denmark	4		NE
250	37	2022	501822	MT	Lake Geneva	4		SE
250	38	2022	502022	HT	Franklin	3		SE
250	39	2022	802422	LT	Glenmore	4		NE
250	40	2022	SPC22203	LT	Racine	3		SE
250	41	2022	SPC22204	LT	Racine	4		SE
250	42	2022	801622	MT	Larsen	3		NE
250	43	2022	802622	LT	Menasha	4		NE
250	44	2022	503022	LT	Racine	5		SE
250	45	2022	503422	LT	Honey Creek	4		SE
250	46	2022	502722	LT	Kenosha	3		SE
250	47	2022	502822	LT	Kenosha	4		SE
250	48	2022	502922	LT	Kenosha	5		SE
250	49	2022	801722	MT	Larsen	4	no RAM	NE
250	50	2022	503122	MT	Honey Creek	3		SE
250	51	2022	RR0408	MT	Dousman	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	52	2022	503322	LT	Honey Creek	3		SE
250	53	2022	503622	MT	Cedar Lake	4		SE
250	54	2022	402222	LT	Burlington	5		SW

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	55	2022	402322	MT	Burlington	5		SW
250	56	2022	503522	LT	Honey Creek	5		SE
250	57	2022	1100-22 3LT	LT	Sun Prairie	3		SW
250	58	2022	1300-22 5LT	LT	Sun Prairie	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW
250	59	2022	SP 3100-22	MT	Sun Prairie	3		SW
250	60	2022	SP 3200-22 4 MT H	MT	Sun Prairie	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S/H (58-28S/H)	SW
250	61	2022	3300-22 5 MT H	MT	Sun Prairie	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW
250	62	2022	D 230-22 5 LT W H	LT	Delafield	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	63	2022	231-22	LT	Delafield/MF	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	64	2022	D 310-22 3 MT W	MT	Delafield	3		SE
250	65	2022	402422	LT	Burlington	4		SW
250	66	2022	402522	MT	Burlington	4		SW
250	67	2022	102622	MT	Burlington	3		SW
250	68	2022	D 120-22 4 LT WH	LT	Delafield	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	69	2022	D 121-22 4 LT L H	LT	Delafield/MF	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	70	2022	SP 120-22 4 LT H	LT	Sun Prairie	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW
250	71	2022	D 332-22 5 MT L H	MT	Delafield/MF	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-28S)	SE
250	72	2022	D 330-22 5MT W H	MT	Delafield	5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SE
250	73	2022	802322	LT	Denmark	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	NE
250	74	2022	802822	LT	Thackray	3		NE
250	75	2022	802922	LT	Thackray	4		NE
250	76	2022	360-22-4MTRW301	MT	McLaine Pit	4	WMA	NW

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	77	2022	296-22-4MTRW301	MT	Paffrel Pit	4	WMA	NW
250	78	2022	802522	LT	Menasha	3		NE
250	79	2022	503222	MT	Honey Creek	4		SE
250	80	2022	503922	MT	Cedar Lake	2		SE
250	81	2022	504122	LT	Kenosha	4		SE
250	82	2022	504322	MT	Kenosha	4		SE
250	83	2022	504622	MT	Muskego	5		SE
250	84	2022	504522	MT	Muskego	4		SE
250	85	2022	503722	MT	Fitchburg	4		SE
250	86	2022	705-22-5LTR301	LT	Menomonie	5		NW
250	87	2022	TCM 3 MT 22	MT	Chippewa Falls	3		NW
250	88	2022	396-22-4SMA545(186)	SMA	Mosinee	4	w/0.30% CF	NC
250	89	2022	803022	MT	Thackray	3		NE
250	90	2022	504022	LT	K&N	3		SE
250	91	2022	803122	MT	Thackray	4		NE
250	92	2022	801922	HT	Larsen	4		NE
250	93	2022	5110-22-4MTHR301	MT	Prairie du Chien	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW
250	94	2022	TMC 5 LT 22	LT	Chippewa Falls	5		NW
250	95	2022	312-22-4LTRW301	LT	Amery	4	WMA	NW
250	96	2022	803522	MT	Sturgeon Bay	4		NE
250	97	2022	803422	HT	Denmark	4		NE
250	98	2022	SPC22124	HT	Duxsex/Hampton	4		SE
250	99	2022	504422	HT	Fitchburg	3		SW
250	100	2022	1121-22-3MTRW301	MT	Clockmaker	3	WMA	SW
250	101	2022	803222	HT	Burnett	4		NE
250	102	2022	TMC 5 MT 22	MT	Chippewa Falls	5		NW
250	103	2022	503822	LT	K&N	3		SE
250	104	2022	803322	HT	Burnett	5		NE
250	105	2022	1145-22-4HTR301(280)	HT	Hancock	4		NC
250	106	2022	RR0411	MT	Portable	3		SW
250	107	2022	1145-22-4HTRW301(281)	HT	Hancock	4	WMA	NC
250	108	2022	RR0412	MT	Portable	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28S)	SW

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	109	2022	1121-22-4MTRW301	MT	Clockmaker	4	WMA	SW
250	110	2022	803622	LT	Sturgeon Bay	5		NE
250	111	2022	1145-22-4LTRHW302(202)	LT	Hancock	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-28S)	NC
250	112	2022	330-22-5MT301	MT	Plattville	5	No RAM / AIP	SW
250	113	2022	800622	HT	Glenmore	4		NE
250	114	2022	330-22-3LTHR301	LT	Rosemeyer Qr	3	High Pbr ok lower layers. Continuous Grading meet PG58-28S (52-34S)	SW
250	115	2022	307-22-4MTRW301	MT	WisDells	4		NC
250	116	2022	800522	MT	Glenmore	5		NE
250	117	2022	1145-22-4LTRH302(201)	LT	Hancock	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-28S)	NC
250	118	2022	1066-22-5MTR301	MT	Durand Qry	4	58-34V/WMA	NW
250	119	2022	222-22-5MTRW301	MT	Eau Claire	5	WMA	NW
250	120	2022	366-22-6INLV204(248)	Interlayer	Arnott	6	Only PG58-34E, no RAM	NC
250	121	2022	504822	LT	Jackson	4		SE
250	122	2022	505022	MT	Jackson	3		SE
250	123	2022	505322	MT	Honey Creek	4		SE
250	124	2022	330-22-4LTHR301	LT	Rosemeyer Qr	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S) antistrip added	SW
250	125	2022	296-22-5MTRW301	MT	Paffrel Pit	5	WMA	SW
250	126	2022	307-22-3MTR301	MT	WisDells	3		SW
250	127	2022	505122	MT	Jackson	4		SE
250	128	2022	5303-22-3MTR301(240)	MT	Medford	3		NW
250	129	2022	5303-22-3MTRW301(240)	MT	Medford	3	WMA	NW
250	130	2022	366-22-4HTRS301(280)	HT	Aarnott	4		NC
250	131	2022	366-22-4HTRSW301(281)	HT	Aarnott	4	WMA	NC
250	132	2022	505822	HT	Waukesha	3		SE
250	133	2022	803822	LT	Becker	3		NE
250	134	2022	1143-22-4MTRW301	MT	Zogg Qry	4	WMA	SW
250	135	2022	505222	LT	Honey Creek	3		SE
250	136	2022	396-22-4HTRW301	HT	Lack River Fal	4	WMA - PG58-34V	NW
250	137	2022	504222	LT	Kenosha	5		SE
250	138	2022	504922	LT	Jackson	5		SE

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	139	2022	504722	LT	Jackson	3		SE
250	140	2022	5342-22-5MTRW301(241)	MT	Potapenko	5	WMA	NW
250	141	2022	5342-22-5MTR301(240)	MT	Potapenko	5		NW
250	142	2022	222-22-5MTRW302	MT	Eau Claire	5	WMA	NW
250	143	2022	5337-22-4MTRH301(240)	MT	Dexterville	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)	NW
250	144	2022	5337-22-4MTRHW301(241)	MT	Dexterville	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S & 58-34H) WMA	NW
250	145	2022	158-22-5MTRW301	MT	Ashland	5	WMA	NW
250	146	2022	505622	MT	Kenosha	3		SE
250	147	2022	5321-22-5MTR301(246)	MT	Aniwa	5		NC
250	148	2022	5321-22-5MTRW301(247)	MT	Aniwa	5	WMA	NC
250	149	2022	198-22-5MTRW301	MT	Mrotek	5	WMA	NW
250	150	2022	1143-22-4LTR301	LT	Zogg Qry	4		SW
250	151	2022	802122	SMA	Denmark	4		NE
250	152	2022	136-22-4SMAR451	SMA	lack River Fal	4		NW
250	153	2022	PW-K-4MT-22	MT	King Qry	4	Anti-Strip - FasTac	NC
250	154	2022	797-22-5MTRW301	MT	Buckley Qry	5	WMA	NW
250	155	2022	506122	MT	Muskego	4		SE
250	156	2022	506522	HT	Waukesha	3		SE
250	157	2022	312-22-5MTRW301	MT	Amery	5	WMA	NW
250	158	2022	506222	LT	Muskego	4		SE
250	159	2022	804122	MT	Monico	3		NE
250	160	2022	804222	MT	Monico	4		NE
250	161	2022	804422	LT	Monico	5		NE
250	162	2022	5528-22-5MTRW301	MT	Ladysmith	5	WMA	NW
250	163	2022	1040-22-3LTRW301	LT	Schockley	3	WMA	SW
250	164	2022	505422	LT	Franklin	3		SE
250	165	2022	804322	LT	Monico	3		NE
250	166	2022	136-22-4MTRW301	MT	lack River Fal	4	WMA	NW
250	167	2022	505922	MT	Muskego	3		SE
250	168	2022	506422	LT	Muskego	5		SE
250	169	2022	506022	LT	Muskego	3		SE
250	170	2022	366-22-4SMAR45(282)	SMA	Arnott	4		NC

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	171	2022	220-22-4MTR301	MT	Baraboo	4	Anti-Strip - Evotherm	SW
250	172	2022	505522	LT	Kenosha	3		SE
250	173	2022	804622	MT	Freedom	4		NE
250	174	2022	506322	MT	Muskego	5		SE
250	175	2022	155-22-4LTRW301	LT	Tomah	4	WMA	SW
250	176	2022	804822	LT	Monico	4		NE
250	177	2022	RR0413	MT	Dousman	3		SE
250	178	2022	274-22-3LTRW301	LT	Charles Olson p	3	WMA	NW
250	179	2022	804922	LT	Zeinert	4		NE
250	180	2022	804722	MT	Freedom	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-28S) WMA	NE
250	181	2022	136-22-5MTR301	MT	Lack River Fal	5		NW
250	182	2022	797-22-4SMAR451	SMA	Buckley Qry	4	w/0.30% CF	NW
250	183	2022	220-22-3MTR301	MT	Baraboo	3	Anti-Strip - Evotherm	SW
250	184	2022	164-22-3MTRW301	MT	Bestway	3	WMA	NW
250	185	2022	805122	LT	Cleerman	4		NE
250	186	2022	1040-22-4LTHR301	LT	Schockley	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-28S)	SW
250	187	2022	5782-22-4MTHR301	MT	Lange Qry	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)	SW
250	188	2022	136-22-5HTR301	HT	Lack River Fal	5		NW
250	189	2022	220-22-3MTR302	MT	Baraboo	3	Anti-Strip - Evotherm	SW
250	190	2022	5337-22-3MTRW302(245)	MT	Dexterville	3	WMA	NC
250	191	2022	5337-22-3MTR302(244)	MT	Dexterville	3		NC
250	192	2022	805422	MT	Monico	4		NE
250	193	2022	220-22-4LTHR301	LT	Baraboo	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)	SW
250	194	2022	805022	MT	Mahar	4		NE
250	195	2022	763-22-5MTR301	MT	Marsolek Qry	5		NE
250	196	2022	D 320-22 4MT W	MT	Delafield/MF	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-28S)	SE
250	197	2022	430-22	HT	Delafield/MF	5		SE
250	198	2022	410-22 L	HT	Delafield/MF	4		SE
250	199	2022	507122	LT	Darien	4		SE

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	200	2022	507422	MT	Darien	3		SE
250	201	2022	164-22-4MTRW301	MT	Bestway	4	WMA	NW
250	202	2022	222-22-4MTRSW301	MT	Eau Claire	4		NW
250	203	2022	220-22-4MT301	MT	Baraboo	4	API	SW
250	204	2022	5513-22-5MTRW301	MT	Jenneman Pit	5	WMA	NW
250	205	2022	164-22-5MTRW301	MT	Bestway	5	WMA	NW
250	206	2022	805222	MT	Cleerman	3		NE
250	207	2022	RR0413	HT	Portable	3		SW
250	208	2022	RR0414	HT	Portable	4	High Pbr - ok upper layers. Continuous Grading meet PG58-28SH (58-28H)	SW
250	209	2022	507222	MT	Darien	4		SE
250	210	2022	507322	LT	Darien	3		SE
250	211	2022	804022	MT	Eden	4		NW
250	212	2022	805322	MT	Cleerman	4		NW
250	213	2022	RR0415	LT	Portable	4		SW
250	214	2022	220-22-3HTR301	HT	Baraboo	3	Anti-Strip - Evotherm	SW
250	215	2022	220-22-4HTR301	HT	Baraboo	4	Anti-Strip - Evotherm	SW
250	216	2022	386-22-4MTR301	MT	highbridge Qr	4		NW
250	217	2022	803922	MT	Eden	3		NW
250	218	2022	506722	MT	Fitchburg	4	no RAM	SW
250	219	2022	222-22-5MTRSW303	MT	Eau Claire	5	WMA	NW
250	220	2022	506822	MT	Fitchburg	4		SW
250	221	2022	506922	MT	Fitchburg	4	w/ fibers	SW
250	222	2022	507022	MT	Fitchburg	4		SW
250	223	2022	804522	MT	Freedom	3		NE
250	224	2022	805922	LT	Highpoint	4		NE
250	225	2022	220-22-3LTRS301	LT	Baraboo	3		SW
250	226	2022	374-22-5MTRS301	MT	Bruha Pit	5	WMA	NW
250	227	2022	160-22-5MTRW302	MT	Richmond	5	WMA	NW
250	228	2022	PW-K-5MTV-22	MT	King Qry	5	anti-strip FasTac	NC
250	229	2022	220-22-4LTR301	LT	Baraboo	4	anti-strip - Evotherm	SW
250	230	2022	1133-22-4LTR301	LT	Mollett Qry	4		SW
250	231	2022	386-22-4SMAR451	SMA	highbridge Qr	4	w/fibers	NW
250	232	2022	497-22-5MTR301	MT	Kimball Qry	5		NW

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	233	2022	164-22-4SMAR451	SMA	Bestway	4	w/fibers	NW
250	234	2022	222-22-5MTRSW304	MT	Eau Claire	5	WMA	NW
250	235	2022	805522	SMA	Rudinger	4	w/fibers	NE
250	236	2022	805822	SMA	Green Bay	4	w/fibers	NE
250	237	2022	806022	MT	Monico	4		NE
250	238	2022	5782-22-3LTRH301	LT	Lange Qry	3	WMA	SW
250	239	2022	806122	MT	Monico	3		NE
250	240	2022	5302-22-4MTR301(243)	MT	Hay Creek	4		NC
250	241	2022	5302-22-4MTRW301(244)	MT	Hay Creek	4	WMA	NC
250	242	2022	507722	MT	Waukesha	4		SE
250	243	2022	738-4MTRSW302(243)	MT	Granton/Needle	4	WMA/AntiStrip	NC
250	244	2022	738-22-4MTRS302(242)	MT	Granton/Needle	4	Anti-Strip - Evotherm	NC
250	245	2022	805622	LT	Rudinger	4		NE
250	246	2022	738-22-3MTRSW301(241)	MT	Granton/Needle	3	WMA/Anti-Strip	NC
250	247	2022	738-22-3MTRS301(240)	MT	Granton/Needle	3	Anti-Strip-Evotherm	NC
250	248	2022	5782-22-4LTHRW301	LT	Lange Qry	4	WMA	SW
250	249	2022	805722	MT	Rudinger	4		NE
250	250	2022	154-22-5MTRW301	MT	Wittwer Pit	5	WMA	NW
250	251	2022	794-22-5MTRW301	MT	Olson Pit	5	WMA	NW
250	252	2022	806222	LT	Bailey's Harbo	4		NE
250	253	2022	337-22-4MTRSW301(246)	MT	Kafka/Stratfor	4	WMA	NC
250	254	2022	296-22-4LTRW301	LT	Paffrel Pit	4	WMA	NW
250	255	2022	507822	LT	Vienna	4	WMA	SW
250	256	2022	136-22-5MTR302	MT	Merrillan Qry	5		NW
250	257	2022	806522	MT	Rudinger	3		NE
250	258	2022	806422	MT	Rudinger	4	no RAM	NE
250	259	2022	136-22-3MTR301	MT	Merrillan Qry	3		NW
250	260	2022	296-22-5MTRW302	MT	Paffrel Pit	5	WMA	NW
250	261	2022	198-22-4HTRW301	HT	Mrotek	4	WMA	NW
250	262	2022	806322	SMA	Green Bay	4	w/fibers	NE
250	263	2022	304122	MT	Aggrecon	3		NE
250	264	2022	506922	MT	Fitchburg	4	w/forta fiber 0.10% (BMD)	SW
250	265	2022	330-22-4LTR301	LT	Rosemeyer Qr	4		SW
250	266	2022						

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
2021 (expires 12/31/2023)							
250	1	2021	RR0391	LT		3	
250	2	2021	RR0392	MT		3	
250	3	2021	RR0387	MT		4	
250	4	2021	RR0390	HT		5	
250	5	2021	RR0394	MT		3	
250	6	2021	RR0395	MT		4	
250	7	2021	500621	MT		4	
250	8	2021	500721	MT		5	
250	9	2021	500521	MT		3	
250	10	2021	500321	LT		4	
250	11	2021	505120	MT		3	
250	12	2021	505220	LT		3	
250	13	2021	503720	MT		4	
250	14	2021	503820	LT		4	
250	15	2021	500421	LT		5	
250	16	2021	501421	LT		5	update 01/01/2024: 257-0208-2023
250	17	2021	501021	LT		5	
250	18	2021	801521	LT		4	
250	19	2021	800621	MT		3	
250	20	2021	800921	LT		3	
250	21	2021	801021	LT		5	update 01/01/2024: 257-0153-2023
250	22	2021	800721	MT		3	update 01/01/2024: 257-0194-2023
250	23	2021	800821	MT		4	update 01/01/2024: 257-0195-2023
250	24	2021	500221	LT		3	
250	25	2021	502321	HT		4	
250	26	2021	501721	HT		4	update 01/01/2024: 257-0215-2023
250	27	2021	500821	LT		3	
250	28	2021	805720	LT		2	
250	29	2021	801721	MT		5	
250	30	2021	801821	LT		5	
250	31	2021	500121	LT		4	update 01/01/2024: 257-0151-2023
250	32	2021	801621	MT		4	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation		Region
250	33	2021	501621	MT		5	update 01/01/2024: 257-0234-2023	12/31/2026
250	34	2021	501121	MT		4	update 01/01/2024: 257-0226-2023	
250	35	2021	RR0389	MT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (58-28H)	12/31/2026
250	36	2021	500921	LT		4	update 01/01/2024: 257-0202-2023	
250	37	2021	802821	MT		5		
250	38	2021	501321	LT		4	update 01/01/2024: 257-0232-2023	
250	39	2021	501521	MT		4	update 01/01/2024: 257-0211-2023	
250	40	2021	501221	MT		5		
250	41	2021	396-21-4MTRSH305(244)	MT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)	
250	42	2021	396-21-4MTRSHW305(245)	MT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)	
250	43	2021	366-21-3MTRS305(246)	MT		3	w/anti-strip	
250	44	2021	366-21-3MTRSW305(247)	MT		3	w/anti-strip	
250	45	2021	366-21-4MTR304(256)	MT		4		
250	46	2021	366-21-4MTRSW304(257)	MT		4		
250	47	2021	396-21-3MTRS307(153)	MT		3		
250	48	2021	396-21-3MTRSW307(154)	MT		3		
250	49	2021	396-21-4MTRS308(155)	MT		4		
250	50	2021	396-21-4MTRSW308(156)	MT		4		
250	51	2021	SPC21122	HT		2		
250	52	2021	502421	LT		3		
250	53	2021	396-21-5MTRS306(169)	MT		5		
250	54	2021	396-21-5MTSW306(170)	MT		5		
250	55	2021	366-21-4MTRSH306(240)	MT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)	
250	56	2021	36-21-4MTRSHW306(241)	MT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)	
250	57	2021	803021	HT		3	amended	
250	58	2021	RR0396	MT		3		
250	59	2021	803521	LT		5	update 01/01/2024: 257-0155-2023	
250	60	2021	RR0397	MT		4		
250	61	2021	503321	HT		4		

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	62	2021	502521	MT		3	
250	63	2021	502821	LT		5	
250	64	2021	502721	MT		4	
250	65	2021	K-5MT-RAP8-RAS0-2021	MT		5	
250	66	2021	110-21	LT		3	
250	67	2021	RR0399	MT		4	
250	68	2021	110-21-3LT NR	LT		3	
250	69	2021	RR0398	MT		3	
250	70	2021	120-21	LT		4	
250	71	2021	802021	LT		3	
250	72	2021	-5MT-M538-RAP8-RAS3-#1-202	MT		5	
250	73	2021	803721	LT		5	update 01/01/2024: 257-0148-2023
250	74	2021	803621	MT		5	
250	75	2021	502621	LT		4	
250	76	2021	802521	MT		5	
250	77	2021	366-21-5MTS301(250)	MT		5	w/anti-strip
250	78	2021	366-21-5MTRW301(251)	MT		5	
250	79	2021	801921	LT		4	
250	80	2021	801121	SMA		4	
250	81	2021	RR0388	LT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S
250	82	2021	230-21	LT		5	
250	83	2021	120-21 RR	LT		4	
250	84	2021	803121	HT		4	amended
250	85	2021	803821	LT		3	
250	86	2021	802121	LT		4	
250	87	2021	230-21 5 LT RR	LT		5	
250	88	2021	310-21	MT		3	
250	89	2021	503121	LT		5	
250	90	2021	502921	LT		3	
250	91	2021	503021	LT		4	
250	92	2021	503221	HT		4	
250	93	2021	802221	MT		3	update 01/01/2024: 257-0146-2023
250	94	2021	5MT-MS38-RAP12-RAS0-#1-20	MT		5	
250	95	2021	503521	LT		5	update 01/01/2024: 257-0204-2023

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	96	2021	503421	LT		4	update 01/01/2024: 257-0200-2023
250	97	2021	802321	MT		4	
250	98	2021	804421	LT		3	
250	99	2021	803221	MT		3	
250	100	2021	804021	LT		4	
250	101	2021	504721	MT		3	
250	102	2021	330-21	MT		5	
250	103	2021	110-21 RR	LT		3	
250	104	2021	1300-21	LT		5	
250	105	2021	503621	HT		4	update 01/01/2024: 257-0213-2023
250	106	2021	504821	MT		4	
250	107	2021	804321	LT		4	
250	108	2021	PW-G-4MT-RAP8-RAS3-2021	MT		4	
250	109	2021	220-21-3HTRS301	HT		3	
250	110	2021	220-21-3HTRSW301	HT		3	
250	111	2021	505021	LT		5	update 01/01/2024: 257-0199-2023
250	112	2021	504921	MT		5	
250	113	2021	220-21-3LTRS301	LT		3	
250	114	2021	220-21-3MTRS301	MT		3	
250	115	2021	1100-21	LT		3	
250	116	2021	119-21-4LTR301(203)	LT		4	
250	117	2021	119-21-4LTRW301(204)	LT		4	
250	118	2021	366-21-4LTRSH302(213)	LT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)
250	119	2021	366-21-4LTRSHW302(214)	LT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)
250	120	2021	366-21-5MTRSH309(252)	MT		5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)
250	121	2021	366-21-5MTRSHW309(253)	MT		5	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)
250	122	2021	396-21-4LTRSH302(205)	LT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)
250	123	2021	396-21-4LTRSHW302(206)	LT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S (52-34S)

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	125	2021	PW-G-3MT-RAP8-RAS3-2021	MT		3	w/anti-strip
250	126	2021	804721	LT		5	update 01/01/2024: 257-0210-2023
250	127	2021	804221	MT		4	
250	128	2021	222102	LT		3	
250	129	2021	422102	MT		3	
250	130	2021	232102	LT		4	
250	133	2021	803921	MT		4	
135							
250	137	2021	312-20-5MTRW301	MT		5	
250	139	2021	804121	LT		3	
250	140	2021	802421	LT		5	
250	141	2021	RR0400	MT		4	
250	142	2021	505221	MT		4	
250	145	2021	504421	LT		3	
250	146	2021	504021	LT		2	
250	147	2021	504621	HT		3	
250	148	2021	504521	MT		3	
250	149	2021	504321	HT		4	
250	150	2021	504121	MT		5	update 01/01/2024: 257-0212-2023
250	151	2021	505321	HT		3	
250	152	2021	502121	LT		4	update 01/01/2024: 257-0203-2023
250	153	2021	5286-21-4LTR301	LT		4	
250	154	2021	5286-21-4MTR301	MT		4	
250	155	2021	220-21-3MTRS302	MT		3	
250	156	2021	220-21-4MTRS301	MT		4	Pbr >25%, lower layer only
250	157	2021	220-21-4LTRS301	LT		4	Pbr >25%, lower layer only
250	158	2021	5286-21-5MTR301	MT		5	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	159	2021	504221	MT		4	
250	160	2021	505621	MT		2	
250	161	2021	805121	LT		3	
250	162	2021	805221	LT		4	
250	163	2021	220-21-5LTR301	LT		5	
250	164	2021	198-21-4HTR301	HT		4	
250	165	2021	198-21-4HTRW301	HT		4	
250	166	2021	198-21-3HTR301	HT		3	
250	167	2021	198-21-3HTRW301	HT		3	
250	168	2021	197-21-4LTR301	LT		4	
250	169	2021	198-21-4MTR301	MT		4	
250	170	2021	SPC21134	SMA		4	
250	171	2021	198-21-5HTR301	HT		5	
250	172	2021	198-21-5HTRW301	HT		5	
250	173	2021	312-21-3MTR301	MT		3	
250	174	2021	312-21-3MTRW301	MT		3	
250	175	2021	198-21-4MTRW301	MT		4	
250	176	2021	220-21-5HTR301	HT		5	
250	177	2021	220-21-5MTR301	MT		5	
250	178	2021	220-21-4HTR301	HT		4	
250	179	2021	804821	LT		3	
250	180	2021	804621	LT		4	
250	181	2021	5286-21-3LTR301	LT		3	
250	182	2021	5286-21-3MTR301	MT		3	
250	183	2021	210-21-4LTR301	LT		4	
250	184	2021	758-21-5MTR301	MT		5	
250	185	2021	160-18-3LTRW301	LT		3	
250	186	2021	5340-21-4LTR301(201)	LT		4	
250	187	2021	5340-21-4LTRW301(202)	LT		4	
250	188	2021	805521	MT		3	
250	189	2021	797-21-4MTR301	MT		4	
250	190	2021	797-21-4MTRW301	MT		4	
250	191	2021	220-21-3LTRSW301	LT		3	
250	192	2021	220-21-4LTRW301	LT		4	
250	193	2021	805321	MT		4	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	194	2021	307-21-4LTRW301	LT		4	
250	195	2021	330-21-3MTR301	MT		3	
250	196	2021	805421	MT		5	
250	197	2021	330-21-4MTR301	MT		4	
250	198	2021	805821	MT		3	
250	199	2021	805921	MT		4	
250	200	2021	505821	MT		4	
250	201	2021	505721	LT		4	
250	202	2021	307-21-4MTRW301	MT		4	
250	203	2021	197-21-4MTR301	MT		4	
250	204	2021	160-21-4MTR301	MT		4	
250	205	2021	160-21-4MTRW301	MT		4	
250	206	2021	806221	LT		5	
250	207	2021	138-21-5MTR301	MT		5	
250	208	2021	138-21-4MTR301	MT		4	
250	209	2021	RR0403	LT		4	
250	210	2021	160-20-4MTRW301	MT		4	
250	211	2021	806021	LT		4	
250	212	2021	RR0402	HT		4	
250	213	2021	330-21-3LTR301	LT		3	
250	214	2021	RR0404	HT		3	High Pbr - ok upper layers. Continuous Grading meet PG58-28S
250	215	2021	RC Paver 3 LT	LT		3	
250	216	2021	RC Paver 3 MT	MT		3	
250	217	2021	RC Paver 4 LT	LT		4	
250	218	2021	RC Paver 4 MT	MT		4	
250	219	2021	3 LT - Mackville	LT		3	
250	220	2021	3 MT - Mackville	MT		3	
250	221	2021	4 HT - Mackville	HT		4	
250	222	2021	5 MT - Mackville	MT		5	
250	223	2021	1088-21-4LTR301	LT		4	
250	224	2021	330-21-4LTR301	LT		4	
250	225	2021	3 HT - Mackville	HT		3	
250	226	2021	RR0401	HT		4	
250	227	2021	806121	MT		3	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	228	2021	806621	LT		4	12/31/2026
250	229	2021	138-21-5MTRW301	MT		5	
250	230	2021	138-21-4MTRW301	MT		4	
250	231	2021	160-21-5MTRW301	MT		5	
250	232	2021	305-21-5MTRW301	MT		5	
250	233	2021	220-21-4MTRW301	MT		4	
250	234	2021	220-20-4MTRW302	MT		4	
250	235	2021	160-21-4LTRW301	LT		4	
250	236	2021	806321	LT		3	
250	237	2021	806421	LT		3	update 01/01/2024: 257-152-2023
250	238	2021	302721	HT		3	
250	239	2021	302821	HT		4	
250	240	2021	153-21-4MTR301	MT		3	
250	241	2021	805721	LT		4	
250	242	2021	806721	LT		3	
250	243	2021	5286-21-5LTR301	LT		5	
250	244	2021	802921	LT		5	
250	245	2021	805621	LT		3	
250	246	2021	218-21-3MTR303(242)	MT		3	
250	247	2021	218-21-3MTRW303(243)	MT		3	
250	248	2021	218-21-4MTR304(244)	MT		4	
250	249	2021	218-21-4MTRW304(245)	MT		4	
250	250	2021	RC Paver 5 LT	LT		5	
250	251	2021	797-21-SMAR451	SMA		4	
250	252	2021	1088-21-4MTR301	MT		4	
250	253	2021	374-21-4LTR301	LT		4	
250	254	2021	374-21-4LTRW301	LT		4	
250	255	2021	160-18-5LTRW301	LT		4	
250	256	2021	220-21-4MTR303	MT		4	
250	257	2021	1100-21-HPBR	LT		4	High Pbr - ok upper layers. Continuous Grading meet PG58-28S
250	258	2021	506621	LT		4	
250	259	2021	506521	MT		4	
250	260	2021	506421	LT		3	
250	261	2021	PW103	LT		3	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #


Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	262	2021	197-21-3MTR301	MT		3	
250	263	2021	806821	LT		4	
250	264	2021	802621	MT		4	
250	265	2021	293-21-4MTR301	MT		4	
250	266	2021	293-21-4MTRW301	MT		4	
250	267	2021	374-21-3LTR301	LT		3	
250	268	2021	374-21-3LTRW301	LT		3	
250	269	2021	806521	LT		4	update 01/01/2024: 257-0190-2023
250	270	2021	807121	MT		3	
250	271	2021	806921	MT		3	
250	272	2021	RC Pavers 5 MT	MT		5	
250	273	2021	107-21-4LTR303(201)	LT		4	
250	274	2021	107-21-4LTRW303(202)	LT		4	
250	275	2021	807021	MT		4	
250	276	2021	807221	MT		4	
250	277	2021	802721	LT		4	
250	278	2021	220-21-4MTRW303	MT		4	
250	279	2021	294-21-4MTRW301(241)	MT		4	
250	280	2021	PW104	MT		4	
250	281	2021	PW105	MT		4	
250	282	2021	PW106	MT		4	
250	283	2021	294-21-4MTRW302(243)	MT		4	
250	284	2021	807321	LT		3	
250	285	2021	807421	LT		4	
250	286	2021	506721	MT		2	
250	287	2021	808221	MT		3	update 01/01/2024: 257-0227-2023
250	288	2021	147-21-3HTR301	HT		3	
250	289	2021	147-21-4LTRW301	LT		4	
250	290	2021	PW107	LT		4	
250	291	2021	5286-21-5HTR301	HT		5	
250	292	2021	153-21-5MTR301	MT		5	
250	293	2021	807521	HT		3	
250	294	2021	722-21-3MTRW301	MT		3	
250	295	2021	722-21-4MTRW301	MT		4	
250	296	2021	506821	LT		3	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	297	2021	506921	LT		4	
250	298	2021	345-21-4MTRHW301(245)	MT		4	High Pbr - ok upper layers. Continuous Grading meet PG52-34S
250	299	2021	808121	MT		4	update 01/01/2024: 257-0205-2023
250	300	2021	807621	HT		4	
250	301	2021	808321	MT		5	
250	302	2021	401921	LT		4	
250	303	2021	402021	LT		5	
250	304	2021	1066-21-4MTRW301	MT		4	
250	305	2021	5286-21-2MTR301	MT		2	
250	306	2021	147-21-4LTR301	LT		4	
250	307	2021	147-21-4MTR301	MT		4	
250	308	2021	507021	LT		5	
250	309	2021	601-21-3MTR301	MT		3	
250	310	2021	507221	MT		4	
250	311	2021	808621	MT		4	
250	312	2021	807921	MT		4	
250	313	2021	601-21-4MTR301	MT		4	
250	314	2021	507121	MT		3	
250	315	2021	147-21-4SMAR451	SMA		4	
250	316	2021	5310-21-2MTRW301(247)	MT		2	
250	317	2021	153-21-4SMA451	SMA		4	
250	318	2021	807721	LT		3	
250	319	2021	808721	LT		4	
250	320	2021	5310-21-3MTRW302(249)	MT		3	
250	321	2021	5310-21-4MTRW303(251)	MT		4	
250	322	2021	807821	LT		4	
250	323	2021	398-21-3LTR301	LT		3	
250	324	2021	398-21-4LTR301	LT		4	
250	325	2021	154-21-4LTRW301	LT		4	
250	326	2021	154-21-3LTRW301	LT		3	
250	327	2021	808921	MT		4	
250	328	2021	274-21-5MTRW301	MT		5	
250	329	2021	808821	MT		3	
250	330	2021	507321	HT		3	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	331	2021	808521	LT		3	
250	332	2021	330-21-5HTR301BN	HT		6	Ultra-Thin Overlay SPV .0195.01 (4.0% Av)
250	333	2021	402121	LT		3	
250	334	2021	503721	HT		3	
250	335	2021	808021	LT		3	
250	336	2021	154-21-3LTR301	LT		3	
250	337	2021	507721	LT		3	
250	338	2021	507821	MT		3	
250	339	2021	154-21-4LTR301	LT		4	
250	340	2021					



One Point Verifications Completed - 2021 good thru 12/31/ 2023

250	2	2018	RR0345	LT		3	0-257-0008-2021
250	3	2018	RR0346	MT		3	0-257-0009-2021 Amended upper lift approved
250	4	2018	RR0351	MT		5	0-257-0010-2021
250	5	2018	RR0350	LT		5	0-257-0011-2021
250	7	2018	RR0338	HT		2	0-257-0012-2021
250	39	2018	SPC18123	HT		3	0-257-0047-2021
250	40	2018	SPC18114	MT		4	0-257-0079-2021
250	48	2018	800118	MT		3	0-257-0044-2021
250	49	2018	800218	LT		3	0-257-0043-2021 update 01/01/2024: 257-0187-2023
250	50	2018	800318	MT		4	0-257-0046-2021
250	51	2018	800418	LT		4	0-257-0033-2021
250	80	2018	502018	HT		4	0-257-0076-2021
250	106	2018	231800	LT		4	0-257-0068-2021
250	108	2018	431800	MT		4	0-257-0078-2021
250	190	2018	160-18-4LTR301	LT		4	0-257-0107-2022
250	194	2018	160-18-5LTR301	LT		5	0-257-0117-2021
250	198	2018	160-18-3LTR301	LT		3	0-257-0102-2021
250	271	2018	806418	MT		5	0-257-0058-2021
250	306	2018	505118	LT		5	0-257-0031-2021
250	356	2018	807718	LT		4	0-257-0051-2021

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	357	2018	807818	LT		5	0-257-0021-2021
250	251	2017	SPC17124	HT		4	0-257-0048-2021
250	171	2017	806917	LT		4	0-257-0017-2021 update 01/01/2024: 257-0207-2023
250	172	2017	806617	MT		4	0-257-0016-2021 update 01/01/2024: 257-0192-2023
250	180	2017	806817	LT		3	0-257-0019-2021 update 01/01/2024: 257-0209-2023
250	186	2017	807017	LT		5	0-257-0015-2021
250	197	2017	806517	MT		3	0-257-0020-2021 update 01/01/2024: 257-0191-2023
250	208	2017	75-17-1535-4LT-58S-34(R)(Wa)	LT		3	0-257-0133-2021
250	212	2017	806717	MT		5	0-257-0018-2021 update 01/01/2024: 257-0193-2023
250	23	2016	800116	LT		3	0-257-0129-2021
250	24	2016	800216	LT		4	0-257-0130-2021
250	10	2015	800515	MT		3	0-257-0130-2021 update 01/01/2024: 257-0150-2023
250	12	2015	801715	LT		5	0-257-0088-2021
250	301	2015	809115	HT		4	0-257-0028-2021 update 01/01/2024: 257-0197-2023
250	87	2014	800514	MT		4	0-257-0055-2021
One Point Verifications Completed - 2022 good thru 12/31/ 2024							
250	32	2019	RR0356	LT		5	257-0011-2022
250	43	2019	RR0358	LT		5	257-0008-2022
250	44	2019	RR0359	MT		5	257-0009-2022
250	45	2019	RR0360	LT		4	Resultant binder testing complete Pbr >25% 0-257-0010-2022
250	54	2019	SPC19212	MT		2	257-0038-2022
250	96	2019	803019	LT		4	257-0136-2021
250	105	2019	4 LT Mke_2019	LT		4	257-0005-2022
250	106	2019	4 MT Mke_2019	MT		4	257-0006-2022
250	107	2019	5 LT Mke_2019	LT		5	257-0007-2022
250	109	2019	501319	LT		5	257-0124-2021
250	132	2019	803219	LT		3	257-0052-2022
250	133	2019	802519	LT		3	257-0013-2022
250	134	2019	802619	LT		4	257-0017-2022
250	138	2019	803519	MT		4	257-0020-2022
250	144	2019	803719	LT		4	257-0053-2022
250	149	2019	803319	MT		3	257-0019-2022
250	157	2019	803619	MT		3	257-0016-2022

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	164	2019	SPC19105	LT		5	257-0094-2022
250	169	2019	804019	MT		4	257-0078-2022
250	173	2019	803419	LT		3	257-0018-2022
250	198	2019	164-19-4MTR301	MT		4	257-0091-2022
250	221	2019	293-19-5MTR302	MT		5	257-0060-2022
250	243	2019	804819	LT		3	257-0151-2021
250	251	2019	502019	LT		4	257-0147-2021
250	254	2019	502319	MT		4	257-0148-2021
250	260	2019	501819	LT		5	257-0146-2021
250	263	2019	501919	LT		3	257-0004-2022
250	267	2019	804319	LT		3	257-0012-2022
250	235	2016	805616*	MT		2	257-0138-2021
250	29	2016	801116	LT		3	Resultant binder testing complete Pbr >25% 0-257- 0139-2021
250	25	2016	800616	MT		3	257-0064-2022
250	102	2016	804016	MT		4	257-0034-2022
250	291	2016	87-16-1380-3MT-58-34H(R)	MT		3	257-0071-2022
250	0335	2011	809611	LT		5	257-0137-2021
One Point Verifications Completed - 2023 good thru 12/31/ 2025							
250	2	2020	504319	LT		3	257-0097-2023
250	6	2020	RR0361	MT		3	257-0008-2023
250	7	2020	RR0369	MT		5	257-0011-2023
250	9	2020	RR0370	HT		3	257-0012-2023
250	10	2020	RR0362	LT		3	257-0009-2023
250	11	2020	RR0368	HT		4	257-0010-2023
250	13	2020	504419	MT		3	257-0120-2022 (01/01/2023)
250	15	2020	RR0375	HT		4	257-0013-2023
250	24	2020	500220	MT		4	257-0119-2022 (01/01/2023)
250	39	2020	800120	LT		3	257-0133-2022 (01/01/2023)
250	42	2020	800820	LT		5	257-0086-2023
250	43	2020	802020	MT		4	257-0109-2023
250	94	2020	805619	LT		3	257-0035-2022 (01/01/2023)

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
							High Pbr - ok upper and lower layers. Continuous Grading meet PG58-28S - 257-0025-2022
250	95	2020	805819	LT		3	
250	96	2020	806119	LT		5	257-0023-2022 (01/01/2023)
250	97	2020	806219	MT		5	257-0024-2022 (01/01/2023)
250	107	2020	800720	MT		3	257-0153-2022 (01/01/2023)
250	110	2020	160-20-4MTR301	MT		4	0-257-0068-2023
250	125	2020	802920	LT		5	257-0154-2022 (01/01/2023)
250	137	2020	803620	MT		3	257-0143-2023
250	151	2020	827-20-4LTR301	LT		4	257-0066-2023
250	159	2020	803220	MT		4	257-0161-2022 (01/01/2023)
250	161	2020	SPC20104	LT		4	257-0122-2022 (01/01/2023)
250	166	2020	803420	LT		4	257-0127-2022 (01/01/2023)
250	172	2020	803320	LT		3	257-0025-2022
250	175	2020	803520	LT		5	257-0021-2023
250	188	2020	503520	LT		3	257-0121-2022 (01/01/2023)
250	211	2020	274-20-4LTR301	LT		4	257-0078-2023
250	212	2020	160-20-3MTR301	MT		3	257-0067-2023
250	220	2020	504420	LT		5	257-0128-2022 (01/01/2023)
250	230	2020	503620	LT		5	257-0125-2022 (01/01/2023)
250	236	2020	804820	MT		3	257-0026-2023
250	252	2020	705-20-4MTRW302	MT		4	257-0115-2023
250	277	2020	160-20-4HTR302	HT		4	257-0076-2023
250	278	2020	198-20-4LTR301	LT		4	257-0154-2023
250	7	2019	800719	HT		4	257-0006-2023
250	18	2019	807918	MT		5	257-0007-2023
250	26	2019	801319	LT		4	257-0084-2023
250	71	2018	502218	LT		4	(257-0126-2022) (2023)
250	115	2019	501419	LT		3	0-257-0126-2023
250	192	2019	804219	LT		5	0-257-0132-2023
250	148	2018	503418	LT		5	257-0124-2023
250	175	2018	503518	LT		4	0-257-0127-2023
250	245	2018	805618	MT		4	0-257-0079-2023
250	263	2018	274-18-5LTR301	LT		5	0-257-0149-2023
250	327	2018	505318	MT		5	(257-0129-2022) (2023)
250	390	2018	808318	LT		4	257-0124-2022 (2023)

contact: jeffrey.anderson@dot.wi.gov

O:608.246.5456/C:608.516.6358

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region	
250	392	2018	808118	LT		3	257-0123-2022 (2023)	
250	14	2017	809916	MT		5	0-257-0145-2023	
250	17	2017	801717	HT		3	(257-0160-2022) (2023)	
250	19	2017	802017	LT		5	0-257-0103-2023	
250	20	2017	801917	MT		5	(257-0136-2022) (2023)	
250	21	2017	801817	MT		4	(257-0137-2022) (2023)	
250	22	2017	802717	MT		3	(257-0138-2022) (2023)	
250	46	2017	804116	LT		3	0-257-0113-2023	
250	47	2017	803416	HT		3	0-257-0087-2023	
250	75	2017	804917	LT		3	(257-0145-2022) (2023)	High Pbr
250	92	2017	5-17-1464-4LT-58S-34(R)	LT		4	0-257-0082-2023	
250	191	2017	807617	MT		3	0-257-0061-2023	
250	277	2017	808617	MT		2	0-257-0147-2023	
250	285	2015	808115	LT		3	(257-0139-2022) (2023)	
250	150	2014	802814	LT		3	(257-0134-2022) (2023)	
250	198	2014	801514	MT		3	0-257-0101-20223	
250	223	2014	806514	LT		4	(257-0135-2022) (2023)	
250	248	2014	807114	MT		4	0-257-0102-2023	
250	356	2014	809114	LT		5	257-0029-2020	
250	56	2013	800713	MT		3	0-257-0119-2023	
250	249	2013	806513	MT		4	(257-0132-2022) (2023)	
250	315	2011	809011	MT		3	0-257-0144-2023	
Designs will need to meet the current requirements in CMM 8-66.3 as well as any current updated in SS 460								
2020								
250	1	2020	504219	HT		3		
250	3	2020	504519	MT		4		
250	4	2020	504619	LT		4		
250	5	2020	504819	LT		5		
250	8	2020	RR0371	--		5	9.5mm N50 Polymer Mod.	
250	12	2020	504719	MT		5		
250	14	2020	504019	HT		2		
250	16	2020	RR0377	MT		4		
250	17	2020	RR0372	LT		5		

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	18	2020	RR0373	MT		5	
250	19	2020	RR0374	MT		3	
250	20	2020	RR0376	LT		3	
250	21	2020	RR0379	LT		4	
250	22	2020	RR0380	MT		4	
250	23	2020	500320	LT		3	
250	25	2020	RR0378	LT		3	
250	26	2020	503319	MT		2	
250	27	2020	RR0364	MT		4	High Pbr--ok upper and lower layers-- Continuous Grading meet PG58-28S and 58-28H
250	28	2020	RR0363	LT		4	High Pbr--ok upper and lower layers-- Continuous Grading meet PG58-28S and 58-28H
250	29	2020	122000	MT		2	
250	30	2020	366-20-4LTRSH302(213)	LT		4	High Pbr--ok upper and lower layers-- Continuous Grading meet PG58-34S-
250	31	2020	66-20-4LTRSHW302(214) (WM/	LT		4	High Pbr--ok upper and lower layers-- Continuous Grading meet PG58-34S-
250	32	2020	366-20-3LTRSH303(206)	LT		3	High Pbr--ok lower layers--Continuous Grading meet PG58-34S-
250	33	2020	66-20-3LTRSHW303(207) (WM/	LT		3	High Pbr--ok lower layers--Continuous Grading meet PG58-34S-
250	34	2020	366-20-5MTSC305(254)	MT		5	
250	35	2020	166-20-5MTSCW305(255) (WMA	MT		5	
250	36	2020	500120	SMA		4	
250	37	2020	502119	MT		3	
250	38	2020	805919	LT		4	
250	40	2020	800620	HT		4	If produced with 58-28/58-34(S)- additional; testing per CMM 8-66.2.3.2
250	41	2020	801520	MT		3	
250	44	2020	801220	MT		2	
250	45	2020	801720	LT		3	
250	46	2020	801920	LT		4	
250	47	2020	801420	LT		4	
250	48	2020	801320	MT		4	
250	49	2020	800320	MT		4	
250	50	2020	RR0384	MT		3	
250	51	2020	230-18	LT		5	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	52	2020	330-18	MT		5	
250	53	2020	320-20	MT		4	
250	54	2020	2300-18	MT		4	
250	55	2020	120-12NR	LT		4	
250	56	2020	107-20-4LTR301(203)	LT		4	w/anti-strip
250	57	2020	107-20-4LTRW301(204)-WMA	LT		4	w/anti-strip
250	58	2020	107-20-4MTR302(242)	MT		4	
250	59	2020	107-20-4MTRW302(243)-WMA	MT		4	
250	60	2020	232000	LT		4	
250	61	2020	232001	LT		4	
250	62	2020	801620	MT		3	
250	63	2020	500420	LT		5	
250	64	2020	310-20	MT		3	
250	65	2020	430-20	HT		5	
250	66	2020	501820	SMA		4	
250	67	2020	501020	MT		3	
250	68	2020	3100-20	MT		3	
250	69	2020	410-20	HT		3	
250	70	2020	420-20	HT		4	
250	71	2020	110-20-	LT		3	
250	72	2020	501920	MT		2	
250	73	2020	500620	LT		4	
250	74	2020	501320	LT		5	
250	75	2020	4300-20	HT		5	
250	76	2020	110-20-NR	LT		3	
250	77	2020	4200-20	HT		4	
250	78	2020	333-20-4MTR301(249)	MT		4	
250	79	2020	1100-20	LT		3	
250	80	2020	4100-20	HT		3	
250	81	2020	802520	MT		3	
250	82	2020	806019	LT		3	
250	83	2020	500820	LT		3	
250	84	2020	501620	MT		5	
250	85	2020	501220	LT		4	
250	86	2020	502120	MT		4	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	87	2020	500720	MT		5	
250	88	2020	501520	MT		4	
250	89	2020	501420	MT		3	
250	90	2020	501120	LT		3	
250	91	2020	4MT-DJ-20	MT		4	
250	92	2020	3MT-DJ-20	MT		3	
250	93	2020	800520	HT		4	w/Anti-Strip, - Pbr >25%: lower-lift only
250	98	2020	396-20-2HTRS301(182)	HT		2	w/ Anti-Strip
250	99	2020	396-20-2HTRSW301(183)	HT		2	w/ Anti-Strip
250	100	2020	396-20-3HTRS302(184)	HT		3	
250	101	2020	396-20-3HTRSW302(185) WMA	HT		3	
250	102	2020	396-20-4HTRSW303(181) WMA	HT		4	
250	103	2020	366-20-4HTRSW308(281) WMA	HT		4	w/Anti-Strip
250	104	2020	329-20-4MTR301(246)	MT		4	
250	105	2020	329-20-4MTRW301(247) WMA	MT		4	
250	106	2020	293-20-4LTR301	LT		4	
250	108	2020	500520	MT		4	
250	109	2020	802620	MT		4	
250	111	2020	PW-K-2020-3MT	MT		3	
250	112	2020	301420	MT		5	
250	113	2020	301320	LT		5	
250	114	2020	301220	MT		4	
250	115	2020	301520	MT		3	High Pbr - ok lower layers. Continuous Grading meet PG58-28S (52-28S)
250	116	2020	801820	LT		3	
250	117	2020	500920	MT		3	
250	118	2020	502320	HT		5	
250	119	2020	502420	MT		5	
250	120	2020	802320	LT		3	
250	121	2020	160-20-3HTR301	HT		3	
250	122	2020	RR0385	HT		4	Pbr >25%, lower layer only
250	123	2020	SPC20113	MT		3	
250	124	2020	RR0386	HT		4	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	126	2020	800220	MT		4	Pbr >25%, lower layer only
250	127	2020	312-20-4HTRW301 WMA	HT		4	
250	128	2020	502520	LT		4	
250	129	2020	5303-20-4MTR302(250)	MT		4	
250	130	2020	5303-20-4MTRW302(250) WMA	MT		4	
250	131	2020	312-20-4MTR301	MT		4	
250	132	2020	312-20-4MTR302	MT		4	
250	133	2020	503120	MT		4	
250	134	2020	802420	LT		4	
250	135	2020	502720	LT		3	
250	136	2020	502620	MT		3	
250	138	2020	802720	LT		3	
250	139	2020	TCM-3-LT-20	LT		3	
250	140	2020	5111-20-4MTR301	MT		4	
250	141	2020	Seymour 4-LT	LT		4	
250	142	2020	Seymour 4-MT	MT		4	
250	143	2020	Seymour 3-LT	LT		3	
250	144	2020	803820	MT		3	
250	145	2020	301820	LT		5	amended
250	146	2020	301720	LT		4	
250	147	2020	5337-20-4MTR302(242)WMA	MT		4	
250	148	2020	502920	MT		5	
250	149	2020	802850	LT		4	
250	150	2020	503020	MT		3	
250	152	2020	5305-19-3MTR301(247)	MT		3	
250	153	2020	5305-19-3MTRW301(248)WMA	MT		3	
250	154	2020	325-20-4MTHR401	MT		4	High Pbr—ok upper and lower layers— Continuous Grading meet PG58-28S
250	155	2020	325-20-4MTHR401(WMA)	MT		4	High Pbr—ok upper and lower layers— Continuous Grading meet PG58-28S
250	156	2020	Seymour 4-HT	HT		4	
250	157	2020	301620	LT		3	
250	158	2020	804020	MT		3	
250	160	2020	SPC20103	LT		3	
250	162	2020	503220	LT		3	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	163	2020	5337-20-4MTRH301(240)	MT		4	High Pbr--ok upper and lower layers-- Continuous Grading meet PG58-34S-
250	164	2020	5337-20-4MTRHW301(241)WMA	MT		4	High Pbr--ok upper and lower layers-- Continuous Grading meet PG58-34S-
250	165	2020	803020	LT		5	
250	167	2020	312-20-4HTRW302(WMA)	HT		4	
250	168	2020	502820	--		5	Resphalt-
250	169	2020	Seymour 5 LT	LT		5	
250	170	2020	Seymour 3 HT	HT		3	
250	171	2020	803720	MT		4	
250	173	2020	503320	LT		4	
250	174	2020	503420	MT		4	
250	176	2020	386-20-4LTRW301 (WMA)	LT		4	
250	177	2020	827-20-4MTR301	MT		4	
250	178	2020	5328-20-4LTRH301(201)	LT		4	High Pbr--ok upper layer-- Continuous- Grading meet PG58-34S
250	179	2020	5328-20-4LTRW301(202)WMA	LT		4	High Pbr--ok upper layer-- Continuous- Grading meet PG58-34S
250	180	2020	5-MT Seymour	MT		5	
250	181	2020	PW-H-2020-3MT	MT		3	
250	182	2020	734-20-4MTR303(242)	MT		4	w/ Anti-Strip, lower layer use only
250	183	2020	734-20-4MTRW303(243)WMA	MT		4	w/ Anti-Strip, lower layer use only
250	184	2020	734-20-4MTR304(244)	MT		4	w/Anti-Strip
250	185	2020	734-20-4MTRW304(245) WMA	MT		4	w/Anti-Strip
250	186	2020	TCM 4 LT 20	LT		4	w/ Anti-Strip
250	187	2020	804320	LT		3	
250	189	2020	PW-K-4LT-202	LT		4	
250	190	2020	295-20-4MTR301	MT		4	
250	191	2020	295-20-4LTR301	LT		4	
250	192	2020	5279-20-5MTR302	MT		5	
250	193	2020	801120	LT		4	
250	194	2020	804420	MT		5	
250	195	2020	250-20-4MTR301	MT		4	
250	196	2020	250-20-4LTR301	LT		4	
250	197	2020	250-20-5LTR301	LT		5	
250	198	2020	325-20-4MTRHRW402	MT		4	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	199	2020	SPC20313	MT		3	
250	200	2020	SPC20314	MT		4	
250	201	2020	804120	MT		4	
250	202	2020	705-20-3HTRW301 (WMA)	HT		3	
250	203	2020	804520	LT		3	
250	204	2020	705-20-4HTRW301 (WMA)	HT		4	
250	205	2020	220-20-4LTHR401	LT		4	High Pbr – ok upper layer. – Continuous- Grading meet PG58-34S
250	206	2020	PW-H-4LT-2020	LT		4	w/ Anti-Strip
250	207	2020	601-20-3MTR301	MT		3	
250	208	2020	804220	LT		4	
250	209	2020	504020	LT		4	
250	210	2020	601-20-4MTR301	MT		4	
250	213	2020	827-20-5HTR301	HT		5	
250	214	2020	222-20-3LTR301	LT		3	
250	215	2020	222-20-4LTR301	LT		4	
250	216	2020	PW-H-2020-4MT	MT		4	
250	217	2020	5741-20-4LTR301	LT		4	
250	218	2020	801020	LT		3	w/ Anti-Strip
250	219	2020	PL674LTR301	LT		4	
250	221	2020	504120	LT		3	
250	222	2020	5705-20-5MTR301	MT		5	
250	223	2020	797-20-5SMA	SMA		5	w/0.30% Cellulose Fibers
250	224	2020	601-20-4LTR301	LT		4	
250	225	2020	504320	LT		4	
250	226	2020	504220	LT		3	
250	227	2020	5741-20-4MTR301	MT		4	
250	228	2020	153-20-4LTR401	LT		4	
250	229	2020	Seymour 3 MT	MT		3	
250	231	2020	432000	MT		4	
250	232	2020	312-20-54MTR301	MT		5	
250	233	2020	5705-20-5MTR302	MT		5	
250	234	2020	2300-19	MT		4	
250	235	2020	805420	LT		5	High Pbr 33% lower layer only
250	237	2020	164-20-4HTR301	HT		4	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	238	2020	160-20-4SMAR451	SMA		4	
250	239	2020	805020	LT		3	
250	240	2020	164-20-4SMAR451	SMA		4	
250	241	2020	805120	LT		3	
250	242	2020	160-20-4HTR301	HT		4	
250	243	2020	101-20-4LTR301	LT		4	
250	244	2020	805520	LT		4	
250	245	2020	804920	LT		4	
250	246	2020	805220	LT		4	High Pbr – ok upper layer. – Continuous-Grading meet PG58-28S
250	247	2020	119-20-5MTR301(245)	MT		5	w/ Anti-Strip
250	248	2020	119-20-5MTRW301(246)	MT		5	w/ Anti-Strip
250	249	2020	705-20-3MTR301	MT		3	
250	250	2020	160-20-2HTR301	HT		2	
250	251	2020	805320	MT		4	
250	253	2020	307-20-4LTR301	LT		4	w/ Anti-Strip
250	254	2020	705-20-5MTRW301	MT		5	
250	255	2020	5328-20-4MTRH302(245)	MT		4	High Pbr – ok upper layer. – Continuous-Grading meet PG58-28S
250	256	2020	5328-20-4MTRHW302(246)	MT		4	High Pbr – ok upper layer. – Continuous-Grading meet PG58-28S
250	257	2020	330-20-4MTRHR301	MT		4	High Pbr – ok upper layer. – Continuous-Grading meet PG52-34S
250	258	2020	504820	MT		4	
250	259	2020	PW-K-2020-3MT-WMA	MT		3	also w/ Anti-Strip
250	260	2020	PW236-3LT-WMA	LT		3	
250	261	2020	5286-20-3MTR301	MT		3	
250	262	2020	TCM-4-MT-2020	MT		4	
250	263	2020	5286-20-4MTR301	MT		4	
250	264	2020	307-20-5MTR301	MT		5	w/ Anti-Strip
250	265	2020	805820	LT		4	
250	266	2020	307-20-3MTR301	MT		3	w/ Anti-Strip
250	267	2020	307-20-3LTR301	LT		3	w/ Anti-Strip
250	268	2020	330-20-5LTR301	LT		5	
250	269	2020	222-20-4SMAR451	SMA		4	
250	270	2020	153-20-4LTRW301	LT		4	
250	271	2020	5717-20-4MTR301	MT		4	

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
250	272	2020	153-20-4MTR301	MT		4	
250	273	2020	222-20-5ITR302	LT		5	
250	274	2020	222-20-5LTR301	LT		5	
250	275	2020	5748-20-4MTR301	MT		4	w/ Anti-Strip
250	276	2020	5110-20-5LTR301	LT		5	
250	279	2020	401820	LT		3	
250	280	2020	307-20-4MTR301	MT		4	w/ Anti-Strip

All designs pre-2020 have been removed from the 250# APL

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
--------	---------	------	---------------	-------	-------	-----------	--------

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
--------	---------	------	---------------	-------	-------	-----------	--------

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
--------	---------	------	---------------	-------	-------	-----------	--------

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
--------	---------	------	---------------	-------	-------	-----------	--------

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
--------	---------	------	---------------	-------	-------	-----------	--------

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

Prefix	Test ID	Year	Contractor ID	T-mix	Plant	Gradation	Region
--------	---------	------	---------------	-------	-------	-----------	--------

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

at the

TSR

0.87

1.02

0.83

0.82

0.80

0.89

0.80

0.87

0.83

0.91

0.81

0.87

0.86

0.85

0.79

0.88

0.91

0.97

0.86

0.96

0.83

0.91

0.91

0.90

0.90

0.80

0.80

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.81

0.81

1.00

0.87

0.89

0.89

0.99

0.96

0.97

1.00

0.99

0.90

0.93

1.00

0.76

0.81

0.89

0.89

0.87

0.88

0.83

0.92

0.91

0.97

0.86

0.90

0.87

0.88

0.95

0.78

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.87

0.81

0.79

1.00

0.91

0.91

0.88

0.94

0.81

0.89

0.82

0.83

0.99

0.91

0.80

0.87

0.85

0.80

0.84

0.81

0.79

0.93

0.90

0.93

0.90

0.94

0.76

0.82

0.93

0.86

0.81

0.82

0.94

0.98

0.86

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.75

0.75

0.78

0.78

0.75

0.80

0.85

1.01

0.80

0.80

0.81

0.99

0.89

0.87

0.82

0.95

0.86

0.92

0.94

0.94

0.76

0.92

0.90

0.95

1.00

0.81

0.83

0.98

0.81

0.90

0.87

0.81

0.89

0.87

0.87

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.82

0.81

0.86

0.86

0.81

0.89

0.83

0.85

0.84

0.84

0.84

0.86

0.87

0.88

0.90

0.96

0.94

0.95

0.80

0.89

0.78

0.88

0.86

0.82

0.86

0.84

0.84

0.84

0.83

0.82

0.82

0.91

0.83

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.77

0.80

0.80

0.80

0.85

0.88

0.81

0.83

0.89

0.86

n/a

0.80

0.85

0.88

0.92

0.92

0.91

0.87

0.81

0.99

1.00

0.82

0.88

0.92

0.85

0.77

0.92

0.86

0.88

0.9

1.02

0.90

0.92

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.88

n/a

0.90

0.89

0.89

0.89

0.86

0.81

0.87

0.93

0.87

0.83

0.88

0.98

0.83

0.85

0.91

0.86

0.89

1.07

1.01

1.05

0.89

0.85

0.83

0.82

0.81

0.96

0.91

0.87

0.85

0.91

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.91

0.89

0.88

0.89

0.82

0.9

0.86

0.86

0.92

0.94

0.78

0.95

0.8

0.83

0.83

0.81

0.82

0.92

0.92

0.75

0.81

0.83

0.95

0.78

0.81

0.78

0.87

0.82

0.77

0.95

0.90

1.00

0.83

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.83
0.83
0.90
0.82
0.91
0.83
0.89
0.83
0.83
0.92
0.86
0.89
1.07
0.82
0.84
0.84
0.84
0.86
0.94
0.78
0.76
0.78
0.86
0.81
0.84
0.78
0.95
0.80
0.83
0.99
0.83
0.85
0.83
0.78
0.89

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.75
0.75
0.97
0.88
0.86
0.80
0.91
0.90
0.84
0.87
0.91
0.86
0.81
0.79
1.01
0.89
0.84
0.92
0.76
0.78
0.75
0.78
0.88
0.85
0.87
0.88
0.86
0.76
0.91
0.91
0.78
0.78
0.76

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.76
0.95
0.90
0.90
0.82
0.77
0.80
0.87
0.83
0.86
0.84
0.84
0.84
0.82
0.82
0.90
0.88
0.85
0.99
0.89
0.96
0.83
0.87
0.93
0.75
0.81
0.91
0.82
0.76
0.9
0.95
0.93
0.77
0.95

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.89

0.97

0.82

0.9

0.95

0.92

0.97

0.78

0.91

0.87

0.82

0.93

0.86

0.87

0.81

0.85

0.88

0.85

0.78

0.77

0.78

0.76

0.88

0.87

0.95

0.78

0.81

0.97

0.76

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.80
0.80
0.80
0.80
0.82
0.79
0.87
0.85
0.87
0.89
1.00
0.96
1.00
0.87
0.97
1.00
0.87
0.94
0.98
0.92
0.92
0.81
0.90
0.97
0.86
0.90
0.94
0.97
0.89
0.78
0.90
0.94
0.82

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.80

0.93

0.75

0.87

0.82

0.93

0.80

1.03

0.88

0.96

0.81

0.86

0.81

0.94

0.87

0.99

0.85

0.87

0.86

0.92

0.95

0.79

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.79
0.83
0.96
0.81
0.96
0.93
0.93
0.91
0.90
0.87
0.76
1.01
0.86
0.98
0.97
0.91
0.83
0.80
0.86
0.86
0.95
0.88
0.76
0.77
0.87
0.78
0.92
0.84
0.87
0.82
0.87
0.96

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.87
0.86
0.78
0.86
0.92
0.76
0.77
0.86
0.78
0.90
0.87
n/a
0.97
0.90
0.96
0.83
0.80
0.87
0.98
0.94
0.94
0.90
0.90
0.90
0.76
0.78
0.87
0.78
0.90
0.94

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

- 0.92
- 0.76
- 0.76
- 0.87
- 0.85
- 0.85
- 0.91
- 0.88
- 0.80
- 0.80
- 0.86
- 0.87

- 0.96
- 0.86
- 0.90
- 0.77
- 0.97
- 0.88
- 0.85
- 0.96
- 0.86
- 0.86
- 0.87
- 0.84
- 0.81
- 0.92
- 0.81
- 0.77
- 0.89
- 0.94
- 0.95
- 0.96

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.86

0.85

0.90

0.94

0.80

0.86

0.78

0.78

0.86

0.90

0.77

0.93

0.89

0.78

0.86

0.82

0.85

0.85

0.81

0.79

0.79

0.87

0.82

0.87

0.96

0.99

0.85

0.99

0.95

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.87
0.91
0.87
0.77
0.89
0.84
0.86
0.91
0.82
0.93
0.86
0.83
0.84
0.9
0.83
0.84
0.97
0.89
0.83
0.93
0.94
0.85
0.86
0.77
0.86
0.81
0.87
0.85
0.8
0.85
0.78
0.89
0.81

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.92
0.99
0.96
1.00
0.85
0.82
0.82
0.88
0.88
0.94
0.83
0.83
0.89
0.80
0.80
0.84
0.88
0.87
0.94
0.80
0.90
0.88
0.83
0.89
0.95
0.95
0.81
0.80
0.80
0.97
1.01
0.90
0.81

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
[Redacted]

0.84

0.78

0.80

0.86

0.81

0.77

0.93

0.88

0.84

0.91

0.83

0.92

0.90

1.00

0.95

0.92

0.88

0.98

0.77

0.76

0.97

0.85

0.92

0.85

1.00

0.93

0.77

0.99

0.96

0.99

0.82

0.95

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.94

0.95

0.87

0.88

0.92

0.89

0.92

0.94

0.77

0.77

0.84

0.84

0.82

0.82

0.82

0.82

0.85

0.85

0.84

0.78

0.90

0.90

0.83

0.83

0.94

0.95

0.97

0.86

0.91

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

- 0.83
- 0.88
- 0.89
- 0.98
- 1.03
- 0.85
- 0.96
- 0.87
- 0.80
- 0.83
- 1.22
- 0.81
- 0.83
- 0.87
- 0.95
- 0.84
- 0.84
- 0.87
- 0.99
- 0.85
- 1.08
- 0.91
- 0.98
- 0.93
- 0.88
- 1.22
- 0.95
- 0.91
- 0.86
- 0.90
- 0.91
- 0.85
- 0.81
- 0.95

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

1.00

0.89

0.88

0.86

0.92

0.88

0.86

1.01

1.17

0.90

0.98

0.88

1.05

0.86

0.86

0.99

0.96

0.80

0.81

1.12

0.87

0.87

0.84

0.84

0.82

0.82

0.82

0.82

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.83
0.88
0.88
0.88
0.83
0.80
0.87
0.85
0.80
0.90
0.85
0.83
0.94
0.87
0.79
0.97
0.97
0.92
0.99
0.82
0.81
0.83
0.91
0.92
0.80
0.94
0.93
0.92
1.00
0.85
0.88
0.81
0.81
0.84
0.89

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.99

0.87

0.83

0.94

0.81

0.92

0.92

0.86

0.86

0.84

0.89

0.89

0.87

0.87

0.81

0.81

0.89

0.80

0.81

0.85

0.88

0.99

0.85

0.82

0.83

0.94

0.86

0.84

0.84

0.88

0.82

0.82

0.80

0.83

0.92

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.81
0.85
0.92
0.91
0.81
0.87
0.81
0.80
0.81
0.91
0.84
0.84
0.90
0.82
0.96
0.87
0.91
0.97
0.92
0.82
0.80
0.81
0.96
0.95
0.95
0.96
0.81
0.88
0.93
0.83
0.90
0.99
0.84
0.76

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

- 0.88
- 0.82
- 0.96
- 0.82
- 0.96
- 0.85
- 0.85
- 0.87
- 0.78
- 0.90
- 0.94
- 0.95
- 0.88
- 0.99
- 0.79
- 0.84
- 0.98
- 0.92
- 0.84
- 0.84
- 0.89
- 0.89
- 0.87
- 0.99
- 0.81
- 0.90
- 0.90
- 0.80
- 0.82
- 1.02
- 0.94
- 0.90
- 0.90
- 0.97

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.94

0.95

0.96

0.89

0.89

0.87

0.87

0.93

0.88

0.86

0.83

0.76

0.76

0.87

0.88

0.95

0.82

0.82

0.93

0.96

0.84

0.81

0.89

0.93

1.00

0.76

0.88

0.84

0.99

0.88

0.84

0.82

0.80

0.82

0.89

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.87

0.87

0.83

0.96

0.86

0.82

0.93

0.87

0.85

0.88

0.95

1.00

0.84

0.92

0.92

0.81

0.86

0.81

0.99

0.93

0.94

0.82

0.92

0.94

0.92

0.88

0.78

0.82

0.95

0.85

0.92

0.87

0.80

0.94

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

0.76
0.92
0.83
0.89
0.76
0.85
0.9
0.86
0.95

0.84
0.82
0.82
0.84
0.80
0.98
0.96
0.82
0.81
0.91
0.84
0.99
0.95
0.95
0.87
0.80
0.86
0.98
0.94
0.84

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.83
0.94
0.84
0.96
0.77
0.93
0.84
0.88
0.75
0.84
0.81
0.81
0.86
0.99
0.90
0.93
0.88
0.89
0.87
0.81
0.85
0.87
0.88
0.98
0.75
0.87
0.90
0.75
0.77
0.82
0.82

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.87
0.89
0.87
0.90
0.88
0.90
1.00
1.00
1.00
0.94
0.97
0.91
0.76
0.86
0.78
0.88
0.84
0.90
0.86
0.82
0.82
0.81
0.83
0.85
0.89
0.95
0.94
0.90
0.84
0.93

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.82
0.82
0.91
0.82
0.91
0.94
0.81
0.81
0.82
0.91
0.89
0.80
0.91
0.9
0.89
0.82
0.94
0.9
0.81
0.84
0.90
0.88
0.98
0.83
0.85
1.00
0.91
0.84
0.98
0.84
0.80
0.77
0.97
0.81

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.83
0.80
0.91
0.90
0.87
0.91
0.90
0.98
0.80
0.77
0.87
0.81
0.89
0.75
0.87
0.75
0.88
0.90
0.90
0.81
0.86
0.90
0.90
0.97
1.00
1.00
-
0.90
0.92
0.80
0.82

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.88
0.87
0.80
0.80
0.82
0.89
0.81
0.86
0.87
0.80
0.83
0.83
0.83
0.80
0.80
0.85
0.85
0.94
0.80
0.93
0.82
0.84
0.88
0.88
0.82
0.93
0.90
0.87
0.87
0.86

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.99
0.82
0.89
0.82
0.80
0.80
0.75
0.75
0.78
0.82
0.82
0.92
0.86
0.82
0.87
0.82
0.84
1.01
0.83
1.12
0.85
0.89
0.92
0.81
1.12
0.85
0.78
0.81
0.87
0.80
0.98
0.90
0.95
1.00
1.00

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
1.00
0.96
0.87
0.88
0.86
0.85
0.85
0.83
0.83
0.78
0.78
0.75
0.87
0.8
0.8
0.88
0.93
0.82
0.88
0.95
0.99
0.92
0.95
0.77
0.85
0.95
0.97
0.89
0.9
0.8
0.94
0.81

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.91
0.82
0.91
0.86
0.86
0.87
0.88
0.97
0.95
0.88
0.85
0.84
0.83
0.8
0.95
0.95
0.89
0.92
1.02
0.99
0.88
0.93
0.89
0.81
0.83
0.83
0.83
0.83
0.92
0.9
0.89
0.93
0.91

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.84
0.84
0.88
0.88
-
0.95
0.88
0.84
0.97
0.95
0.9
0.83
0.85
0.85
0.93
0.76
0.8
0.8
0.81
0.81
0.86
0.97
0.98
0.83
0.81
0.98
0.8
0.77
0.79
0.78
0.82
0.79

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.81
0.86
0.89
0.85
0.88
0.97
0.86
0.91
0.83
0.97
0.87
0.87
0.81
0.89
0.88
0.89
0.81
0.81
0.92
0.82
0.9
0.98
0.92
0.92
0.94
0.84
0.87
0.98
0.79
0.87
0.98
0.8
0.87
0.9

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.93
0.75
0.94
0.88
0.83
0.78
0.94
0.87
0.9
0.92
0.92
0.83
0.81
0.92
0.88
0.87
0.9
0.9
0.81
0.99
0.88
0.92
0.79
0.86
0.78
0.92
0.9
0.87
0.85
0.82
0.84
0.92
0.78

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR
0.81
0.87
0.89
0.80
0.85
0.89
0.89

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR

2023 Approved Mix Design List
Sorted by YEAR and WisDOT 250-Test #

TSR