

#### TACKIFIER - Incidental to Bid Item 627.0200/05

# Date last edited: 4/30/2016 WDNR USE RESTRICTION

#### **MANUFACTURER PRODUCT** (Maximum App. Rate) Central Fiber Corp. Hydroboost Tacpac GT \* **Profile Products** Con-Tack A/T Eastern Products Inc. Eco Tak-OP \* Eastern Products Inc. Eco Tak-SAT Fiber RX \* HydroStraw \* **Innovative Turf Solutions** Hydra Tac Mat Inc. Mat-ST-SS

<sup>\* -</sup> Product approved prior to WDNR toxicity review requirement - apply per manufacturer's instructions

#### Last update: August 4, 2023

Annual submittal reivew cyle for this list runs from 4/1 to 3/31. Review of submittals received after 3/31 will default to the next cycle. For products currently on the list: Send an annual certification letter by 3/31 stating the product is substantially equal to the tested product, the manufacturer and product names are correct as noted on the list below, and the manufacturing locaton is the same as the tested material. Certifications not received by 3/31 will be removed from the list.

New applications: follow PAL Guidelines (https://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnslt-rsrces/tools/pal/default.aspx)

#### EROSION MAT CLASS I TYPE A - Bid Item 628.2001

| MANUFACTURER            | PRODUCT              | MIN. ANCHOR FREQUENCY (#/SY) |
|-------------------------|----------------------|------------------------------|
| American Excelsior      | Curlex I CL          | 1.1                          |
| American Excelsior      | AEC Premier Straw SN | 1.7                          |
| American Excelsior      | Curlex I             | 1.7                          |
| Ero-Guard               | EG-1s                | 1.7                          |
| Erosion Control Blanket | S 31                 | 1.7                          |
| Erosion Tech            | ETRS-1               | 1.7                          |
| Kansas Erosion Products | KEP-S1               | 1.2                          |

#### Degradable Net Options \*\*

| MANUFACTURER            | DEGRADABLE MAT PRODUCTS ** | MIN. ANCHOR FREQUENCY (#/SY) |  |
|-------------------------|----------------------------|------------------------------|--|
| American Excelsior      | Curlex I WH                | 1.7                          |  |
| Ero-Guard               | EG-1s RD                   | 1.7                          |  |
| Erosion Control Blanket | S 31BD or S31UVD           | 1.7                          |  |
| Erosion Tech            | ETRS-1-RD                  | 1.7                          |  |
| Kansas Erosion Products | S1RD                       | 1.2                          |  |

#### **EROSION MAT CLASS I TYPE B - Bid Item 628.2003**

| MANUFACTURER            | PRODUCT               | MIN. ANCHOR FREQUENCY (#/SY) |
|-------------------------|-----------------------|------------------------------|
|                         |                       |                              |
| American Excelsior      | Curlex II             | 3.8                          |
| American Excelsior      | Curlex II CL          | 3.8                          |
| American Excelsior      | Premier Straw DN      | 3.4                          |
| American Excelsior      | Premier Straw/Coconut | 3.4                          |
| Enviroscape             | S2000BD               | 3.8                          |
| Ero-Guard               | EG-2S                 | 3.8                          |
| Erosion Control Blanket | S32                   | 3.8                          |
| Erosion Tech            | ETRS-2                | 3.8                          |
| Kansas Erosion Products | KEP-S2                | 3.8                          |
| US Erosion Control      | US-2S                 | 3.8                          |

#### Degradable Net Options \*\*

| = -0                    |                            |                              |  |
|-------------------------|----------------------------|------------------------------|--|
| MANUFACTURER            | DEGRADABLE MAT PRODUCTS ** | MIN. ANCHOR FREQUENCY (#/SY) |  |
| Enviroscape             | S2000BD                    | 3.8                          |  |
| Erosion Control Blanket | S32BD or S32UVD            | 3.8                          |  |
| Erosion Tech            | ETSC-7030-BD               | 3.8                          |  |
| Erosion Tech            | ETRS-2-RD                  | 3.8                          |  |

<sup>\*\* -</sup> Note: Photo / Rapid / Bio Degradable Mats - Only utilize these mats when vegetation will be established within 1.5 months.

Photodegradable and Rapid Degradable Mats - additives have been added to the netting & thread to expedite degredation.

Degradable mats may not be organic as required for urban mats.

#### **EROSION MAT URBAN CLASS I TYPE A - Bid Item 628.2006**

| MANUFACTURER PRODUCT *** |                                       | MIN. ANCHOR FREQUENCY (#/SY) |  |
|--------------------------|---------------------------------------|------------------------------|--|
| American Excelsior       | AEC Premier Straw Single Net Fibrenet |                              |  |
| American exceision       | RY                                    | 1.9                          |  |
| American Excelsior       | Curlex I Fibrenet                     | 1.1                          |  |
| American Excelsior       | Curlex II Fibrenet                    | 1.1                          |  |
| Enviroscape              | S1000BD                               | 1.7                          |  |
| Ero-Guard                | EG-1S NN                              | 2.5                          |  |
| Erosion Control Blanket  | S 31BD                                | 1.7                          |  |
| Erosion Tech             | ETRS-1 BN                             | 1.7                          |  |

# **EROSION MAT URBAN CLASS I TYPE B - Bid Item 628.2008**

| MANUFACTURER            | PRODUCT ***                           | MIN. ANCHOR FREQUENCY (#/SY) |  |
|-------------------------|---------------------------------------|------------------------------|--|
| American Excelsior      | AEC Premier Straw Double Net FibreNet | 2.5                          |  |
| American Excelsior      | Curlex NetFree                        | 1.9                          |  |
| Ero-Guard               | EG-2S NN                              | 2.5                          |  |
| Erosion Control Blanket | S32BD                                 | 1.7                          |  |
| Erosion Tech            | ETRS-2 BN                             | 1.7                          |  |
| Kansas Erosion Products | S2 Natural                            | 1.2                          |  |

<sup>\*\*\* -</sup> Note: Urban Mats must be 100% organic. Mat thickness may be less than classification and primary acceptance criteria noted in the PAL guide.

#### **EROSION MAT CLASS II TYPE A - Bid Item 628.2021**

#### **CLASS II TYPE A - Jute fiber only**

Jute shall conform to the Wisconsin Department of Transportation Standard Specifications for Highway and Bridge Construction section 628.2.2. This netting is used for reinforcing sod. No approval is required for this Class and Type.

#### **EROSION MAT CLASS II TYPE B - Bid Item 628.2023**

| MANUFACTURER            | PRODUCT                      | MIN. ANCHOR FREQUENCY (#/SY) |
|-------------------------|------------------------------|------------------------------|
| American Excelsior      | AEC Premier Coconut          | 2.2                          |
| American Excelsior      | AEC Premier Coconut FibreNet | 2.2                          |
| Enviroscape             | C4000                        | 3.8                          |
| Erosion Control Blanket | C32 or C32BD                 | 3.8                          |
| Kansas Erosion Products | C100                         | 3.8                          |

#### **EROSION MAT CLASS II TYPE C - Bid Item 628.2027**

| MANUFACTURER            | PRODUCT      | MIN. ANCHOR FREQUENCY (#/SY) |
|-------------------------|--------------|------------------------------|
| Hanes Geo Components    | Coirmat 780  | 3.8                          |
| Kansas Erosion Products | C100 Natural | 3.8                          |

# **EROSION MAT CLASS III TYPE A - Bid Item 628.2031**

| MANUFACTURER            | PRODUCT             | MIN. ANCHOR FREQUENCY (#/SY) |
|-------------------------|---------------------|------------------------------|
| American Excelsior      | Curlex III Fibrenet | 1.9                          |
| Erosion Control Blanket | P-42                | 3.1                          |

#### **EROSION MAT CLASS III TYPE B - Bid Item 628.2033**

# EROSION MAT CLASS III TYPE C - Bid Item 628.2037

#### **EROSION MAT CLASS III TYPE D - Bid Item 628.2039**

No products are on the approved products list for Class III B-D mats. Project leaders should contact regional SWECs or products engineer for projects with one of these mats.

Products will be approved on the project level based on certification of compliance when necessary.



# ANCHORING DEVICES FOR CLASS I, URBAN EROSION MAT - Incidental To Bid Items 628.2006,8

Date last edited: 4/30/2019

# MANUFACTURER PRODUCT

| American Excelsior   | E-Staple      |
|----------------------|---------------|
| CFM Corp.            | CF Bio Staple |
| Eco-Turf             | Bio-Plus      |
| Green Stake          | Green Stake   |
| North American Green | Bio-Stake     |
| ODC Inc.             | Enviro-Stake  |



# **SOIL STABILIZER TYPE A - Bid Item 628.6505**

# Date last edited: 4/16/2018 WDNR USE RESTRICTION

| MANUFACTURER         | PRODUCT  | MINIMUM APP. RATE (#/ac)  | (Maximum App. Rate, #/ac) |
|----------------------|--|---|---------------------------|
| American Excelsior   | Bindex   | 3200  | 3413                      |
| Mat, Inc.            | Soil Guard   | 3500  | *                         |
| North American Green | Hydra CX-2   | 3500  | 4000                      |
| North American Green | Hydra CM   | 3500  | 4000                      |
| Profile Products     | Flexterra HP   | 3500  | 3500                      |
| Profile Products     | ProMatrix  | 3500  | 3500                      |
| Terra Novo           | Earth Guard Fiber Matrix   | 3000  | 3000                      |
| US Gypsum Company    | Airtrol Plaster (to be used only in combination with a wood mulch) | 4500# in addition to 1650# of a standard processed wood fiber mulch | *                         |

<sup>\*</sup>Product approved prior to WDNR toxicity review requirement - apply per manufacturer's instructions



# SOIL STABILIZER TYPE B - Bid Item 628.6510

# Date last edited: 4/16/2018

#### WDNR USE RESTRICTION

| MANUFACTURER                       | PRODUCT        | MINIMUM APP. RATE (#/ac) | (Maximum App. Rate, #/ac) |
|------------------------------------|----------------|--------------------------|---------------------------|
| Agrecol                            | B100           | 20                       | *                         |
| Construction Fabrics and Materials | CF 2000        | 20                       | 89                        |
| ENCAP                              | PAM-12 Plus ** | 2000                     | 6000                      |
| Polymer Plus, LLC                  | PolyPlus       | 20                       | *                         |
| Soilnet                            | TRIPAM         | 54                       | 88                        |
| Soilnet                            | 35             | 54                       | 75                        |
| Soilnet                            | 50             | 54                       | 97                        |

<sup>\*</sup>Product approved prior to WDNR toxicity review requirement - apply per manufacturer's instructions

\*\*Product is furnished with a paper tracer - this is not a mulch



#### INLET PROTECTION

# Date last edited:12/1/2021

Annual submittal reivew cyle for this list runs from 4/1 to 3/31. Review of submittals received after 3/31 will default to the next cycle

New applications: follow PAL Guidelines (https://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnslt-rsrces/tools/pal/default.aspx)

# TYPE A - Bid Item 628.7005

| MANUFACTURER                      | PRODUCT |
|-----------------------------------|---------|
|                                   |         |
|                                   |         |
| <u>TYPE B - Bid item 628.7010</u> |         |
|                                   |         |
| <u>TYPE C - Bid Item 628.7015</u> |         |
|                                   |         |
|                                   |         |
| <u>Type D - Bid Item 628.7020</u> |         |
|                                   |         |
|                                   |         |
|                                   |         |

#### **GEOTEXTILE FABRIC TYPE FF**

Use for all inlet protection unless an approved product from above list is utilized.

| Hanes Geocomponents | TerraTex EP12 |
|---------------------|---------------|
| Winfab              | 2105FF        |