

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, March 10, 2015, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page: <http://roadwaystandards/hcci/bid-letting/index.shtm>.

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

For Proposal Number 14 ONLY, bidder prequalification is not required; however, prior to issuing a bidding proposal or awarding a contract, the Department may require the bidder to produce evidence that they have performed work of a similar character in a satisfactory manner. Bidders **MUST** obtain a bidding proposal as hereinbefore-discussed under PLAN HOLDERS and ELIGIBLE BIDDERS.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Department hereby notifies all bidders that for all proposals hereinafter described in this advertisement, the Department will affirmatively insure that disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation, and they will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 6, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 23, 24, 25, 26, 27, 29, 31, 33, 34, 36, 37, 40

GRADING

2, 17, 24, 25, 29, 37

CONCRETE PAVEMENT

6, 10, 12, 27, 31, 36

ASPHALTIC PAVEMENT

19, 29, 34, 35

STRUCTURES

5, 7, 8, 9, 13, 28, 38, 39, 40, 41

BRIDGE PAINTING

BUILDING CONSTRUCTION

14

INCIDENTAL CONSTRUCTION

3, 4, 6, 10, 18, 22, 32, 33

1. Illinois State Line - Madison, CTH S, Shopiere Road Interchange; Rock County; 1003-10-71; IH 39; 0.000 Miles; Grade; Base; Concrete Pavement; Asphalt Pavement; Culvert Pipes; Storm Sewer; Curb and Gutter; Sidewalk; Guardrail; Signs; Pavement Marking; MSE Walls R-53-30, 31, and 34; Lighting; ITS; and Structure B-53-313.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 92,914 CY; Borrow, 228,023 CY; Backfill Structure, 560 CY; Base Aggregate Dense, 96,142 Ton; Select Crushed Material, 58,000 Ton; Concrete Pavement, 2,274 SY; Concrete Masonry Bridges, 498 CY; Prestressed Girders, 2,529 LF 45W-Inch; Bar Steel Reinforcement, 25,224 Lbs; Bar Steel Reinforcement Coated, 258,170 Lbs; Structural Steel HS, 2,994 Lbs; Piling Steel, 1,800 LF 10-Inch; Pavement Marking Epoxy, 50,430 LF; Incentive Density HMA Pavement, 12,300 Dol; Culvert Pipe Corrugated Steel, 824 LF 18"; Culvert Pipe Reinforced Concrete, 620 LF 24", 104 LF 30", 96 LF 36"; Storm Sewer Pipe Reinforced Concrete, 212 LF 15", 370 LF 30", 1,276 LF 18", 1,339 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 56 LF 14" X 23"; Concrete Curb and Gutter, 12,682 LF; Concrete Sidewalk, 10,365 SF; Steel Plate Beam Guard, 1,555 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 5 Each; Asphaltic Surface, 2,400 Ton; HMA Pavement Type E-3, 19,000 Ton; Tack Coat, 4,000 Gals; Asphaltic Material, 980 Ton; Concrete Staining, 16,578 SF; Signs, 1,696 SF; Conduit, 8,453 LF; Electrical Wire, 19,506 LF; Ramp Closure Gates Hardwired, 1 Each 28-Ft, 2 Each 32-Ft, 1 Each 37-Ft; Base Camera Pole, 50-Ft 1 Each; High Performance Concrete (HPC) Masonry Structures, 985 CY; Bar Steel Reinforcement HS Stainless Bridges, 3,094 Lbs; Stormwater Treatment Filter Strip, 52,000 SF; Wall Concrete Panel Mechanically Stabilized Earth LRFD / QMP, 8,822 SF; QMP Base Aggregate Dense 1¼-Inch Compaction, 72,000 Ton.

DBE Goal: NA

Contract Completion Date: November 20, 2015

Contact Information: Emmanuel Yartey, (608) 884-7131 /
emmanuel.yartey@dot.wi.gov

2. Illinois State Line - Madison, USH 51 / STH 73 Interchange; Dane County; 1007-10-72; IH 39; 0.000 Miles; Mill, Grade, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipes, Storm Sewer, Curb and Gutter, Sidewalk, Guardrail, Signs, Pavement Marking, Lighting, ITS, Signals, and Structure B-13-702.

Guaranty Required: \$330,000.00

Estimate of Principal Items: Excavation Common, 364,553 CY; Excavation Marsh, 23,920 CY; Borrow, 110,416 CY; Backfill Granular, 30,153 CY; Backfill Structure, 780 CY; Base Aggregate Dense, 85,562 Ton; Select Crushed Material, 111,810 Ton; Concrete Pavement, 19,671 SY; Concrete Masonry Bridges, 405 CY; Prestressed Girders, 3,553 LF 54W-Inch; Bar Steel Reinforcement, 25,521 Lbs; Bar Steel Reinforcement Coated, 280,280 Lbs; Structural Steel HS, 586 Lbs; Piling Steel, 3,600 LF 10-Inch; Pavement Marking Wet Reflective Tape, 7,906 LF; Pavement Marking Epoxy, 59,973 LF; Incentive Strength Concrete Pavement, 1,290 Dol; Incentive Density HMA Pavement, 11,690 Dol; Incentive IRI Ride, 9,000 Dol; Incentive Strength Concrete Structure, 2,412 Dol; Culvert Pipe Corrugated Steel, 242 LF 18", 113 LF 30", 16 LF 36"; Culvert Pipe Reinforced Concrete, 283 LF 12", 104 LF 24", 376 LF 42", 71 LF 15", 424 LF 30", 262 LF 18", 380 LF 36"; Storm Sewer Pipe Reinforced Concrete, 170 LF 12", 485 LF 15"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 42 LF 24" X 38"; Concrete Curb, 78 LF; Concrete Curb and Gutter, 6,934 LF; Concrete Sidewalk, 14,400 SF; Steel Plate Beam Guard, 104 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 188 Ton; HMA Pavement Type E-0.3, 1,730 Ton, Type E-1, 999 Ton, Type E-3, 11,171 Ton, Type E-30X, 4,354 Ton; Removing Asphaltic Surface Milling, 15,161 SY; Tack Coat, 4,027 Gals; Asphaltic Material, 1,099 Ton; Concrete Staining, 12,455 SF; Signs, 1,261 SF; Pavement Marking Preformed Thermoplastic, 226 LF; Conduit, 10,280 LF; Traffic Signal Cable, 2,771 LF; Electrical Wire, 17,299 LF; Ramp Closure Gates Hardwired, 1 Each 32-Ft, 1 Each 40-Ft; Base Camera Pole, 50-Ft 1 Each; HPC Masonry Structures, 1,228 CY; Wet Prairie Native Seed Mix, 301 Lbs; Bar Steel Reinforcement HS Stainless Bridges, 3,335 Lbs; Precast Pier Columns, 108 LF; Precast Pier Caps, 91 LF; QMP Base Aggregate Dense 1¼-Inch Compaction, 69,324 Ton.

DBE Goal: NA

Contract Completion Date: November 2, 2015

Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov

3. Southwest Region Pavement Marking, Eastern Counties, STN Locations Per Annual Plan; SW Region-Wide; 1009-11-94, WISC 2015 163; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 1,440,836 LF; Pavement Marking Arrows Epoxy, 55 Each; Pavement Marking Words Epoxy, 52 Each.

DBE Goal: 5 %

Contract Completion Time: 25 Working Days

Contact Information: Iver Peterson, (608) 785-9060 / iver.peterson@dot.wi.gov

4. Southwest Region Pavement Marking, Western Counties, STN Locations Per Annual Plan; SW Region-Wide; 1009-11-95, WISC 2015 115; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 1,300,218 LF; Pavement Marking Arrows Epoxy, 44 Each; Pavement Marking Words Epoxy, 12 Each.

DBE Goal: 5 %

Contract Completion Time: 25 Working Days

Contact Information: Iver Peterson, (608) 785-9060 / iver.peterson@dot.wi.gov

5. Town of Whitestown, 24 Valley Road, Weister Creek Bridge, B-62-0048; Vernon County; 5409-00-71, WISC 2015 116; Town Road; 0.038 Miles; Grade, Base, Asphaltic Surface, and Structure B-62-48.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 111 CY; Backfill Structure, 280 CY; Base Aggregate Dense, 229 Ton; Concrete Masonry Bridges, 200 CY; Bar Steel Reinforcement, 6,090 Lbs; Bar Steel Reinforcement Coated, 24,360 Lbs; Piling Steel, 425 LF 10-Inch; Construction Staking, 399 LF; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 1,200 Dol; Asphaltic Surface, 64 Ton.

DBE Goal: 4 %

Contract Completion Time: 45 Working Days

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcop.com

6. Dubuque - Janesville, W. Court Street Intersection; Evansville - Janesville, IH 39 to STH 11; Rock County; 1706-00-72; 5569-00-73; STH 11; USH 14; 3.617 Miles; Mill, Grade, Base, Concrete Pavement, Concrete Pavement Repair, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Sidewalk, Storm Sewer, Guardrail, Signs, Pavement Marking, Lighting, and Signals.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 8,587 CY; Borrow, 1,122 CY; Selected Borrow, 2,012 CY; Base Aggregate Dense, 15,225 Ton; Select Crushed Material, 580 CY; Concrete Pavement, 1,372 SY; Pavement Marking Epoxy, 97,155 LF; Construction Staking, 1,606 LF; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 3,410 Dol; Culvert Pipe Corrugated Steel, 64 LF 24"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 7 LF 19" X 30"; Concrete Curb, 900 LF; Concrete Curb and Gutter, 1,026 LF; Concrete Sidewalk, 500 SF; Steel Plate Beam Guard, 1,779 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 110 Ton; HMA Pavement Type E-0.3, 415 Ton, Type E-3, 1,357 Ton, Type E-10, 3,400 Ton; Removing Asphaltic Surface Milling, 13,600 SY; Tack Coat, 2,012 Gals; Asphaltic Material, 309 Ton; Concrete Pavement Repair SHES, 3,000 SY; Concrete Pavement Replacement SHES, 1,010 SY; Concrete Pavement Continuous Diamond Grinding, 4,010 SY; Signs, 252 SF; Conduit, 4,635 LF; Traffic Signal Cable, 3,328 LF; Electrical Wire, 2,329 LF; Loop Detector Lead In Cable, 6,357 LF; Traffic Signal EVP Detector Cable, 947 LF.

DBE Goal: NA

Contract Completion Date: October 9, 2015

Contact Information: Derek Potter, (608) 884-7135 / derek.potter@dot.wi.gov

7. Town of Willow Springs, Ferndale Road, (Pecatonica River Bridge, P-33-0144); Lafayette County; 5720-00-73, WISC 2015 117; Local; 0.000 Miles; Grade, Base, Culvert Pipe, Asphalt Pavement, Beam Guard, Pavement Marking, and Structure P-33-0144.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 150 CY; Backfill Structure, 85 CY; Base Aggregate Dense, 255 Ton; Breaker Run, 360 Ton; Concrete Masonry Bridges, 89 CY; Bar Steel Reinforcement Coated, 15,690 Lbs; Structural Steel HS, 26,850 Lbs; Construction Staking, 345 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Pipe Arch Corrugated Steel, 50 LF 21" X 15"; Steel Plate Beam Guard, 52 LF; Asphaltic Surface, 75 Ton; Tack Coat, 20 Gals; Railing Tubular Type M, 1 LS; Riprap, 135 CY; Signs, 51 SF.

DBE Goal: 4 %

Contract Completion Time: 35 Working Days

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcop.com

8. Genoa - Viroqua, Genoa to Romance, Various Locations; Vernon County; 5730-01-61, WISC 2015 118; STH 56; 0.000 Miles; Grade, Base, Asphaltic Surface, Guardrail, and Box Culvert Extensions C-62-1509, 1514, 1822, 1824, and 1827.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 285 CY; Borrow, 1,198 CY; Backfill Structure, 915 CY; Base Aggregate Dense, 170 Ton; Breaker Run, 137 CY; Concrete Masonry Culverts, 188 CY; Bar Steel Reinforcement, 17,745 Lbs; Bar Steel Reinforcement Coated, 2,975 Lbs; Construction Staking, 588 LF; Construction Staking, 5 LS; Steel Plate Beam Guard, 427 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 70 Ton.

DBE Goal: 4 %

Contract Completion Time: 40 Working Days

Contact Information: Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

9. Genoa - Romance, N. Fork Bad Axe River Bridge, B-62-0239; Vernon County; 5730-01-81, WISC 2015 119; STH 56; 0.183 Miles; Grade, Base, Asphaltic Surface, Concrete Pavement, Guardrail, Pavement Marking, and Structure B-62-239.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,588 CY; Borrow, 472 CY; Backfill Structure, 260 CY; Base Aggregate Dense, 1,315 Ton; Select Crushed Material, 520 Ton; Concrete Pavement, 135 SY; Concrete Masonry Bridges, 817 CY; Prestressed Girders, 1,715 LF 36W-Inch; Bar Steel Reinforcement, 15,950 Lbs; Bar Steel Reinforcement Coated, 129,320 Lbs; Piling Steel, 3,920 LF 12-Inch; Pavement Marking Epoxy, 2,133 LF; Construction Staking, 2,432 LF; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Strength Concrete Structure, 4,902 Dol; Steel Plate Beam Guard, 212 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 536 Ton; Concrete Surface Drains, 16 CY.

DBE Goal: 10 %

Contract Completion Date: August 28, 2015

Contact Information: Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

10. City of Mauston, East State Street, Hanover Street - Pine Street; City of Mauston, East State Street, Hanover Street - Pine Street, Local Utilities; Juneau County; 5880-02-72, WISC 2015 120; 5880-02-73; USH 12; 0.365 Miles; Mill, Grade, Base, Storm Sewer, Water Main, Sanitary Sewer, Concrete Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Lighting, and Signals.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 7,432 CY; Base Aggregate Dense, 5,375 Ton; Select Crushed Material, 2,170 Ton; Concrete Pavement, 16,788 SY; Pavement Marking Epoxy, 8,130 LF; Construction Staking, 7,950 LF; Construction Staking, 50 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 3,150 Dol; Incentive Density HMA Pavement, 260 Dol; Storm Sewer Pipe Reinforced Concrete, 1,225 LF 12", 246 LF 60", 317 LF 15", 595 LF 24"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 216 LF 14" X 23", 50 LF 48" X 76"; Concrete Curb, 103 LF; Concrete Curb and Gutter, 4,290 LF; Concrete Sidewalk, 22,110 SF; Asphaltic Surface, 56 Ton; HMA Pavement Type E-3, 407 Ton; Removing Asphaltic Surface Milling, 2,220 SY; Tack Coat, 203 Gals; Asphaltic Material, 22 Ton; Signs, 214 SF; Overhead Sign Support S-29-0009, 1 Lump Sum, S-29-0010, 1 Lump Sum; Conduit, 5,601 LF; Traffic Signal Cable, 1,989 LF; Electrical Wire, 29,008 LF; Decorative Luminaire and Pole Assembly, 23 Each; Hydrant Complete, 6 Each; Storm Sewer 8-Inch PVC, 135 LF; Copper Water Service, 1,809 LF; Ductile Iron Water Main, 201 LF 6", 2,154 LF 8", 131 LF 12"; Water Main Encasement, 2,500 LF; Sanitary Sewer Lateral, 2,167 LF 6"; Sanitary Sewer Main, 10 LF 8", 34 LF 10", 10 LF 12", 1,825 LF 15"; Stamped Colored Concrete Sidewalk, 11,040 SF; Imported Granular Backfill, 1,500 Ton; Special Trench Backfill, 500 Ton.

DBE Goal: 11 %

Contract Completion Date: October 30, 2015

Contact Information: Daniel Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

11. City of Janesville, Main Street, St. Lawrence Avenue to Centerway; City of Janesville, Main Street, St. Lawrence Avenue to Centerway; Rock County; 5990-01-20, WISC 2015 121; 5990-01-21; Local Street; 0.41 Miles; Mill; Grade; Base; Base Patching; Concrete Pavement; Asphalt Pavement; Curb and Gutter; Sidewalk; Storm Sewer; Planting Trees, Shrubs, and Perennials; Signs; Pavement Marking; Traffic Signals; Lighting; Water Main; and Sanitary Sewer Repair.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,816 CY; Base Aggregate Dense, 1,055 Ton; Concrete Pavement, 55 SY; Pavement Marking Epoxy, 7,005 LF; Construction Staking, 6,010 LF; Construction Staking, 11 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 920 Dol; Storm Sewer Pipe Reinforced Concrete, 228 LF 12", 22 LF 15", 24 LF 18"; Concrete Curb and Gutter, 3,225 LF; Concrete Sidewalk, 28,530 SF; Asphaltic Surface, 180 Ton; HMA Pavement Type E-1, 1,433 Ton; Removing Asphaltic Surface Milling, 6,326 SY; Tack Coat, 791 Gals; Asphaltic Material, 79 Ton; Cracking and Seating, 3,205 SY; Base Patching Asphaltic, 3,436 SY; Base Patching Concrete, 3,503 SY; Concrete Driveway, 499 SY; Trees, 39 Each; Shrubs, 189 Each; Signs, 346 SF; Conduit, 7,603 LF; Traffic Signal Cable, 3,830 LF; Electrical Wire, 36,018 LF; Traffic Signal Standard, 8 Each; Granular Backfill Special, 5,055 CY; Roadway Light Pole, 9 Each; Perennials, 878 Each; Pavement Marking Special Preformed Thermoplastic, 549 LF; Concrete Sidewalk Colored, 12,070 SF; Ductile Iron Water Main, 573 LF 4 or 6-Inch, 30 LF 8-Inch, 2,240 LF 12-Inch.

DBE Goal: 13 %

Contract Completion Date: October 15, 2015

Contact Information: Scott LaCoursiere, (608) 243-6471 / slacoursiere@otie.com

12. City of LaCrosse, Gillette Street, River Valley Drive to STH 16; LaCrosse County; 5991-08-09, WISC 2015 122; CTH B; 0.315 Miles; Grade, Base, Concrete Pavement, Concrete Pavement Repair, Asphaltic Surface, Curb and Gutter, Sidewalk, Concrete Barrier, Storm Sewer, Guardrail, Signs, Pavement Marking, Loop Detectors, and Structure Approach Slab Replacement on B-32-158.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 7,199 CY; Backfill Granular, 5,745 CY; Backfill Structure, 2.5 CY; Base Aggregate Dense, 1,192 Ton; Concrete Pavement, 2,180 SY; Concrete Masonry Bridges, 2 CY; Bar Steel Reinforcement Coated, 190 Lbs; Pavement Marking Epoxy, 1,751 LF; Construction Staking, 3,270 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 800 Dol; Incentive Strength Concrete Structure, 500 Dol; Storm Sewer Pipe Reinforced Concrete, 58 LF 12"; Concrete Curb and Gutter, 1,335 LF; Concrete Sidewalk, 5,088 SF; Steel Plate Beam Guard, 318 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 37 Ton; Concrete Pavement Approach Slab HES, 422 SY; Concrete Pavement Repair SHES, 130 SY; Concrete Pavement Replacement SHES, 1,251 SY; Concrete Barrier, 90 LF; Signs, 97 SF; Conduit, 166 LF; Conduit Loop Detector, 178 LF; Loop Detector Wire, 644 LF.

DBE Goal: 10 %

Contract Completion Date: August 15, 2015

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcop.com

13. Town of Lemonweir, 19th Avenue South, Lemonweir River Bridge, B-29-0144; Town of Lemonweir, 19th Avenue South, CTH N to STH 82; Juneau County; 6648-00-72; 6648-00-73, WISC 2015 123; Town Road; 0.842 Miles; Grade, Base, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Guardrail, Signs, Pavement Marking, and Structure B-29-144.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 23,386 CY; Excavation Rock, 30 CY; Borrow, 806 CY; Backfill Structure, 220 CY; Base Aggregate Dense, 12,999 Ton; Concrete Masonry Bridges, 607 CY; Bar Steel Reinforcement, 10,890 Lbs; Bar Steel Reinforcement Coated, 78,190 Lbs; Piling Steel, 955 LF 10-Inch; Pavement Marking Epoxy, 17,884 LF; Construction Staking, 14,831 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 2,209 Dol; Incentive IRI Ride, 3,256 Dol; Incentive Strength Concrete Structure, 3,642 Dol; Pipe Arch Corrugated Steel Aluminum Coated, 52 LF 64" X 43", 94 LF 137" X 87"; Culvert Pipe Corrugated Steel, 25 LF 24", 43 LF 36", 24 LF 60"; Culvert Pipe Corrugated Polyethylene, 52 LF 60"; Concrete Curb and Gutter, 941 LF; Steel Plate Beam Guard, 633 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 63 Ton; HMA Pavement Type E-0.3, 3,451 Ton; Tack Coat, 771 Gals; Asphaltic Material, 239 Ton; Polymer Overlay, 619 SY; Signs, 57 SF; Salvaged Marsh Topsoil 12-Inch, 1,893 SY; Select Crushed Material for Travel Corridor Interstitial Space, 552 Ton.

DBE Goal: 5 %

Contract Completion Date: October 30, 2015

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcop.com

14. Zoo IC, DPW Site Facilities, Milwaukee Co. DPW Site; Milwaukee County; 1060-34-73; USH 45; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Landscaping, Signing, Lighting, **BUILDINGS WARRANTED**, and Pavement Marking.

Guaranty Required: \$320,000.00

Estimate of Principal Items: Excavation Common, 71,711 CY; Base Aggregate Dense, 26,593 Ton; Concrete Pavement, 15,601 SY; Structural Steel HS, 2,000 Lbs; Pavement Marking Epoxy, 12,969 LF; Incentive Strength Concrete Pavement, 1,038 Dol; Incentive Density HMA Pavement, 7,660 Dol; Storm Sewer Corrugated High Density Polyethylene, 366 LF 12"; Storm Sewer PVC SDR 35, 357 LF 6", 347 LF 8", 276 LF 10"; Storm Sewer Pipe Reinforced Concrete, 1,223 LF 12", 721 LF 15", 539 LF 18", 933 LF 24", 700 LF 36"; Concrete Curb, 42 LF; Concrete Curb and Gutter, 7,424 LF; Concrete Sidewalk, 5,982 SF; HMA Pavement Type E-1, 11,980 Ton; Tack Coat, 4,812 Gals; Asphaltic Material, 659 Ton; Trees, 230 Each; Shrubs, 187 Each; Vines, 45 Each; Sign Supports Concrete Masonry, 3 CY; Sign Supports Steel Reinforcement, 196 Lbs; Signs, 587 SF; Pull Boxes, 17 Each; Concrete Bases, 39 Each; Poles, 37 Each; Lighting Control Cabinet, 1 Each; Conveyor, 1 Each; Ductile Iron Water Main, 664 LF; Salt Dome Electrical Building, 3 LS; Buildings, 3 LS; River Stone, 49 Ton.

***** MANDATORY PRE-BID MEETING *****

DATE: March 3, 2015 **TIME:** 1 PM

LOCATION: Milwaukee County DPW Existing Temporary Salt Dome
10190 Watertown Plank Road
Wauwatosa, WI 53226

NOTES: In case of inclement weather, a secondary meeting room has been reserved at the Zoo Interchange Field Office (Fox Room), 2424 S. 102nd Street, West Allis. Please contact Jeff Bohlen at (414) 750-2928 with any questions.

No meeting minutes will be prepared. A published response will be sent out addressing all questions raised at the meeting.

DBE Goal: NA **Contract Completion Date:** May 20, 2016

Contact Information: Jeff Bohlen, (414) 750-2928 / jeff.bohlen@dot.wi.gov

15. Milwaukee - Fond du Lac, Pilgrim Road Bridges; Wacker Neuson / Megal Court, Village of Menomonee Falls, Pilgrim Road to Cul De Sac; Pilgrim Road, Park Boulevard to Megal Drive; Pilgrim Road, USH 41/45 to Main - Water Main Work; Main and Pilgrim Intersection and Pilgrim, Cleveland Avenue to Megal Drive; Waukesha County; 1100-37-70, WISC 2015 124; 2720-10-70; 2782-11-70, WISC 2015 125; 2782-11-71; 2782-12-70, WISC 2015 126; USH 41/45; Local; Local; Non-Hwy.; STH 74; 0.000 Miles; Grade, Base, Storm Sewer, Utilities, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Concrete Barrier, Beam Guard, Sidewalk, Wall Concrete Panel MSE, Lighting, ITS, Signals, Signing, Overhead Sign Supports, Pavement Marking, and Structures B-67-337 and 338 and R-67-121 and 122.

Guaranty Required: \$280,000.00

Estimate of Principal Items: Excavation Common, 52,465 CY; Borrow, 36,399 CY; Backfill Structure, 650 CY; Base Aggregate Dense, 33,425 Ton; Base Aggregate Open Graded, 370 Ton; Breaker Run, 2,500 Ton; Concrete Pavement, 46,510 SY; Concrete Masonry Bridges, 1,759 CY; Prestressed Girders, 3,304 LF 45W-Inch; Bar Steel Reinforcement, 19,770 Lbs; Bar Steel Reinforcement Coated, 273,700 Lbs; Piling Steel, 4,840 LF 10-Inch; Pavement Marking Wet Reflective Tape, 22,545 LF; Pavement Marking Epoxy, 10,793 LF; Pavement Marking Thermoplastic, 3,848 LF; Incentive Strength Concrete Pavement, 3,929 Dol; Incentive Density HMA Pavement, 1,690 Dol; Incentive IRI Ride, 4,554 Dol; Incentive Strength Concrete Structure, 10,554 Dol; Storm Sewer Pipe Reinforced Concrete, 2,741 LF 12", 732 LF 15", 488 LF 18", 1,183 LF 24", 123 LF 27", 599 LF 30", 404 LF 36", 82 LF 48", 135 LF 72"; Concrete Curb, 360 LF; Concrete Curb and Gutter, 24,276 LF; Concrete Sidewalk, 86,291 SF; Steel Plate Beam Guard, 1,004 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 22 Ton; HMA Pavement Type E-3, 2,143 Ton, Type E-10, 617 Ton; Tack Coat, 660 Gals; Asphaltic Material, 155 Ton; Steel Diaphragms, 56 Each; Railing, 4 LS; Concrete Barrier, 879 LF; Riprap, 148 CY; Signs, 2,992 SF; Overhead Sign Support, 3 LS; Pull Boxes, 163 Each; Concrete Bases, 122 Each; Poles, 92 Each; Ramp Closure Gates, 7 Each; Hydrant, 6 Each; Bar Steel Reinforcement HS Stainless, 3,760 Lbs; PVC Water Main, 3,020 LF; Wall Concrete Panel Mechanically Stabilized Earth, 1,250 SF.

DBE Goal: 18 %

Contract Completion Date: November 25, 2015

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

16. Orchard Road, Village of Germantown, Donges Bay Road Intersection; Washington County; 2475-00-72; STH 145; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Asphalt Pavement, and Landscaping.

Guaranty Required: \$6,000.00

Estimate of Principal Items: Excavation Common, 1,245 CY; Base Aggregate Dense, 100 Ton; Construction Staking, 400 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 62 LF 48"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 68 LF 43" X 68"; Asphaltic Surface, 15 Ton; Riprap, 80 CY; Shrubs, 44 Each.

DBE Goal: NA

Contract Completion Date: June 20, 2015

Contact Information: Nguyen Ly, (262) 548-8739 / nguyen.ly@dot.wi.gov

17. CTH CW (Mapleton Road), Bridge Over Ashippun River (P-67-0046); CTH CW, County Line to 1,700' East of Amber Lane; Waukesha County; 2949-00-70, WISC 2015 127; 3947-05-71, WISC 2015 155; Local; 0.000 Miles; Grade, Base, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Sidewalk, Beam Guard, Pavement Marking, and a Structure.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 15,986 CY; Excavation Marsh, 3,428 CY; Selected Borrow, 17,314 CY; Backfill Granular, 70 CY; Base Aggregate Dense, 7,352 Ton; Select Crushed Material, 3,757 Ton; Concrete Pavement, 211 SY; Concrete Masonry Bridges, 192 CY; Bar Steel Reinforcement Coated, 27,030 Lbs; Piling Steel, 980 LF 10-Inch; Pavement Marking Wet Reflective Tape, 8,129 LF; Pavement Marking Epoxy, 38 LF; Construction Staking, 6,227 LF; Construction Staking, 5 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 211 Dol; Culvert Pipe Corrugated Steel, 201 LF 18", 78 LF 24"; Concrete Sidewalk, 23 SF; Steel Plate Beam Guard, 974 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 78 Ton; HMA Pavement Type E-0.3, 2,577 Ton; Tack Coat, 510 Gals; Asphaltic Material, 144 Ton; Backfill Controlled Low Strength, 345 CY; Riprap, 167 CY.

DBE Goal: 10 %

Contract Completion Time: 122 Calendar Days

Contact Information: Joe Klarkowski, (414) 935-4410 / joe.klarkowski@daarcop.com

18. Menomonee Falls - Slinger Road, Beechwood Industrial Court to Polk Street; Washington County; 3360-09-70, WISC 2015 128; STH 175; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Wall Modular Block MSE R-66-32 and 33, Modular Wall Block Gravity, Landscape, Lighting, Signing, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 92,780 CY; Excavation Marsh, 2,257 CY; Base Aggregate Dense, 56,740 Ton; Breaker Run, 12,500 Ton; Concrete Pavement, 1,971 SY; Pavement Marking Plastic, 1,343 LF; Pavement Marking Wet Reflective Tape, 12,858 LF; Pavement Marking Epoxy, 1,412 LF; Pavement Marking Thermoplastic, 45,883 LF; Construction Staking, 68,520 LF; Construction Staking, 254 Each; Construction Staking, 5 LS; Incentive Density HMA Pavement, 12,660 Dol; Incentive IRI Ride, 5,200 Dol; Culvert Pipe Corrugated Steel, 86 LF 15", 144 LF 18", 182 LF 24", 30 LF 36"; Storm Sewer Pipe Reinforced Concrete, 3,130 LF 15", 2,328 LF 18", 6,767 LF 24", 1,176 LF 27", 1,055 LF 30", 83 LF 36", 880 LF 42", 266 LF 48"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 157 LF 24" X 38", 568 LF 29" X 45"; Concrete Curb, 175 LF; Concrete Curb and Gutter, 26,517 LF; Concrete Sidewalk, 34,903 SF; Asphaltic Surface, 2,328 Ton; HMA Pavement Type E-1, 19,054 Ton; Removing Asphaltic Surface Milling, 845 Ton; Tack Coat, 3,072 Gals; Asphaltic Material, 1,254 Ton; HMA Cold Weather Paving, 5,984 Ton; Riprap, 561 CY; Trees, 48 Each; Shrubs, 94 Each; Vines, 84 Each; Signs, 1,704 SF; Pull Boxes, 7 Each; Concrete Bases, 25 Each; Poles, 24 Each; Bore and Jack Storm Sewer Reinforced Concrete Pipe, 235 LF; Modular Wall Block Gravity, 169 SF; Wall Modular Block Mechanically Stabilized Earth, 7,460 SF.

DBE Goal: 16 %

Contract Completion Date: December 4, 2015

Contact Information: Douglas Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

19. Waupun - Rosendale, (Neitman Road - 1/2 Mile N. Willow Creek Road); Waupun - Rosendale, (Cattaraugus Drive - STH 23); Rosendale - North County Line, (STH 23 - CTH FF); Fond du Lac County; 1110-10-71, WISC 2015 129; 1114-09-71, WISC 2015 130; 1114-10-71, WISC 2015 131; STH 26; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Pulverize and Relay, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, and Pavement Marking.

Guaranty Required: \$290,000.00

Estimate of Principal Items: Excavation Common, 46,430 CY; Borrow, 8,765 CY; Selected Borrow, 7,967 CY; Base Aggregate Dense, 63,500 Ton; Concrete Pavement, 196 SY; Concrete Masonry Endwalls, 20 CY; Pavement Marking Epoxy, 343,100 LF; Construction Staking, 87,610 LF; Construction Staking, 85 Each; Construction Staking, 4 LS; Incentive Density HMA Pavement, 93,540 Dol; Incentive IRI Ride, 73,820 Dol; Pipe Arch Corrugated Steel, 26 LF 28" X 20", 22 LF 42" X 29"; Culvert Pipe Corrugated Steel, 374 LF 12", 211 LF 15", 1,564 LF 18", 124 LF 24", 128 LF 30"; Culvert Pipe Reinforced Concrete, 448 LF 24", 340 LF 30", 276 LF 36"; Storm Sewer Pipe Reinforced Concrete, 291 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 96 LF 19" X 30", 70 LF 24" X 38", 378 LF 43" X 68"; Concrete Curb, 65 LF; Concrete Curb and Gutter, 4,110 LF; Concrete Sidewalk, 1,705 SF; Steel Plate Beam Guard, 3,073 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 20 Each; Asphaltic Surface, 726 Ton; HMA Pavement Type E-10, 146,130 Ton; Removing Asphaltic Surface Milling, 328,550 SY; Tack Coat, 103,700 Gals; Asphaltic Material, 8,015 Ton; Pulverize and Relay, 322,000 SY; HMA Cold Weather Paving, 5,400 Ton; Riprap, 155 CY; Signs, 2,074 SF; Pull Boxes, 2 Each; Concrete Bases, 1 Each.

DBE Goal: 8 %

Contract Completion Date: September 3, 2015

Contact Information: Kyle Trembl, (920) 492-4109 / kyle.trembl@dot.wi.gov

20. DEFERRED

21. DEFERRED

22. DePere - Suamico, Morris Avenue - Memorial Drive; Brown County; 1133-04-73, WISC 2015 134; USH 41; 0.000 Miles; Plantings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Construction Staking, 1 LS; Trees, 363 Each; Shrubs, 168 Each.

DBE Goal: 18 %

Contract Completion Date: June 26, 2015

Contact Information: Kathleen Slattery, (920) 492-2243 / kathleen.slattery@dot.wi.gov

23. DePere - Suamico, Memorial Drive - CTH M; DePere - Suamico, Memorial Drive - CTH M; Brown County; 1133-10-75, WISC 2015 135; 1133-10-77, WISC 2015 136; USH 41; 0.000 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridges, Retaining Walls, Culvert Pipe, Storm Sewer, Pulverize and Relay, Milling, Concrete Driveway, Sidewalk, Concrete Roundabout Apron, Curb and Gutter, Concrete Barrier, Beam Guard, Fence, Plantings, Sign Bridges, Overhead Sign Supports, Traffic Signals, Street Lighting, Ramp Closure Gates, Pavement Markings, and Signs.

Guaranty Required: \$1,000,000.00

Estimate of Principal Items: Excavation Common, 196,250 CY; Excavation Marsh, 233,067 CY; Selected Borrow, 29,000 CY; Backfill Structure, 3,233 CY; Base Aggregate Dense, 103,190 Ton; Breaker Run, 103,132 Ton; Concrete Pavement, 177,394 SY; Concrete Masonry Seal, 354 CY; Prestressed Girders, 1,314 LF 28-Inch, 6,082 LF 45-Inch, 5,603 LF 54-Inch, 1,937 LF 72-Inch; Bar Steel Reinforcement, 96,377 Lbs; Bar Steel Reinforcement Coated, 64,445 Lbs; Piling Steel, 19,484 LF 12-Inch, 8,106 LF 14-Inch; Pavement Marking Wet Reflective Tape, 54,793 LF; Pavement Marking Epoxy, 131,869 LF; Construction Staking, 2 LS; Incentive IRI Ride, 30,000 Dol; Culvert Pipe, 105 LF 24"; Culvert Pipe Corrugated Steel, 112 LF 18", 24 LF 24"; Culvert Pipe Reinforced Concrete, 146 LF 18", 106 LF 36", 386 LF 24", 200 LF 30"; Storm Sewer Pipe Reinforced Concrete, 1,366 LF 12", 3,265 LF 24", 328 LF 54", 2,664 LF 15", 367 LF 36", 3,059 LF 18", 822 LF 48"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 48 LF 19" X 30"; Concrete Curb, 425 LF; Concrete Curb and Gutter, 14,659 LF; Concrete Sidewalk, 158,840 SF; Steel Plate Beam Guard, 1,574 LF; Asphaltic Surface, 1,228 Ton; HMA Pavement Type E-0.3, 958 Ton, Type E-1, 6,307 Ton, Type E-3, 1,110 Ton, Type E-30, 484 Ton; Removing Asphaltic Surface Milling, 2,520 SY; Tack Coat, 4,581 Gals; Asphaltic Material, 578 Ton; Backfill Coarse Aggregate, 112 CY; Asphaltic Base, 29,502 Ton; Concrete Base, 1,351 SY; Pulverize and Relay, 13,000 SY; Concrete Driveway, 875 SY; Concrete Roundabout Truck Apron, 1,220 SY; Concrete Masonry Retaining Walls, 574 CY; Concrete Barrier, 29,980 LF; Woven Wire Fence, 11,475 LF; Chain Link Fence, 3,463 LF; Concrete Median Nose, 1,115 LF; Trees, 419 Each; Shrubs, 275 Each; Sign Bridge, 8 Each; Overhead Sign Support, 9 Each; Signs, 14,999 SF; Aluminum Poles, 214 Each; Drainage Blanket, 26,789 CY; Roadway Embankment, 525,345 CY; Excavation of Phragmites, 1,155 CY; Granular Material for ES Fabric, 9,302 CY; HPC Masonry Structures, 8,100 CY; Ramp Closure Gates, 3 Each; Traffic Signal Standards, 2 Each; Plants, 2,862 Each; Bar Steel Reinforcement HS Stainless, 13,443 Lbs; Strip Drains, 359,285 LF; Pre-Bored Strip Drains, 238,224 LF; Pavement Marking Grooved Thermoplastic, 2,035 LF; Prestressed Precast Concrete Wall Panel, 20,127 SF; Wall Wire Faced Mechanically Stabilized Earth, 20,127 SF; Wall Modular Block Mechanically Stabilized Earth, 1,268 SF; Stamped and Colored Concrete, 4,259 SY; Conduit, 75,028 LF.

***** PRE-BID MEETING *****

DATE: February 19, 2015 **TIME:** 10 AM

LOCATION: WisDOT Project Field Office
1940 West Mason Street
Green Bay, WI 54303

NOTE: The meeting is not mandatory. No meeting minutes will be prepared. Issues discovered at the meeting which may impact the contract will be handled by addendum.

DBE Goal: 9 % **Contract Completion Date:** June 15, 2017

Contact Information: Todd Sanders, (414) 897-3867 / todd.sanders@dot.wi.gov

24. Fond du Lac - Plymouth, WCL - CTH P; Fond du Lac - Plymouth, WCL – CTH P; Sheboygan County; 1440-13-71; 1440-13-74; STH 23; 0.000 Miles; Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Beam Guard, Signing, and Structures B-59-99 and 316.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 739,615 CY; Excavation Marsh, 17,000 CY; Borrow, 417,000 CY; Selected Borrow, 25,000 CY; Backfill Structure, 1,755 CY; Base Aggregate Dense, 27,400 Ton; Breaker Run, 211 CY; Concrete Masonry Bridges, 316 CY; Concrete Masonry Culverts, 544 CY; Concrete Masonry Endwalls, 34 CY; Bar Steel Reinforcement, 68,120 Lbs; Bar Steel Reinforcement Coated, 37,810 Lbs; Piling Steel, 540 LF 10-Inch; Construction Staking, 243,980 LF; Construction Staking, 72 Each; Construction Staking, 4 LS; Incentive IRI Ride, 2,270 Dol; Incentive Strength Concrete Structure, 5,160 Dol; Culvert Pipe Corrugated Steel, 46 LF 12“, 1,990 LF 24“, 142 LF 36“, 52 LF 42“; Culvert Pipe Reinforced Concrete, 3,560 LF 24“, 565 LF 30“, 306 LF 36“, 662 LF 42“, 517 LF 48“, 302 LF 54“, 158 LF 60“; Concrete Curb and Gutter, 155 LF; Steel Plate Beam Guard, 175 LF; Asphaltic Surface, 62 Ton; HMA Pavement Type E-0.3, 3,500 Ton; Tack Coat, 910 Gals; Asphaltic Material, 190 Ton; Pit Run, 103,400 Ton; Riprap, 6,348 CY; Signs, 219 SF.

DBE Goal: NA

Contract Completion Time: 100 Working Days

Contact Information: Paul Brauer, (920) 492-0135 / paul.brauer@dot.wi.gov

25. USH 10 - USH 10 / STH 441, County CB - Oneida Street; Winnebago County; 1517-75-71, WISC 2015 137; USH 10; 0.431 Miles; Grading, Culvert Pipe, Storm Sewer, Prefabricated Vertical Drains, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 11,609 CY; Base Aggregate Dense, 7 Ton; Pavement Marking Epoxy, 1,115 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 86 LF 24“; Storm Sewer Pipe Reinforced Concrete, 13 LF 12“, 322 LF 18“; Asphaltic Surface, 32 Ton; Tack Coat, 12 Gals; Roadway Embankment, 275,904 CY; Drainage Blanket, 38,407 CY; Prefabricated Vertical Drains, 628,449 LF; Prebored Prefabricated Vertical Drains, 297,662 LF; Signs, 61 SF.

DBE Goal: 8 %

Contract Completion Date: July 30, 2015

Contact Information: Scott Ebel, (920) 492-2240 / scott.ebel@dot.wi.gov

26. USH 10 - USH 10 / STH 441, County CB - Oneida Street; USH 10 - USH 10 / STH 441, County CB - Oneida Street; Winnebago County; 1517-75-78, WISC 2015 138; 1517-75-81, WISC 2015 139; USH 441; 0.000 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridges, Storm Sewer, Culvert Pipe, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Concrete Barrier, Plantings, Sign Bridges, Overhead Sign Supports, Street Lighting, Traffic Signals, Ramp Closure Gates, Signs, and Pavement Markings.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 82,464 CY; Backfill Granular, 1,480 CY; Backfill Structure, 160 CY; Base Aggregate Dense, 32,613 Ton; Base Aggregate Open Graded, 358 Ton; Breaker Run, 49,618 Ton; Concrete Pavement, 3,085 SY; Prestressed Girders, 1,314 LF 45-Inch; Bar Steel Reinforcement, 3,860 Lbs; Bar Steel Reinforcement Coated, 190,100 Lbs; Piling Steel, 4,448 LF 10-Inch; Pavement Marking Wet Reflective Tape, 4,936 LF; Pavement Marking Epoxy, 26,304 LF; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 2,401 Dol; Incentive Strength Concrete Structure, 5,268 Dol; Storm Sewer Pipe Reinforced Concrete, 1,895 LF 12", 113 LF 21", 591 LF 36", 716 LF 15", 768 LF 24", 546 LF 42", 1,666 LF 18", 210 LF 30", 532 LF 48"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 305 LF 34" X 53"; Concrete Curb, 441 LF; Concrete Curb and Gutter, 18,236 LF; Concrete Sidewalk, 51,025 SF; Steel Plate Beam Guard, 670 LF; Asphaltic Surface, 6,827 Ton; Tack Coat, 173 Gals; Concrete Driveway, 486 SY; Concrete Roundabout Truck Apron, 910 SY; Surface Drain Corrugated Steel, 890 LF; Culvert Pipe Corrugated Aluminum, 350 LF; Concrete Barrier, 136 LF; Woven Wire Fence, 670 LF; Concrete Median Nose, 461 SF; Trees, 65 Each; Sign Bridge, 2 LS; Overhead Sign Support, 4 LS; Conduit, 10,802 LF; Aluminum Poles, 48 Each; Traffic Signal Standards, 19 Each; Temporary Traffic Signals, 2 LS; Ramp Closure Gate, 4 Each; High Performance Concrete Masonry Bridges, 878 CY; Plants, 1,513 Each; Pavement Marking Grooved Preformed Thermoplastic, 1,436 LF; High Performance Concrete Pavement, 30,596 SY; Signs, 2,359 SF; Stamped and Colored Concrete, 3,192 SY; Colored Concrete, 1,679 SY; Geogrid Reinforcement, 18,941 SY.

***** PRE-BID MEETING *****

DATE: February 19, 2015 **TIME:** 1 PM

LOCATION: WisDOT Project Field Office
W6214 Aerotech Drive
Appleton, WI 54914

NOTE: The meeting is not mandatory. No meeting minutes will be prepared.

DBE Goal: 5 %

Contract Completion Date: July 21, 2015

Contact Information: Kimberly Slezak, (920) 492-5947 / kimberly.slezak@dot.wi.gov

27. College Avenue and Eisenhower Drive, Village of Kimberly, Town of Buchanan; Eisenhower Drive, Town of Buchanan, Theater Way - CTH CE; Outagamie County; 4160-05-71, WISC 2015 140; 4160-05-73, WISC 2015 141; CTH CE; Local Street; 0.654 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Concrete Roundabout Apron, Overhead Sign Supports, Signs, Temporary Traffic Signals, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 21,341 CY; Base Aggregate Dense, 32,650 Ton; Concrete Pavement, 23,389 SY; Pavement Marking Epoxy, 11,358 LF; Construction Staking, 30,575 LF; Construction Staking, 62 Each; Construction Staking, 6 LS; Incentive Strength Concrete Pavement, 1,970 Dol; Incentive Density HMA Pavement, 620 Dol; Culvert Pipe Corrugated Steel, 36 LF 15"; Storm Sewer Pipe Reinforced Concrete, 1,054 LF 12", 231 LF 21", 460 LF 15", 654 LF 24", 217 LF 18"; Concrete Curb, 466 LF; Concrete Curb and Gutter, 13,533 LF; Concrete Sidewalk, 25,355 SF; Asphaltic Surface, 738 Ton; HMA Pavement Type E-0.3, 175 Ton, Type E-3, 729 Ton; Tack Coat, 480 Gals; Asphaltic Material, 50 Ton; Concrete Driveway, 247 SY; Concrete Roundabout Truck Apron, 914 SY; Overhead Sign Supports, 3 LS; Temporary Traffic Signals, 1 LS; Pavement Marking Grooved Preformed Thermoplastic, 4,408 LF; Signs, 711 SF.

DBE Goal: 15 %

Contract Completion Time: 80 Working Days

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

28. Village of Reedsville, Manitowoc Street, Mud Creek Bridge, P-36-0703; Manitowoc County; 4321-02-71; Local Street; 0.021 Miles; Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, and a Structure.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 177 CY; Backfill Structure, 395 CY; Base Aggregate Dense, 310 Ton; Concrete Masonry Bridges, 363 CY; Bar Steel Reinforcement, 13,000 Lbs; Bar Steel Reinforcement Coated, 33,210 Lbs; Piling Steel, 2,040 LF 10-Inch; Construction Staking, 248 LF; Construction Staking, 2 LS; Incentive Density HMA Pavement, 128 Dol; Incentive Strength Concrete Structure, 2,178 Dol; Concrete Curb and Gutter, 124 LF; Concrete Sidewalk, 1,130 SF; HMA Pavement Type E-0.3, 200 Ton; Tack Coat, 44 Gals; Asphaltic Material, 11 Ton.

DBE Goal: NA

Contract Completion Date: September 4, 2015

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

29. City of Plymouth, STH 67 and CTH PP Intersection; City of Plymouth, CTH PP - Riverbend Drive; Sheboygan County; 4550-06-71, WISC 2015 142; 4560-05-73, WISC 2015 143; STH 67; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Beam Guard, Signing, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 20,124 CY; Base Aggregate Dense, 9,598 Ton; Breaker Run, 5,362 Ton; Concrete Pavement, 86 SY; Pavement Marking Epoxy, 15,568 LF; Construction Staking, 7,753 LF; Construction Staking, 7 Each; Construction Staking, 2 LS; Incentive Density HMA Pavement, 2,700 Dol; Incentive IRI Ride, 1,600 Dol; Culvert Pipe Corrugated Steel, 46 LF 18", 52 LF 24"; Culvert Pipe Reinforced Concrete, 76 LF 24", 214 LF 36"; Storm Sewer Pipe Reinforced Concrete, 17 LF 12", 174 LF 36"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 34 LF 14" X 23"; Concrete Curb and Gutter, 396 LF; Steel Plate Beam Guard, 782 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 214 Ton; HMA Pavement Type E-1, 4,200 Ton; Removing Asphaltic Surface Milling, 8,920 SY; Tack Coat, 1,049 Gals; Asphaltic Material, 231 Ton; Signs, 228 SF.

DBE Goal: 6 %

Contract Completion Time: 40 Working Days

Contact Information: Paul Brauer, (920) 492-0135 / paul.brauer@dot.wi.gov

30. DEFERRED

31. City of Oconto Falls, W. Highland Drive - E. Highland Drive; Oconto County; 9180-19-71, WISC 2015 145; STH 22; 1.602 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Concrete Driveway, Sidewalk, Modular Block Wall, Plantings, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 31,000 CY; Base Aggregate Dense, 16,350 Ton; Breaker Run, 20,000 Ton; Concrete Pavement, 33,345 SY; Pavement Marking Epoxy, 25,300 LF; Construction Staking, 36,752 LF; Construction Staking, 80 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 2,589 Dol; Incentive Density HMA Pavement, 360 Dol; Incentive IRI Ride, 4,900 Dol; Storm Sewer Pipe Reinforced Concrete, 2,226 LF 12", 3,691 LF 24", 38 LF 15", 46 LF 30", 280 LF 18", 21 LF 36"; Concrete Curb, 4,015 LF; Concrete Curb and Gutter, 14,245 LF; Concrete Sidewalk, 77,915 SF; Asphaltic Surface, 170 Ton; HMA Pavement Type E-1, 550 Ton; Tack Coat, 110 Gals; Excavation, Hauling, and Disposal of Contaminated Soil, 1,415 Ton; Concrete Driveway, 1,025 SY; Concrete Pavement Repair, 200 SY; Modular Block Wall, 1,320 SF; Trees, 7 Each; Shrubs, 59 Each; Plants, 359 Each; PVC Storm Sewer, 104 LF; Signs, 704 SF.

DBE Goal: 12 %

Contract Completion Date: October 31, 2015

Contact Information: Matt Ternes, (920) 492-3500 / matthew.ternes@dot.wi.gov

32. North Central Region, Epoxy Pavement Marking, Locations on STN Per Annual Plan; NC Region-Wide; 1009-42-41, WISC 2015 146; Various Highways; 0.000 Miles; Epoxy Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 2,172,015 LF; Pavement Marking Epoxy, 1,795 SF; Pavement Marking Aerial Enforcement Bars Epoxy, 60 LF.

DBE Goal: 5 %

Contract Completion Date: October 15, 2015

Contact Information: Timothy Hanley, (715) 421-8050 / timothy.hanley@dot.wi.gov

33. Plover - Waupaca, Maple Drive Intersection; Plover - Waupaca, Maple Drive Intersection; Portage County; 6414-01-72, WISC 2015 147; 6414-01-73; STH 54; 0.323 Miles; Grading, Base, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Concrete Roundabout Apron, Street Lighting, Water Main, Sanitary Sewer, Pavement Markings, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 14,200 CY; Base Aggregate Dense, 19,225 Ton; Pavement Marking Epoxy, 6,274 LF; Construction Staking, 26,703 LF; Construction Staking, 61 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 285 Dol; Incentive Density HMA Pavement, 3,240 Dol; Culvert Pipe Reinforced Concrete, 123 LF 15", 64 LF 24"; Storm Sewer Pipe Reinforced Concrete, 499 LF 12", 14 LF 60", 316 LF 15", 648 LF 30"; Concrete Curb, 195 LF; Concrete Curb and Gutter, 6,843 LF; Concrete Sidewalk, 35,180 SF; Asphaltic Surface, 15 Ton; HMA Pavement Type E-10, 5,060 Ton; Tack Coat, 815 Gals; Asphaltic Material, 295 Ton; Concrete Driveway, 145 SY; Concrete Roundabout Apron, 570 SY; Concrete Median Nose, 475 SF; Conduit, 12,720 LF; Aluminum Poles, 19 Each; Water Main, 50 LF; Sanitary Sewer, 841 LF; Sanitary Lateral, 300 LF; Water Service, 300 LF; Pavement Marking Preformed Thermoplastic, 657 LF; Signs, 624 SF.

DBE Goal: 12 %

Contract Completion Date: September 4, 2015

Contact Information: Dan Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

34. CTH W - Pine River, CTH W - CTH E; Waushara County; 6910-00-70, WISC 2015 148; CTH H; 1.979 Miles; Grading, Base, Pulverize and Relay, Asphalt Pavement, Culvert Pipe, Curb and Gutter, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 3,037 CY; Base Aggregate Dense, 1,300 Ton; Pavement Marking Paint, 34,240 LF; Construction Staking, 22,810 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 2,010 Dol; Incentive IRI Ride, 7,950 Dol; Culvert Pipe Corrugated Steel, 307 LF 15", 18 LF 18"; Culvert Pipe Reinforced Concrete, 58 LF 12"; Concrete Curb and Gutter, 1,910 LF; Asphaltic Surface, 13 Ton; HMA Pavement Type E-0.3, 3,150 Ton; Asphaltic Material, 180 Ton; Pulverize and Relay, 40,600 SY.

DBE Goal: 10 %

Contract Completion Time: 30 Working Days

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcop.com

35. Baldwin - Menomonie, STH 128 to IH 94; St. Croix and Dunn Counties; 7090-05-65, WISC 2015 149; USH 12; 14.17 Miles; Mill, Grade, Base, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Guardrail, Signs, Pavement Marking, and Structure C-17-5038.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 5,018 CY; Borrow, 4,080 CY; Backfill Structure, 93 CY; Base Aggregate Dense, 10,305 Ton; Breaker Run, 27 CY; Concrete Masonry Culverts, 56 CY; Bar Steel Reinforcement, 5,090 Lbs; Pavement Marking Epoxy, 300,244 LF; Construction Staking, 149,766 LF; Construction Staking, 7 Each; Construction Staking, 2 LS; Incentive Density HMA Pavement, 18,463 Dol; Incentive IRI Ride, 56,690 Dol; Incentive Strength Concrete Structure, 500 Dol; Culvert Pipe Reinforced Concrete, 116 LF 18", 118 LF 30", 66 LF 42"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 54 LF 29" X 45", 62 LF 34" X 53"; Concrete Curb and Gutter, 110 LF; Steel Plate Beam Guard, 6,585 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 42 Each; Asphaltic Surface, 8,756 Ton; HMA Pavement Type E-3 Special, 28,848 Ton; Removing Asphaltic Surface Milling, 262,571 SY; Tack Coat, 17,633 Gals; Removing Asphaltic Surface Milling, 7,100 Ton; Signs, 1,757 SF.

DBE Goal: 10 %

Contract Completion Time: 97 Calendar Days

Contact Information: Wendy Maves, (715) 836-3902 / wendy.maves@dot.wi.gov

36. City of Menomonie, Broadway Street, 24th Avenue to 11th Avenue; City of Menomonie, Stout Road, Red Cedar Street Intersection; City of Menomonie, Broadway Street, Tainter Street to Wolske Bay Road; Dunn County; 7220-01-71, WISC 2015 150; 7600-02-70; 7600-02-71, WISC 2015 151; STH 25; USH 12; USH 12; 1.482 Miles; Grade, Base, Base Patching Concrete, Asphalt Pavement, Curb and Gutter, Storm Sewer, Guardrail, Signs, Pavement Marking, Traffic Signals, Lighting, Water Main, Sanitary Sewer, and Concrete Pavement Special.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,718 CY; Base Aggregate Dense, 2,973 Ton; Select Crushed Material, 240 Ton; Concrete Pavement, 5,959 SY; Pavement Marking Epoxy, 27,408 LF; Construction Staking, 8,343 LF; Construction Staking, 2 Each; Construction Staking, 5 LS; Incentive Strength Concrete Pavement, 2,360 Dol; Incentive Density HMA Pavement, 2,360 Dol; Storm Sewer Pipe Reinforced Concrete, 64 LF 12"; Concrete Curb, 149 LF; Concrete Curb and Gutter, 3,499 LF; Concrete Sidewalk, 9,902 SF; Steel Plate Beam Guard, 850 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 327 Ton; HMA Pavement Type E-10, 3,685 Ton; Tack Coat, 3,015 Gals; Asphaltic Material, 230 Ton; Removing Concrete Surface Partial Depth, 226,056 SF; Base Patching Concrete, 3,560 SY; Concrete Safety Island, 995 SF; Signs, 272 SF; Conduit, 2,225 LF; Traffic Signal Cable, 2,851 LF; Electrical Wire, 13,202 LF; Traffic Signal EVP Detector Cable, 440 LF; Water Main Ductile Iron, 30 LF 6", 54 LF 8"; Sanitary Sewer 8" PVC, 20 LF; Concrete Pavement Repair Special, 388 SY; Concrete Pavement Replacement Special, 455 SY.

DBE Goal: 13 %

Contract Completion Date: October 2, 2015

Contact Information: Tara Weiss, (715) 836-2283 / tara.weiss@dot.wi.gov

37. STH 93 - USH 53, (Talmadge Road to CTH I); Eau Claire County; 7826-05-70, WISC 2015 152; Local; 0.000 Miles; Grade, Base, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 72,346 CY; Excavation Rock, 6,492 CY; Borrow, 2,936 CY; Backfill Granular, 6,605 CY; Base Aggregate Dense, 27,385 Ton; Select Crushed Material, 280 Ton; Concrete Pavement, 29 SY; Pavement Marking Epoxy, 21,580 LF; Construction Staking, 28,144 LF; Construction Staking, 11 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 4,390 Dol; Incentive IRI Ride, 5,952 Dol; Culvert Pipe Corrugated Steel, 390 LF 18", 574 LF 24", 22 LF 30"; Culvert Pipe Reinforced Concrete, 84 LF 24", 528 LF 30"; Concrete Curb and Gutter, 2,014 LF; Asphaltic Surface, 202 Ton; HMA Pavement Type E-0.3, 6,845 Ton; Tack Coat, 1,840 Gals; Asphaltic Material, 377 Ton; Riprap, 427 CY.

DBE Goal: 9 %

Contract Completion Time: 55 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

38. Town of Dewhurst, Riviera Avenue, Br. Black River Bridge, B-10-0224; Clark County; 7857-00-70, WISC 2015 153; Town Road; 0.076 Miles; Grade, Base, Asphaltic Surface, Concrete Pavement, Culvert Pipe, Pavement Marking, and Structure B-10-224.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 774 CY; Backfill Structure, 285 CY; Base Aggregate Dense, 835 Ton; Concrete Pavement, 147 SY; Concrete Masonry Bridges, 204 CY; Bar Steel Reinforcement, 5,510 Lbs; Bar Steel Reinforcement Coated, 24,240 Lbs; Piling Steel, 144 LF 10-Inch; Pavement Marking Epoxy, 1,800 LF; Construction Staking, 1,197 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Strength Concrete Structure, 1,224 Dol; Culvert Pipe, 110 LF 12"; Asphaltic Surface, 260 Ton; Tack Coat, 77 Gals; Concrete Staining Multi-Color, 505 SF.

DBE Goal: 5 %

Contract Completion Time: 35 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

39. Town of Wascott, Smith Bridge Road, Minong Flowage Bridge, B-16-0135; Douglas County; 8396-00-72; Town Road; 0.082 Miles; Grade, Base, Asphaltic Surface, Curb and Gutter, Storm Sewer, Guardrail, Signs, Pavement Marking, and Structure B-16-135.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 280 CY; Borrow, 2,187 CY; Backfill Structure, 220 CY; Base Aggregate Dense, 870 Ton; Concrete Masonry Bridges, 504 CY; Bar Steel Reinforcement, 7,320 Lbs; Bar Steel Reinforcement Coated, 80,570 Lbs; Piling CIP Concrete, 1,665 LF 12 3/4-Inch; Pavement Marking Epoxy, 2,200 LF; Construction Staking, 1,836 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 3,024 Dol; Storm Sewer Pipe Reinforced Concrete, 42 LF 18"; Concrete Curb and Gutter, 540 LF; Concrete Sidewalk, 3,575 SF; Steel Plate Beam Guard, 158 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 250 Ton; Tack Coat, 75 Gals; Signs, 47 SF.

DBE Goal: NA

Contract Completion Time: 60 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

40. Town of Mayville, Division Avenue, N. Fork Popple River Bridge, B-10-0227; Clark County; 8880-00-70, WISC 2015 154; Town Road; 0.128 Miles; Grade, Base, Asphaltic Surface, and a Structure.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,170 CY; Backfill Structure, 160 CY; Base Aggregate Dense, 905 Ton; Breaker Run, 890 Ton; Concrete Masonry Bridges, 188 CY; Bar Steel Reinforcement, 5,210 Lbs; Bar Steel Reinforcement Coated, 24,280 Lbs; Piling Steel, 640 LF 10-Inch; Construction Staking, 2,034 LF; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 1,128 Dol; Asphaltic Surface, 350 Ton; Tack Coat, 105 Gals.

DBE Goal: 5 %

Contract Completion Time: 45 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

41. Chippewa Falls - Cadott Road, Lake Wissota Bridge, B-9-280; Chippewa County; 8919-03-72; CTH X; 0.394 Miles; Grade, Base, Curb and Gutter, Sidewalk, Asphaltic Surface Temporary, and Structure B-9-280.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,025 CY; Backfill Granular, 11,655 CY; Backfill Structure, 546 CY; Base Aggregate Dense, 270 Ton; Breaker Run, 23,375 Ton; Concrete Masonry Bridges, 961 CY; Prestressed Girders, 1,844 LF 45W-Inch; Bar Steel Reinforcement, 9,120 Lbs; Bar Steel Reinforcement Coated, 177,660 Lbs; Piling CIP Concrete, 1,020 LF 30-Inch; Piling Steel, 1,920 LF 10-Inch; Construction Staking, 4,315 LF; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 5,766 Dol; Concrete Curb and Gutter, 627 LF; Concrete Sidewalk, 3,441 SF; Asphaltic Surface Temporary, 315 Ton; Tack Coat, 95 Gals.

DBE Goal: NA

Contract Completion Date: November 30, 2015

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

By order of:

Dan Grasser
Administrator
Division of Transportation System Development