



Wisconsin Department of Transportation

November 20, 2017

**Division of Transportation Systems
Development**

Bureau of Project Development
4802 Sheboygan Avenue, Rm 601
P O Box 7916
Madison, WI 53707-7916

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #12: 2195-03-70, WISC 2018 009
West Wells Street, City of Milwaukee
Milwaukee River Bridge B-40-544
USH 18
Milwaukee County

Letting of December 12, 2017

This is Addendum No. 1, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
4	Other Contracts
44	Adjusting TES Manhole Covers, Item SPV.0060.401.
47	Junction Box 8x8x6-inch, Item SPV.0060.503.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

2195-03-70

November 20, 2017

Special Provisions

4. Other Contracts

Replace entire article language with the following:

WISDOT Project ID: 2200-14-70

The City of Milwaukee in conjunction with the Wisconsin Department of Transportation is resurfacing East/West Wells Street from North 6th Street to North Broadway. Construction is anticipated to take place from early May 2018 to early November 2018. Coordinate detour and traffic control operations with the adjacent resurfacing project. Contact paving contractor to coordinate operations.

44. Adjusting TES Manhole Covers, Item SPV.0060.401.

Replace entire article language with the following:

A Description

This special provision describes adjusting the existing chimney of the block, precast, or brick round manholes; furnishing, installing and removing protection of the cables in the manhole during adjustment operations. Perform work in accordance with the standard specification named Catch Basins, Manholes, and Inlets, as shown on the plans, and as hereinafter specified.

B Materials

Furnish and install materials that conform to the requirements of section 519 of the standard specifications. Salvage and reinstall existing covers on the manholes. The city will supply covers designated for replacement. Contractor shall contact Mr. Ricardo Lopez, inventory clerk at (414) 286-6123 prior to obtaining the frames and lids from the Department of Public Works Field Headquarters at 3850 North 35th Street. Contractor must have the "Castings Requisitions Form" which shall be supplied by the city at the preconstruction meeting to obtain the covers.

C Construction

Report any pre-existing problems to Ms. Karen Roney of City of Milwaukee Conduit Section (414) 286-3243 three working days in advance of any construction on manholes.

Before removing the pavement around the manhole, the contractor shall place a ¾-inch plywood cover or equal over existing active street lighting, traffic control, communication or private vendor electrical cables. This cover shall be properly supported to/at the manhole floor.

Break out and remove pavement around manhole. Remove existing covers and store and secure them properly. Any damaged, lost, or stolen covers shall be the responsibility of the contractor and shall be replaced at contractor's expense.

Remove existing chimney to surface of concrete roof slab. If manhole does not have an existing concrete roof slab, remove sufficient chimney as to provide adequate corbel to fit new larger cast iron frame and cover.

Adjust manhole cover to proposed grade using bricks or concrete rings as necessary. Remove wedges/shims. Fill voids with grout. Do not back plaster inside walls.

After completion of paving, remove all construction debris from manhole. Remove the temporary 3/4-inch plywood cover or equal which is over the existing electrical cables in the manhole as mentioned above.

Notify Ms. Karen Rogney three working days in advance of completion of each manhole adjustment, for inspection and acceptance of work performed. The contractor will receive no payment until the above work is approved by underground operations.

D Measurement

The department will measure Adjusting TES Manhole Covers by the unit, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.401	Adjusting TES Manhole Covers	Each

Payment is full compensation for furnishing all required materials, exclusive of frames, grates, or lids available and designated for adjusting; for removing, reinstalling and adjusting the covers; and for furnishing all labor, tools, equipment and incidentals necessary for adjusting each cover, complete in accordance with the requirements of the plans and contract. Covers to be adjusted and which are rendered unfit for use by the contractor through the contractor's operations will be replaced by the contractor in kind at the contractor's own cost and expense.

47. Junction Box 8x8x6-inch, Item SPV.0060.503.

Replace entire article language with the following:

A Description

This work shall be in accordance to the requirements of section 653 of the standard specifications, the plans, standard detail drawings, and as hereinafter provided.

B Materials

B.1 General

Furnish materials in accordance to the plans and subsection 653.2.2 of the standard specifications.

B.2 Junction Boxes

Furnish 8x8X6-Inch hot dipped zinc coated cast iron junction boxes with a checkered cover rated for vehicular loading. Provide Junction Box manufactured by OZ/Gedney, model #YT080806-CSV, Hope Electrical Products Co. Inc., model # H5800-SC/H58-080806-SC, or equivalent.

C Construction

Perform construction in accordance to the plans and subsection 653.3 of the standard specifications.

D Measurement

The department will measure Junction Boxes 8x8x6-Inch as each individual junction box, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.503	Junction Box 8X8X6-Inch	Each

Payment shall be full compensation in accordance to subsection 653.5 of the standard specifications.

END OF ADDENDUM