

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, January 9, 2018, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 4, 5, 8, 9, 14, 20, 22, 23, 24, 25, 26, 27, 28, 29, 32

GRADING

27, 32

CONCRETE PAVEMENT

3, 14

ASPHALTIC PAVEMENT

5, 9, 23, 26

STRUCTURES

2, 6, 7, 12, 15, 16, 17, 18, 20, 21, 24, 25, 28, 29, 30, 31

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

4, 8, 13, 19

1. Illinois State Line - Madison, East Church Road to Church Street - NB; Illinois State Line - Madison, Church Street to CTH AB - NB; Dane County; 1007-11-71, WISC 2018 030; 1007-11-76, WISC 2018 031; IH 39; 7.765 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Replacement, Box Culvert Construction, Retaining Walls, Culvert Pipe, Storm Sewer, Concrete Barrier, Fence, Signs, Sign Bridge, and ITS.

Guaranty Required: \$810,000.00

Estimate of Principal Items: Excavation Common, 538,601 CY; Excavation Rock, 68,016 CY; Excavation Marsh, 8,436 CY; Selected Borrow, 37,003 CY; Backfill Structure, 7,558 Ton; Base Aggregate Dense, 170,699 Ton; Select Crushed Material, 252,906 Ton; Breaker Run, 394 CY; Concrete Pavement, 273,820 SY; Concrete Masonry Bridges, 4,252 CY; Concrete Masonry Culverts, 639 CY; Prestressed Girders, 819 LF 36-Inch, 777 LF 54-Inch, 4,599 LF 72-Inch; Bar Steel Reinforcement, 143,330 Lbs; Bar Steel Reinforcement Coated, 472,190 Lbs; Structural Steel HS Stainless, 10,630 Lbs; Piling Steel, 7,365 LF 10-Inch, 5,000 LF 12-Inch; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 728 LF 18", 176 LF 36", 400 LF 72", 1,100 LF 24", 608 LF 42", 168 LF 54", 500 LF 30", 156 LF 48", 264 LF 60"; Storm Sewer Pipe Reinforced Concrete, 1,933 LF 18", 466 LF 24", 98 LF 30"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 56 LF 19" X 30", 156 LF 48" X 76", 104 LF 24" X 38", 80 LF 29" X 45"; Concrete Curb and Gutter, 65 LF; HMA Pavement, 7,844 Ton; Tack Coat, 1,602 Gals; Signs, 1,036 SF; Concrete Barrier, 2,236 LF; Woven Wire Fence, 39,850 LF; Conduit, 35,353 LF; Roadway Embankment, 316,289 CY; Chain Link Fence, 115 LF; Concrete Panel MSE Wall, 4,420 SF; Temporary Wire Faced MSE Wall, 1,415 SF.

DBE Goal: 8 %

Contract Completion Date: November 21, 2018

Contact Information: Mark Sponem, (608) 245-2627 / mark.sponem@dot.wi.gov

2. LaCrosse - Sparta, Little LaCrosse and Leon Valley, B-41-76, 77, 79, and 80; Sparta - Tomah, Farmers Valley Creek, B-41-88 and 89; Sparta - Tomah, STH 16 Bridge, B-41-0111; Monroe County; 1071-02-61, WISC 2018 032; 1071-02-62, WISC 2018 033; 1071-02-63, WISC 2018 034; IH 90; IH 90; IH 90 EB; 0.000 Miles; Base, Asphalt Pavement, Beam Guard, Pavement Marking, and Structures B-41-76, 77, 79, 80, 88, 89, and 111.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 198 Ton; Concrete Masonry Bridges, 169 CY; Concrete Masonry Overlay, 351 CY; Bar Steel Reinforcement Coated, 34,900 Lbs; Marking Epoxy, 21,425 LF; Beam Guard, 4,755 LF; Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 104 Ton; HMA Pavement, 25 Ton; Expansion Device, 3 LS; Riprap, 20 CY.

DBE Goal: 8 %

Contract Completion Time: 100 Working Days

Contact Information: Robert Winterton, (608) 789-7879 / robert.winterton@dot.wi.gov

3. Marquette Road, Prairie du Chien, LaPointe Street to Mooney Street; Marquette Road, Prairie du Chien, LaPointe Street to Mooney Street; Crawford County; 1661-05-76, WISC 2018 035; 1661-05-86; STH 35; 0.000 Miles; Grade, Base, Storm Sewer, Water Main, Sanitary Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, Signals, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 28,379 CY; Backfill Granular, 978 Ton; Base Aggregate Dense, 24,946 Ton; Concrete Pavement, 42,144 SY; Marking Epoxy, 39,339 LF; Construction Staking, 30,326 LF; Construction Staking, 126 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 1,483 LF 12", 91 LF 15", 1,246 LF 18", 1,551 LF 24", 750 LF 30", 1,192 LF 30", 1,670 LF 36", 145 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 281 LF 14" X 23", 957 LF 24" X 38"; Concrete Curb, 56 LF; Concrete Curb and Gutter, 18,353 LF; Concrete Sidewalk, 50,780 SF; Asphaltic Surface, 3,195 Ton; Tack Coat, 583 Gals; Signs, 831 SF; Pull Boxes, 23 Each; Concrete Bases, 30 Each; Poles, 24 Each; Lighting Control Cabinet, 2 Each; Hydrant, 9 Each; Water Service, 663 LF; Water Main, 2,881 LF; Steel Casing Pipe, 69 LF; Sanitary Sewer Lateral, 546 LF; Sanitary Sewer PVC, 3,249 LF; Rectangular Rapid Flashing Beacon System, 2 LS.

DBE Goal: 10 %

Contract Completion Date: November 30, 2018

Contact Information: Craig Fisher, (608) 785-9946 / craig.fisher@dot.wi.gov

4. City of Mayville, Main Street, Ruedebusch Avenue to Horicon Street; City of Mayville, Main Street, Ruedebusch Avenue to Horicon Street; City of Mayville, Horicon Street, Clark Street to Main Street; City of Mayville, Horicon Street, Clark Street to Main Street; Dodge County; 3021-02-73, WISC 2018 036; 3021-02-74; 3270-02-71, WISC 2018 038; 3270-02-72; STH 67; STH 67; STH 28; STH 28; 0.000 Miles; Grade, Base, Sanitary Sewer, Storm Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Signals, Lighting, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 28,035 CY; Backfill Granular, 18,380 CY; Base Aggregate Dense, 13,986 Ton; Select Crushed Material, 22,171 Ton; Concrete Pavement, 26,891 SY; Marking Epoxy, 28,749 LF; Construction Staking, 16,231 LF; Construction Staking, 162 Each; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 36 LF 12", 1,622 LF 15", 498 LF 18", 1,864 LF 24", 483 LF 30", 659 LF 36", 262 LF 60"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 41 LF 14" X 23"; Concrete Curb, 870 LF; Concrete Curb and Gutter, 9,738 LF; Concrete Sidewalk, 43,240 SF; Beam Guard, 1,233 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 403 Ton; Tack Coat, 85 Gals; Signs, 575 SF; Riprap, 13 CY; Pull Boxes, 27 Each; Concrete Bases, 21 Each; Poles, 12 Each; Hydrant, 8 Each; Water Main, 5,085 LF; Water Service, 1,394 LF; Sanitary Sewer, 5,116 LF.

DBE Goal: 11 %

Contract Completion Date: October 31, 2018

Contact Information: Jeremy Hall, (608) 245-2655 / jeremy.hall@dot.wi.gov

5. IH 94 - Columbus, Heritage Way to Faith Drive; Columbia County; 3060-02-71, WISC 2018 037; STH 73; 0.000 Miles; Milling, Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 41 CY; Base Aggregate Dense, 222 Ton; Marking Epoxy, 16,474 LF; Concrete Curb and Gutter, 590 LF; Concrete Sidewalk, 2,145 SF; HMA Pavement, 3,975 Ton; Removing Asphaltic Surface Milling, 19,970 SY; Tack Coat, 2,459 Gals; Signs, 103 SF; Construction Staking, 11 Each.

DBE Goal: 7 %

Contract Completion Date: June 8, 2018

Contact Information: Jim Simpson, (608) 246-5628 / jim.simpson@dot.wi.gov

6. STH 56 - STH 82, Scott Hollow Creek Bridge, B-62-246; Vernon County; 5289-00-72, WISC 2018 039; CTH S; 0.057 Miles; Excavation, Base, Asphaltic Surface, Concrete Pavement, and Structure Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 206 CY; Borrow, 125 CY; Backfill Structure, 350 Ton; Base Aggregate Dense, 483 Ton; Concrete Pavement, 131 SY; Concrete Masonry Bridges, 137 CY; Bar Steel Reinforcement, 4,810 Lbs; Bar Steel Reinforcement Coated, 18,580 Lbs; Piling Steel, 205 LF 10-Inch; Construction Staking, 786 LF; Construction Staking, 2 LS; Asphaltic Surface, 130 Ton; Tack Coat, 40 Gals; Signs, 12 SF.

DBE Goal: 5 %

Contract Completion Time: 35 Working Days

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

7. STH 69 - USH 151, Sugar River Bridge, B-13-0682; Dane County; 5658-00-76, WISC 2018 040; CTH PB; 0.049 Miles; Excavation, Base, HMA Pavement, Concrete Pavement, Structure Replacement, Curb and Gutter, Sidewalk, Signs, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 100 CY; Borrow, 440 CY; Backfill Structure, 338 Ton; Base Aggregate Dense, 342 Ton; Select Crushed Material, 168 Ton; Concrete Pavement, 106 SY; Concrete Masonry Bridges, 526 CY; Prestressed Girders, 1,024 LF 28-Inch; Bar Steel Reinforcement, 10,050 Lbs; Bar Steel Reinforcement Coated, 63,710 Lbs; Piling Steel, 950 LF 10-Inch; Marking Epoxy, 1,040 LF; Construction Staking, 420 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 48 LF 12"; Concrete Curb and Gutter, 212 LF; Concrete Sidewalk, 480 SF; HMA Pavement, 120 Ton; Tack Coat, 14 Gals; Signs, 18 SF; Excavation, Hauling and Disposal of Contaminated Soil, 2,586 Ton.

DBE Goal: 5 %

Contract Completion Time: 65 Working Days

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

8. City of Reedsburg, South Dewey Avenue, Railroad Street to Main Street; City of Reedsburg, South Dewey Avenue, Railroad Street to Main Street; Sauk County; 5799-00-64, WISC 2018 041; 5799-00-65; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Water Main, Sanitary Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Marking, and Structure C-56-3086.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 11,179 CY; Excavation Rock, 100 CY; Base Aggregate Dense, 15,896 Ton; Concrete Pavement, 2,114 SY; Marking Thermoplastic, 3,742 LF; Marking Epoxy, 14,463 LF; Construction Staking, 16,295 LF; Construction Staking, 35 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 370 LF 12", 238 LF 15", 962 LF 18", 361 LF 21", 44 LF 24"; Concrete Curb and Gutter, 6,363 LF; Concrete Sidewalk, 15,802 SF; Asphaltic Surface, 47 Ton; HMA Pavement, 3,963 Ton; Tack Coat, 925 Gals; Signs, 3 SF; Precast Concrete Wingwall, 1 LS; Precast Concrete Box Culvert 3 Ft X 8 Ft, 70 LF; Hydrant, 7 Each; Sanitary Sewer, 1,795 LF; Water Main, 3,742 LF.

DBE Goal: 9 %

Contract Completion Date: August 24, 2018

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

9. City of Onalaska, Braund Street, STH 16 to PH; City of Onalaska, PH, Braund Street to Theater Road; City of Onalaska, Riders Club Road, STH 35 to Sand Lake Road / CTH S; LaCrosse County; 5991-02-54, WISC 2018 042; 5991-02-55, WISC 2018 043; 5991-02-57, WISC 2018 044; Local Streets; 1.551 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 19,661 CY; Base Aggregate Dense, 25,200 Ton; Select Crushed Material, 3,144 Ton; Concrete Pavement, 197 SY; Marking Wet Reflective Tape, 2,558 LF; Marking Epoxy, 27,320 LF; Marking Paint, 2,558 LF; Construction Staking, 18,137 LF; Construction Staking, 61 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 35 LF 12"; Concrete Curb and Gutter, 2,138 LF; Concrete Sidewalk, 14,025 SF; HMA Pavement, 10,468 Ton; Tack Coat, 2,442 Gals; Signs, 571 SF; Wall Modular Block Gravity Landscape, 520 SF.

DBE Goal: 8 %

Contract Completion Date: August 31, 2018

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

10. DEFERRED

11. DEFERRED

12. Zoo IC, IH 894 SB Noise Wall, UPRR Bridge to Lincoln Avenue; Milwaukee County; 1060-34-88, WISC 2018 077; IH 894; 0.000 Miles; Noise Barrier Wall Construction and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Construction Staking, 1 LS; Noise Barriers Double Sided Sound Absorptive Structure N-40-65, 53,860 SF.

DBE Goal: 2 %

Contract Completion Date: August 11, 2018

Contact Information: Joshua LeVeque, (414) 750-1468 / joshua.leveque@dot.wi.gov

13. Zoo IC - Landscaping, Zoo IC Project Limits; Milwaukee County; 1060-35-81, WISC 2018 045; Various Highways; 0.000 Miles; Landscaping.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Trees, 969 Each; Shrubs, 185 Each; Vines, 37 Each; Perennials, 6,245 Each.

DBE Goal: DISC

Contract Completion Date: October 15, 2021

Contact Information: Joshua LeVeque, (414) 750-1468 / joshua.leveque@dot.wi.gov

14. Northwestern Avenue, Village of Mount Pleasant, Intersection of CTH MM; CTH MM, STH 31 to STH 38; Racine County; 2290-03-72; 2808-00-70, WISC 2018 046; STH 38; CTH MM; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Signals, Overhead Sign Supports, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 44,744 CY; Base Aggregate Dense, 36,410 Ton; Base Aggregate Open Graded, 86 Ton; Breaker Run, 18,522 Ton; Concrete Pavement, 37,844 SY; Marking Epoxy, 19,039 LF; Construction Staking, 17,931 LF; Construction Staking, 76 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 75 LF 18", 35 LF 24"; Storm Sewer Pipe Reinforced Concrete, 1,060 LF 12", 156 LF 24", 25 LF 30", 388 LF 36", 265 LF 48"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 207 LF 38" X 60"; Concrete Curb and Gutter, 13,410 LF; Concrete Sidewalk, 8,005 SF; Asphaltic Surface, 218 Ton; HMA Pavement, 186 Ton; Tack Coat, 80 Gals; Signs, 984 SF; Overhead Sign Support, 4 LS; Pull Boxes, 23 Each; Concrete Bases, 20 Each; Poles, 13 Each.

DBE Goal: 15 %

Contract Completion Date: November 1, 2018

Contact Information: Paul Piccione, (262) 548-8706 / paul.piccione@dot.wi.gov

15. CTH BB, CTH B - Norman Road, E. Twin River Bridge and Approaches; Kewaunee County; 4333-05-71, WISC 2018 047; CTH BB; 0.104 Miles; Excavation, Base, Structure Replacement, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 430 CY; Borrow, 3,600 CY; Backfill Structure, 368 Ton; Base Aggregate Dense, 2,195 Ton; Concrete Masonry Bridges, 192 CY; Prestressed Girders, 372 LF 45-Inch; Bar Steel Reinforcement, 4,320 Lbs; Bar Steel Reinforcement Coated, 26,370 Lbs; Piling Steel, 1,000 LF 10-Inch; Marking Epoxy, 2,068 LF; Construction Staking, 1,380 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 70 LF 12"; Beam Guard, 339 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Signs, 12 SF.

DBE Goal: 6 %

Contract Completion Time: 50 Working Days

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

16. Brown County, CTH ZZ, East River Bridge and Approaches; Brown County; 4616-02-71, WISC 2018 048; CTH ZZ; 0.035 Miles; Grading, Base, Bridge Replacement, and Beam Guard.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 90 CY; Borrow, 450 CY; Backfill Structure, 380 Ton; Concrete Masonry Bridges, 225 CY; Prestressed Girders, 312 LF 36-Inch; Bar Steel Reinforcement, 4,460 Lbs; Bar Steel Reinforcement Coated, 25,710 Lbs; Piling Steel, 490 LF 10-Inch; Construction Staking, 208 LF; Construction Staking, 2 LS; Beam Guard, 383 LF; Beam Guard Energy Absorbing Terminals, 4 Each.

DBE Goal: 6 %

Contract Completion Date: October 19, 2018

Contact Information: Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

17. Town of Lena, Sunshine Road, Kelly Brook Bridge and Approaches; Oconto County; 9021-06-71, WISC 2018 049; Local Street; 0.066 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, Signs, and Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 350 CY; Backfill Structure, 290 Ton; Base Aggregate Dense, 750 Ton; Concrete Masonry Bridges, 212 CY; Bar Steel Reinforcement, 4,140 Lbs; Bar Steel Reinforcement Coated, 28,170 Lbs; Piling Steel, 300 LF 10-Inch; Marking Paint, 1,400 LF; Construction Staking, 894 LF; Construction Staking, 2 LS; Asphaltic Surface, 190 Ton; Tack Coat, 60 Gals; Signs, 12 SF.

DBE Goal: 5 %

Contract Completion Time: 35 Working Days

Contact Information: Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

18. Oconto County, CTH AA, South Branch Oconto River Bridge; Oconto County; 9087-01-71, WISC 2018 050; CTH AA; 0.100 Miles; Grading, Base, Concrete Pavement, Bridge Replacement, Asphalt Pavement, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 348 CY; Borrow, 610 CY; Backfill Structure, 1,380 Ton; Base Aggregate Dense, 1,400 Ton; Select Crushed Material, 65 Ton; Concrete Pavement, 146 SY; Concrete Masonry Bridges, 253 CY; Prestressed Girders, 354 LF 28-Inch; Bar Steel Reinforcement, 9,160 Lbs; Bar Steel Reinforcement Coated, 20,180 Lbs; Piling Steel, 880 LF 10-Inch; Marking Epoxy, 2,123 LF; Construction Staking, 1,425 LF; Construction Staking, 2 LS; Asphaltic Surface, 260 Ton; Tack Coat, 90 Gals; Signs, 12 SF.

DBE Goal: 4 %

Contract Completion Time: 45 Working Days

Contact Information: Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

19. North Central Region, Epoxy Pavement Marking, Locations on STN Per Annual Plan; NC Region-Wide; 1009-42-47, WISC 2018 051; Various Hlghways; 0.000 Miles; Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Marking Epoxy, 2,820,132 LF.

DBE Goal: 6 %

Contract Completion Date: September 30, 2018

Contact Information: Tim Hanley, (715) 421-8050 / timothy.hanley@dot.wi.gov

20. Evans Street - Shadow Lake Road, Crystal River Arch Bridge, B-68-0139; Waupaca County; 6844-14-70, WISC 2018 052; CTH E; 0.087 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, and Structure Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 800 CY; Backfill Structure, 1,100 Ton; Base Aggregate Dense, 1,265 Ton; Concrete Pavement, 135 SY; Concrete Masonry Bridges, 318 CY; Prestressed Girders, 300 LF 36-Inch; Bar Steel Reinforcement, 9,100 Lbs; Bar Steel Reinforcement Coated, 29,240 Lbs; Marking Epoxy, 1,840 LF; Construction Staking, 1,859 LF; Construction Staking, 8 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 36 LF 12", 317 LF 24"; Concrete Curb and Gutter, 668 LF; Concrete Sidewalk, 1,280 SF; HMA Pavement, 335 Ton; Tack Coat, 100 Gals; Signs, 118 SF.

DBE Goal: 6 %

Contract Completion Time: 55 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

21. Town of Lind, Shadow Road, Crystal River Bridge, B-68-141; Town of Lind, Hatton Road, Hatton Creek Bridge, B-68-142; Waupaca County; 6902-00-70, WISC 2018 053; 6902-01-70, WISC 2018 054; Local Streets; 0.067 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, Beam Guard, Pavement Markings, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 520 CY; Borrow, 88 CY; Backfill Structure, 750 Ton; Base Aggregate Dense, 957 Ton; Select Crushed Material, 106 Ton; Concrete Masonry Bridges, 335 CY; Bar Steel Reinforcement, 7,840 Lbs; Bar Steel Reinforcement Coated, 41,020 Lbs; Piling CIP Concrete, 950 LF 10 3/4-Inch, 490 LF 12 3/4-Inch; Construction Staking, 1,443 LF; Construction Staking, 4 LS; Beam Guard, 158 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 313 Ton; Tack Coat, 71 Gals; Signs, 24 SF.

DBE Goal: 5 %

Contract Completion Time: 55 Working Days

Contact Information: Mike Grage, (715) 365-5705 / michael.grage@dot.wi.gov

22. City of Marshfield, East 29th Street, Hume Avenue to Veterans Parkway; City of Marshfield, East 29th Street, Washington Avenue to Hume Avenue; Wood County; 6995-11-71, WISC 2018 058; 6995-11-72, WISC 2018 055; Local Street; 0.000 Miles; Grading, Base, Concrete Pavement, Curb and Gutter, Concrete Driveway, Sidewalk, Storm Sewer, Signs, Pavement Markings, Water Main, and Storm Sewer.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 23,587 CY; Backfill Structure, 665 Ton; Base Aggregate Dense, 7,340 Ton; Base Aggregate Open Graded, 9,300 Ton; Breaker Run, 290 CY; Concrete Pavement, 17,600 SY; Concrete Masonry Culverts, 230 CY; Bar Steel Reinforcement, 26,660 Lbs; Marking Epoxy, 13,221 LF; Construction Staking, 15,598 LF; Construction Staking, 80 Each; Construction Staking, 7 LS; Storm Sewer Pipe Reinforced Concrete, 764 LF 12", 991 LF 24", 625 LF 15", 437 LF 30", 703 LF 18", 841 LF 36"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 53 LF 29" X 45", 304 LF 34" X 53", 44 LF 38" X 60"; Concrete Curb and Gutter, 9,435 LF; Concrete Sidewalk, 24,695 SF; Signs, 337 SF; Storm Sewer Composite 6", 70 LF, 8", 73 LF; Chain Link Fence, 616 LF; Water Main Ductile Iron, 300 LF; Sanitary Sewer PVC, 945 LF; Sanitary Lateral, 409 LF; Concrete Driveway, 2,070 LF; Screened Breaker Run Stone, 21,500 Ton.

DBE Goal: 12 %

Contract Completion Date: November 1, 2018

Contact Information: Mike Grage, (715) 365-5705 / michael.grage@dot.wi.gov

23. Marinette County Line - Kingsford, Agnes Street - Hanson Road; Florence County; 9324-02-71, WISC 2018 056; CTH N; 2.510 Miles; Grading, Base, Milling, Pulverize and Relay, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 958 CY; Borrow, 3,640 CY; Base Aggregate Dense, 11,430 Ton; Marking Epoxy, 53,020 LF; Construction Staking, 30,438 LF; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 60 LF 18"; Culvert Pipe Reinforced Concrete, 92 LF 24"; Concrete Curb and Gutter, 450 LF; Beam Guard, 500 LF; Beam Guard Energy Absorbing Terminals, 5 Each; Asphaltic Surface, 260 Ton; HMA Pavement, 10,815 Ton; Removing Asphaltic Surface Milling, 740 SY; Tack Coat, 1,080 Gals; Signs, 256 SF; Pulverize and Relay, 37,940 SY.

DBE Goal: 5 %

Contract Completion Time: 45 Working Days

Contact Information: Mike Grage, (715) 365-5705 / michael.grage@dot.wi.gov

24. Brule - Ino, Iron River Bridge, B-04-0016; Bayfield County; 1180-49-71, WISC 2018 057; USH 2; 0.058 Miles; Excavation, Base, Concrete Pavement, Asphaltic Surface, Beam Guard, Bridge Construction, Pavement Marking, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,256 CY; Backfill Structure, 295 Ton; Concrete Pavement, 144 SY; Concrete Masonry Bridges, 435 CY; Prestressed Girders, 707 LF 45-Inch; Bar Steel Reinforcement, 5,760 Lbs; Bar Steel Reinforcement Coated, 58,630 Lbs; Piling CIP Concrete, 2,450 LF 14-Inch; Marking Wet Reflective Tape, 2,260 LF; Marking Epoxy, 3,870 LF; Construction Staking, 1,318 LF; Construction Staking, 1 LS; Beam Guard, 771 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 505 Ton; Tack Coat, 100 Gals; Signs, 23 SF.

DBE Goal: 8 %

Contract Completion Date: August 31, 2018

Contact Information: Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

25. Rice Lake - Spooner, CTH SS Bridge NB, B-03-0057; Barron County; 1195-06-61, WISC 2018 106; USH 53; 0.096 Miles; Bridge Rehabilitation.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Bar Steel Reinforcement Coated, 7,080 Lbs; Marking Wet Reflective Tape, 5,400 LF; Marking Epoxy, 2,000 LF; Construction Staking, 1 LS; Expansion Device, 1 LS; Polymer Overlay, 2,243 SY; Concrete Masonry Deck Repair, 27 CY.

DBE Goal: 6 %

Contract Completion Time: 60 Working Days

Contact Information: Brendan Dirkes, (715) 395-3026 / brendan.dirkes@dot.wi.gov

26. Centerville - Independence, STH 95 to A Street; Centerville - Independence, Turton Creek to CTH X; Centerville - Independence, CTH X to A Street; Trempealeau County; 7130-00-74, WISC 2018 066; 7130-00-76, WISC 2018 067; 7130-00-77, WISC 2018 068; STH 93; 7.860 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,954 CY; Excavation Rock, 813 CY; Backfill Granular, 775 CY; Base Aggregate Dense, 18,700 Ton; Marking Epoxy, 131,397 LF; Construction Staking, 47,720 LF; Construction Staking, 24 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 544 LF 24", 256 LF 36", 464 LF 30", 64 LF 42"; Storm Sewer Pipe Reinforced Concrete, 43 LF 24", 15 LF 30"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 128 LF 19" X 30", 144 LF 29" X 45"; Concrete Curb and Gutter, 553 LF; Beam Guard, 3,513 LF; Beam Guard Energy Absorbing Terminals, 28 Each; Asphaltic Surface, 444 Ton; HMA Pavement, 32,493 Ton; Removing Asphaltic Surface Milling, 148,510 SY; Tack Coat, 23,265 Gals; Signs, 824 SF; Material Transfer Vehicle, 1 LS.

DBE Goal: 9 %

Contract Completion Time: 160 Calendar Days

Contact Information: Nicole Passuello, (715) 579-0013 / nicole.passuello@dot.wi.gov

27. CTH OO - CTH H, N. Branch Elk Creek Bridge, B-61-0223; Trempealeau County; 7175-00-71, WISC 2018 065; CTH O; 0.284 Miles; Excavation, Marsh Excavation, Backfill, Base, HMA Pavement, Bridge Construction, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 9,033 CY; Excavation Marsh, 10,879 CY; Borrow, 10,910 CY; Backfill Granular, 16,318 CY; Backfill Structure, 380 Ton; Base Aggregate Dense, 4,395 Ton; Concrete Masonry Bridges, 147 CY; Bar Steel Reinforcement, 5,110 Lbs; Bar Steel Reinforcement Coated, 19,965 Lbs; Piling Steel, 650 LF 10-Inch; Marking Epoxy, 5,900 LF; Construction Staking, 4,941 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 83 LF 24"; Beam Guard, 250 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 1,110 Ton; Tack Coat, 300 Gals; Signs, 17 SF.

DBE Goal: 10 %

Contract Completion Time: 70 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

28. CTH D - CTH N, Douglas Creek Bridge, B-27-0164; Jackson County; 7322-00-70, WISC 2018 059; CTH H; 0.057 Miles; Excavation, Base, Asphaltic Surface, Bridge Construction, Signs, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 540 CY; Borrow, 475 CY; Backfill Structure, 290 Ton; Base Aggregate Dense, 535 Ton; Concrete Masonry Bridges, 151 CY; Bar Steel Reinforcement, 5,040 Lbs; Bar Steel Reinforcement Coated, 17,600 Lbs; Piling CIP Concrete, 990 LF 10 3/4-Inch; Marking Epoxy, 1,200 LF; Construction Staking, 795 LF; Construction Staking, 2 LS; Culvert Pipe, 26 LF 18"; Asphaltic Surface, 140 Ton; Tack Coat, 45 Gals; Signs, 21 SF.

DBE Goal: 10 %

Contract Completion Time: 40 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

29. Granton - Loyal, Middle Branch O'Neill Creek Bridge, B-10-234; Clark County; 7846-04-70, WISC 2018 060; CTH K; 0.152 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,080 CY; Borrow, 2,164 CY; Backfill Structure, 270 Ton; Base Aggregate Dense, 2,655 Ton; Concrete Pavement, 133 SY; Concrete Masonry Bridges, 204 CY; Bar Steel Reinforcement, 4,440 Lbs; Bar Steel Reinforcement Coated, 27,210 Lbs; Piling Steel, 420 LF 10-Inch; Marking Epoxy, 3,200 LF; Construction Staking, 2,586 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Beam Guard, 360 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 805 Ton; Tack Coat, 167 Gals; Signs, 30 SF.

DBE Goal: 11 %

Contract Completion Time: 45 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

30. USH 10 - CTH H, S. Branch Yellow River Bridge, B-10-0235; Clark County; 7847-04-70, WISC 2018 061; CTH Y; 0.057 Miles; Excavation, Base, Asphaltic Surface, Bridge Replacement, Signs, Beam Guard, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,023 CY; Backfill Granular, 1,284 Ton; Backfill Structure, 370 Ton; Base Aggregate Dense, 870 Ton; Concrete Masonry Bridges, 333 CY; Bar Steel Reinforcement, 6,910 Lbs; Bar Steel Reinforcement Coated, 43,140 Lbs; Piling Steel, 275 LF 10-Inch, 180 LF 12-Inch; Marking Epoxy, 1,165 LF; Beam Guard, 260 LF; Asphaltic Surface, 330 Ton; Tack Coat, 60 Gals; Signs, 12 SF.

DBE Goal: 7 %

Contract Completion Time: 50 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

31. Town of Summit, Pelkey Road, Balsam Creek Bridge, B-16-0139; Town of Summit, Chaffey Foxboro Road, Black River Bridge, B-16-0140; Douglas County; 8394-00-71, WISC 2018 062; 8394-00-72, WISC 2018 063; Local Streets; 0.123 Miles; Excavation, Base, Signs, and Two Bridge Replacements.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 373 CY; Borrow, 331 CY; Backfill Structure, 1,610 Ton; Base Aggregate Dense, 1,060 Ton; Concrete Masonry Bridges, 318 CY; Prestressed Girders, 508 LF 36-Inch; Bar Steel Reinforcement, 8,780 Lbs; Bar Steel Reinforcement Coated, 33,930 Lbs; Structural Steel Carbon, 1,040 Lbs; Piling Steel, 1,330 LF 10-Inch; Construction Staking, 1,950 LF; Construction Staking, 4 LS; Signs, 24 SF.

DBE Goal: 9 %

Contract Completion Time: 70 Working Days

Contact Information: Jeff Olson, (715) 395-3032 / jeffrey.olson@dot.wi.gov

32. Bayfield - Cornucopia, 0.47 Mi. S. Turner Road - 0.15 Mi. S. Turner Road; Bayfield County; 8510-02-76, WISC 2018 064; STH 13; 0.308 Miles; Excavation, Select Borrow, Base, Asphaltic Surface, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 5,451 CY; Selected Borrow, 6,682 CY; Base Aggregate Dense, 5,027 Ton; Marking Epoxy, 6,500 LF; Construction Staking, 3,252 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Asphaltic Surface, 1,662 Ton; Tack Coat, 650 Gals.

DBE Goal: 10 %

Contract Completion Time: 45 Calendar Days

Contact Information: Phil Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

By order of:

Joe Nestler
Administrator
Division of Transportation System Development