



Wisconsin Department of Transportation

March 1, 2018

**Division of Transportation Systems
Development**

Bureau of Project Development
4802 Sheboygan Avenue, Rm 601
P O Box 7916
Madison, WI 53707-7916

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #27: 1210-05-60, WISC 2018 156
IH 41 – IH 43
Fox River Bridge
STH 172
Brown County

Letting of March 13, 2018

This is Addendum No. 01, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
13	Notice to Contractor – Protection and Repair of Engineered Sediment Cap

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

1210-05-60

March 1, 2018

Special Provisions

13. Notice to Contractor – Protection and Repair of Engineered Sediment Cap

*Replace the first table under section titled **Construction** called 'Armor Stone Specification' with the following two tables:*

Armor Stone Specification for 3/4-inch ASTM C33 No. 467	
Sieve Size	% Passing
1 1/2 – inch	100
3/4 – inch	30-70
3/8 – inch	10-30
#4	0-10

Armor Stone Specification for 1.5-inch ASTM C33 No. 467	
Sieve Size	% Passing
3 – inch	100
1.5 – inch	30-50
1 – inch	20-35
#100	0-15
#200	0-1

END OF ADDENDUM