



# Wisconsin Department of Transportation

October 31, 2018

**Division of Transportation Systems Development**  
Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

## NOTICE TO ALL CONTRACTORS:

**Proposal #06: 3300-01-73, WISC 2018 137**  
**C. Lake Mills, Main Street**  
**Topel Street to Madison Street**  
**STH 89**  
**Jefferson County**

**3300-01-74**  
**C Lake Mills, Main Street**  
**Topel Street to Madison Street**  
**STH 89**  
**Jefferson County**

## Letting of November 13, 2018

This is Addendum No. 01, which provides for the following:

### Special Provisions:

Revised Special Provisions	
Article No.	Description
12	Environmental
75	Excavation, Hauling, and Disposal of Contaminated Soil

Added Special Provisions	
Article No.	Description
30	Flexural Strength for Concrete Mix Design

Deleted Special Provisions	
Article No.	Description
76	Concrete Pavement Flexural Strength

### Schedule of Items:

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
628.7504	Temporary Ditch Checks	LF	0	20	20
628.7570	Rock Bags	EA	0	20	20

**Plan Sheets:**

<b>Revised Plan Sheets</b>	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
173	Earthwork Summary (Added Salvaged/Unusable Material quantities)
191	Misc. Quantity Sheet (added Erosion Control Items)

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

**ADDENDUM NO. 01**

**3300-01-73/74**

**October 31, 2018**

**Special Provisions**

**12. Environmental.**

*Add the following to the end of the section titled **Dewatering**:*

The cost of all work and materials associated with dewatering and water treatment of non-contaminated water is incidental to the bid items the work is associated.

*Replace the last paragraph under the section titled **Management of Contaminated Groundwater** with the following:*

The cost of all work and materials associated with dewatering, water treatment and disposal of contaminated water is incidental to the item Excavation, Hauling, and Disposal of Contaminated Soil, Item SPV.0195.01 under this contract.

**30. DELETED.**

**75. Excavation, Hauling, and Disposal of Contaminated Soil, Item SPV.0195.01.**

*Replace the last paragraph of section titled **C Construction** with the following:*

It is likely that dewatering will be required during construction of utilities. If contaminated groundwater is encountered refer back to Article 12-Environmental in these special provision documents. The costs associated with dewatering contaminated soil and water, treatment of, and disposal of contaminated water is incidental to Excavation, Hauling, and Disposal of Contaminated Soil.

**76. Flexural Strength for Concrete Mix Design.**

This special provision describes optional testing requirements for flexural strength during the mix design process. Conform to standard spec part 7 as modified in this special provision.

*Add the following to standard spec table 701-2:*

TEST	TEST STANDARD
Flexural Strength of Concrete	AASHTO T97

*Replace 715.2.3.1(1) with the following:*

- (1) Provide both compressive and flexural strength information to demonstrate the strength of the proposed mix design. Use either laboratory strength data for new mixes or field strength data for established mixes as follows:
1. Use at least 5 pairs of cylinders for compressive strength. Demonstrate that the 28-day compressive strength will equal or exceed the 85 percent within limits criterion specified in 715.5.2.
  2. Use at least 5 pairs of beams for flexural strength. Demonstrate that the 28-day flexural strength will equal or exceed 650 psi.

stp-715-010 (20170615)

**Schedule of Items**

Attached, dated October 31, 2018, are the revised Schedule of Items Pages 14 and 15.

**Plan Sheets**

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:  
Revised: 173 and 191.

END OF ADDENDUM

Addendum No. 01  
ID 3300-01-73  
Revised Sheet 173  
October 31, 2018

Division	From/To Station	Location	205.0100 Common Excavation (1)		Salvaged/Unusable Pavement Material (4)	Available Material (5)	Reduced EBS in Fill (9)		Expanded EBS Backfill (11)		Unexpanded Fill	Expanded Fill (12)		Mass Ordinate +/- (14)	Waste	Comment:
			Cut (2)	EBS Excavation (3)			Factor (10)	Factor (11)	Factor (12)	Factor (13)						
Stage 1																
0010	64+40 - 95+41.2	STH 89	5,311	0	388	4,923	0	0	0	239	298	1.25	4,625	4,625		
0030	84+40 - 95+41.2	STH 89	721	0	0	721	0	0	0	0	0	0	721	721		
0010	10+19.2 ELS - 10+72.3	E LAKE ST	232	0	31	201	0	0	0	0	0	0	201	201		
0010	9+32.8 WLS - 9+75 WLS	W LAKE ST	176	0	21	155	0	0	0	0	0	0	155	155		
0010	9+35.6 VL - 9+75 VL	VETERANS LN	95	0	16	79	0	0	0	0	0	0	79	79		
0010	10+22.4 WS - 11+15 WS	WATER ST	272	0	42	230	0	0	0	0	0	0	230	230		
0030	EBS	DOWNTOWN PARKING ANNEX	532	0	57	475	0	0	0	0	0	0	475	475		
0010	EBS	UNDISTRIBUTED	0	176	0	0	0	0	0	0	0	0	0	0	475	
Stage 1 Subtotal			7,339	176	555	6,784	0	0	0	239	299	1.25	6,486	6,486		
Stage 2																
0010	62+88 - 84+40	STH 89	9,797	0	1,190	8,607	0	0	0	471	569	0	8,018	8,018		
0030	62+88 - 84+40	STH 89	1,062	0	0	1,062	0	0	0	0	0	0	1,062	1,062		
0010	9+46.7 LPP - 10+50 LPP	LAKE PARK PL	77	0	15	62	0	0	0	0	0	0	62	62		
0010	9+51.4 PL - 9+80 PL	PHILIPS LN	53	0	13	40	0	0	0	0	0	0	40	40		
0010	EBS	UNDISTRIBUTED	0	176	0	0	0	0	0	0	0	0	0	0		
Stage 2 Subtotal			11,009	176	1,218	9,791	0	0	0	471	569	0	9,202	9,202		
Stage 3																
0010	44+00 - 62+88	STH 89	10,202	0	880	9,322	0	0	0	458	572	0	8,750	8,750		
0030	44+00 - 62+88	STH 89	880	0	0	880	0	0	0	0	0	0	880	880		
0010	9+51.8 KS - 9+80 KS	KEYES ST	60	0	11	49	0	0	0	0	0	0	49	49		
0010	9+46.7 LPP - 10+50 LPP	LAKE PARK PL	77	0	15	62	0	0	0	0	0	0	62	62		
0010	9+36.6 MS - 9+80 MS	MILTON ST	104	0	17	87	0	0	0	0	0	0	87	87		
0010	10+23.2 NCD - 10+80 NCD	N CATLIN DR	161	0	32	129	0	0	0	0	0	0	129	129		
0010	10+23.3 SCD - 10+80 SCD	S CATLIN DR	122	0	32	90	0	0	0	0	0	0	90	90		
0010	9+31 WBR - 9+80 WBR	WOODLAND BEACH RD	104	0	22	82	0	0	0	0	0	0	82	82		
0010	EBS	UNDISTRIBUTED	0	176	0	0	0	0	0	0	0	0	0	0		
Stage 3 Subtotal			11,710	176	1,009	10,701	0	0	0	458	572	0	10,129	10,129		
Stage 4																
0010	29+50 - 44+00	STH 89	8,202	0	732	7,470	0	0	0	447	558	0	6,912	6,912		
0030	29+50 - 44+00	STH 89	515	0	0	515	0	0	0	0	0	0	515	515		
0010	9+55 CS - 9+60 CS	COLUMBUS ST	47	0	9	38	0	0	0	0	0	0	38	38		
0010	8+25 A - 9+80 A	CTH A	779	0	80	699	0	0	0	0	0	0	699	699		
0010	10+24 PD - 10+65 PD	Pinnacle DR	109	0	27	82	0	0	0	0	0	0	82	82		
0010	8+80 SBR - 9+80 SBR	SANDY BEACH RD	229	0	25	204	0	0	0	0	0	0	204	204		
0010	8+32 SBR - 10+00 SBR	SANDY BEACH RD BYPASS	212	0	0	212	0	0	0	0	0	0	212	212		
0010	40+40 WNTN - 44+00 WNTN	WINTER CARRNOVER	467	0	111	356	0	0	0	0	0	0	356	356		
0010	EBS	UNDISTRIBUTED	0	176	0	0	0	0	0	0	0	0	0	0		
Stage 4 Subtotal			10,560	176	984	9,576	0	0	0	447	558	0	9,018	9,018		
CAT 0010 Total			36,868	704	3,766	33,179	0	0	0	1,615	2,018	0	31,161	31,161		
CAT 0030 Total			3,730	0	0	3,730	0	0	0	0	0	0	3,673	3,673		
Total Common Exc			41,322													

- Notes:
- (1) Common Excavation is the sum of the Cut and EBS Excavation columns. Item number 205.0100
  - (2) Salvaged/Unusable Pavement Material is included in Cut.
  - (3) EBS Excavation to be backfilled with Select Borrow material. Note - this is designers choice, can be backfilled with Borrow, or Cut as well.
  - (4) Salvaged/Unusable Pavement Material
  - (5) Available Material = Cut - Salvaged/Unusable Pavement Material
  - (6) Reduced EBS in Fill - Excavated EBS material is usable in Fills outside the 1:1 slope. EBS in Fill Reduction factor = 0.8
  - (7) Expanded EBS Backfill - This is to be filled with Select Borrow material. EBS Backfill Factor = 1.3. Item number 205.1100
  - (8) Expanded Fill Factor = 1.25
  - (9) The Mass Ordinate +/- or - Qty calculated for the Division. Plus quantity indicates an excess of material within the Division. Minus indicates a shortage of material within the Division.

Addendum No. 01  
ID 3300-01-73  
Revised Sheet 191  
October 31, 2018

RESTORATION ITEMS

CATEGORY	STATION	TO	STATION	LOCATION	625.0100 TOPSOIL		628.2006		629.0210 FERTILIZER		630.0140 SEEDING		REMARKS
					SY	CLASS/TYPE/A	SY	CLASS/TYPE/C	CMY	TYPE/B	MIXTURE NO./40	LB	
STAGE 1													
0010	89+83	-	95+41	STH 89 - RT	-	691	-	-	-	-	-	-	E LAKE ST TO MADSON ST
0010	86+34	-	89+83	STH 89 - RT	-	160	-	-	-	-	-	-	WATER ST TO E LAKE ST
0010	84+87	-	89+88	STH 89 - LT	-	97	-	-	-	-	-	-	VETERANS LN TO W LAKE ST
0010	84+40	-	86+34	STH 89 - RT	22	20	0.4	0.01	0.01	0.4	-	-	S. STAGE 1 LIMITS TO WATER ST
0010	84+40	-	84+87	STH 89 - LT	22	45	0.4	0.01	0.01	0.4	-	-	S. STAGE 1 LIMITS TO VETERANS LN
STAGE 2													
0010	62+88	-	84+40	STH 89 - RT	2,410	3,824	-	1.52	1.52	43.4	-	-	E LAKE PARK PL TO N. STAGE 2 LIMITS
0010	68+37	-	84+40	STH 89 - LT	1,795	3,066	-	1.13	1.13	32.3	-	-	PHILIPS LN TO N. STAGE 2 LIMITS
0010	62+88	-	68+37	STH 89 - LT	615	944	-	0.39	0.39	11.1	-	-	W LAKE PARK PL TO PHILIPS LN
STAGE 3													
0010	58+97	-	62+88	STH 89 - RT	438	651	-	0.28	0.28	7.9	-	-	N. CATLIN DR TO E LAKE PARK PL
0010	58+91	-	62+88	STH 89 - LT	445	813	-	0.28	0.28	8.0	-	-	MILTON ST TO W LAKE PARK PL
0010	54+90	-	58+97	STH 89 - RT	456	687	-	0.29	0.29	8.2	-	-	S. CATLIN DR TO N. CATLIN DR
0010	54+95	-	58+91	STH 89 - LT	444	605	-	0.28	0.28	8.0	-	-	KEYES ST TO MILTON ST
0010	44+36	-	54+95	STH 89 - LT	1,188	1,601	-	0.75	0.75	21.3	-	-	WOODLAND BEACH RD TO KEYES ST
0010	44+00	-	54+90	STH 89 - RT	1,221	2,049	-	0.77	0.77	22.0	-	-	S. STAGE 3 LIMITS TO S. CATLIN DR
0010	44+00	-	44+36	STH 89 - LT	40	48	-	0.03	0.03	0.7	-	-	S. STAGE 3 LIMITS TO WOODLAND BEACH RD
STAGE 4													
0010	40+18	-	44+00	STH 89 - RT	428	1,432	-	0.27	0.27	7.7	-	-	PINNACLE DR TO N. STAGE 4 LIMITS
0010	38+17	-	44+00	STH 89 - LT	653	968	-	0.41	0.41	11.8	-	-	COLUMBUS ST TO N. STAGE 4 LIMITS
0010	29+50	-	40+18	STH 89 - RT	1,196	2,298	-	0.75	0.75	21.5	-	-	S. STAGE 4 LIMITS TO PINNACLE DR
0010	34+77	-	38+17	STH 89 - LT	381	450	-	0.24	0.24	6.9	-	-	SANDY BEACH RD TO COLUMBUS ST
0010	31+72	-	34+77	STH 89 - LT	342	1,014	-	0.22	0.22	6.1	-	-	CTHA TO SANDY BEACH RD
0010	29+50	-	31+72	STH 89 - LT	249	395	-	0.16	0.16	4.5	-	-	S. STAGE 4 LIMITS TO CTHA
0010	8+32 'SBR'	-	10+00 'SBR'	SANDY BEACH RD	470	-	-	-	-	28.8	-	-	SANDY BEACH RD TEMPORARY ACCESS
TOTAL 0010					12,813	21,858	125	7.79	7.79	222.2	28.8	-	-

EROSION CONTROL ITEMS

CATEGORY	STATION	TO	STATION	LOCATION	628.1504 SILT FENCE		628.7560 TRACKING		628.1104 EROSION		REMARKS
					LF	MAINTENANCE	PADS	EROSION	BALES	EACH	
0010	84+40	-	95+41	STH 89	-	-	1	-	-	-	STAGE 1
0010	62+88	-	84+40	STH 89	492	492	-	-	-	-	STAGE 2
0010	44+00	-	62+88	STH 89	211	211	-	-	-	-	STAGE 3
0010	29+50	-	44+00	STH 89	1,187	1,187	1	-	-	-	STAGE 4
0010	8+25 A	-	8+75 A	CTHA	-	-	1	-	-	-	STAGE 4
0010	-	-	-	UNDISTRIBUTED	-	-	-	-	20	-	-
TOTAL 0010					1,890	1,890	3	20	-	-	-

MOBILIZATION/EROSION CONTROL

CATEGORY	STATION	TO	STATION	LOCATION	628.1905 MOBILIZATIONS		628.1910 MOBILIZATIONS		REMARKS
					CONTROL	EACH	EROSION	EACH	
0010	29+50	-	95+41	PROJECT	10	-	8	-	-
TOTAL 0010					10	-	8	-	-

EROSION CONTROL ITEMS

CATEGORY	STATION	TO	STATION	LOCATION	628.7504 TEMP DITCH		628.7570 ROCK BAGS		REMARKS
					CHECK	LF	EACH	EACH	
0010	-	-	-	UNDISTRIBUTED	20	-	20	-	-
TOTAL 0010					20	-	20	-	-

PROJECT NO: 3300-01-73

HWY: STH 89

COUNTY: JEFFERSON

MISCELLANEOUS QUANTITIES

SHEET: 191



Proposal Schedule of Items

Proposal ID: 20181113006 Project(s): 3300-01-73, 3300-01-74

Federal ID(s): WISC 2018137, N/A

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0396	SPV.0090 Special 32. Sanitary Lateral, 4-Inch	5,095.000 LF	_____.	_____.
0398	SPV.0090 Special 33. Sanitary Lateral, 6-Inch	200.000 LF	_____.	_____.
0400	SPV.0090 Special 34. Sanitary Sewer, Polyvinyl Chloride (PVC), SDR 35, 8-Inch	972.000 LF	_____.	_____.
0402	SPV.0090 Special 35. Sanitary Sewer, Polyvinyl Chloride (PVC), SDR 35, 10-Inch	15.000 LF	_____.	_____.
0404	SPV.0090 Special 36. Sanitary Sewer, Polyvinyl Chloride (PVC), SDR 35, 12-Inch	4,409.000 LF	_____.	_____.
0406	SPV.0090 Special 37. Sanitary Sewer, Polyvinyl Chloride (PVC), SDR 26, 12-Inch	1,264.000 LF	_____.	_____.
0408	SPV.0090 Special 38. Sanitary Sewer, Polyvinyl Chloride (PVC), SDR 35, 15-Inch	108.000 LF	_____.	_____.
0410	SPV.0090 Special 39. Water Main Insulation	550.000 LF	_____.	_____.
0412	SPV.0090 Special 40. Special Bedding	500.000 LF	_____.	_____.
0414	SPV.0105 Special 26. Temporary Water Main and Service Connections	LS	LUMP SUM	_____.
0416	SPV.0105 Special 27. Remove Existing Water Main	LS	LUMP SUM	_____.
0418	SPV.0105 Special 28. Abandon Existing Water Main	LS	LUMP SUM	_____.
0420	SPV.0105 Special 29. Abandon Existing Sanitary Sewer	LS	LUMP SUM	_____.
0422	SPV.0195 Special 01. Excavation, Hauling, and Disposal of Contaminated Soil	3,591.000 TON	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20181113006 Project(s): 3300-01-73, 3300-01-74

Federal ID(s): WISC 2018137, N/A

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0424	628.7504 Temporary Ditch Checks	20.000 LF	_____.	_____.
0426	628.7570 Rock Bags	20.000 EACH	_____.	_____.
Section: 0001			Total:	_____.
			Total Bid:	_____.