

**STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT  
NOTICE TO CONTRACTORS**

**BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, January 15, 2019,** to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4<sup>th</sup> Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

**ELECTRONIC BIDDING**

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

**PROPOSAL GUARANTY**

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

## **PLANS AND PROPOSALS**

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

## **PLAN HOLDERS and ELIGIBLE BIDDERS**

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

## **QUALIFICATIONS OF BIDDERS**

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## **HOURS OF LABOR AND MINIMUM WAGE RATES**

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

## **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

## **AFFIDAVIT OF NON-COLLUSION**

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

## **SUMMARY SHEET**

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

1, 2, 3, 4, 5, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29

### **GRADING**

16

### **CONCRETE PAVEMENT**

16, 22

### **ASPHALTIC PAVEMENT**

3, 11, 14, 20, 21, 25, 27

### **STRUCTURES**

1, 2, 6, 9, 10, 13, 15, 17, 28, 29, 30

### **BRIDGE PAINTING**

26

### **STREET OR AIRPORT LIGHTING**

### **BUILDING CONSTRUCTION**

### **INCIDENTAL CONSTRUCTION**

4, 7, 8, 12, 17, 23, 24, 27

**1. Tomah - Mauston, Lemonweir River Bridges, B-29-46 and B-29-47; Tomah - Mauston, Damaged Pavement Near MM 64.7 WB;** Juneau County; 1016-03-61, WISC 2019 064; 1016-03-63; IH 90; 0.000 Miles; Structures B-29-46 and 47, Polymer Overlay Decks, Girder Repair, Pier Cap and Abutments, Painting of Bearings and Exposed Steel Piles, Concrete Removal and Repair, Traffic Control, and Pavement Marking.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Concrete Pavement, 250 SY; Bar Steel Reinforcement Coated, 3,135 Lbs; Marking Tape, 2,880 LF; Marking Epoxy, 1,000 LF; Expansion Device (Structure), 1 LS; Bearing Pads Elastomeric Laminated, 9 Each; Bridge Jacking (Structure), 2 LS; Joint Repair, 38 SY; Concrete Surface Repair, 49 SF; Concrete Masonry Deck Repair, 15 CY; Polymer Overlay, 1,723 SY; Pile Rehabilitation, 44 Each; Cleaning and Painting Bearings, 81 Each; PPC End Block Repair, 9 Each.

**DBE Goal: 3 %**

**Contract Completion Date: October 25, 2019**

**Contact Information:** Brian Meyer, (608) 789-5676 / brian.meyer@dot.wi.gov

**2. Tomah - Mauston, Meyer Road Bridge, B-29-0039;** Juneau County; 1016-05-62, WISC 2019 065; IH 90; 0.000 Miles; Concrete Overlay Deck, Spot Painting, Repair Concrete Columns, Replace Bearings, Slope Paving and Joints, Excavation Common, Borrow, Guardrail, Asphalt, Signing, and Traffic Control.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 211 CY; Borrow, 308 CY; Base Aggregate Dense, 83 Ton; Concrete Masonry Bridges, 24 CY; Concrete Masonry Seal, 10 CY; Concrete Masonry Overlay, 76 CY; Bar Steel Reinforcement, 3,450 Lbs; Bar Steel Reinforcement Coated, 1,270 Lbs; Marking Tape, 3,360 LF; Construction Staking, 200 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Beam Guard, 262 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 31 Ton; HMA Pavement, 42 Ton; Removing Asphaltic Surface Milling, 460 SY; Signs, 12 SF; Expansion Device, 1 LS; Bearing Assemblies, 12 Each; Preparation Decks, 134 SY; Concrete Surface Repair, 155 SF; Full Depth Deck Repair, 17 SY; Structure Overcoating Cleaning and Priming, 1 LS; Containment and Collection of Waste Materials, 1 LS; Portable Decontamination Facility, 1 Each.

**DBE Goal: 3 %**

**Contract Completion Date: August 23, 2019**

**Contact Information:** John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

**3. Tomah - Wisconsin Dells, 43rd Street W. to Seven Mile Creek; Mauston - Wisconsin Dells, 24th Avenue to CTH HH (EB);** Juneau County; 1016-05-75, WISC 2019 066; 1016-08-79, WISC 2019 067; IH 90; 11.347 Miles; Grading, Concrete Pavement Repair, HMA Pavement, Traffic Control, and Pavement Marking.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 10 CY; Base Aggregate Dense, 2,750 Ton; Concrete Pavement, 500 SY; Marking Tape, 14,400 LF; Marking Epoxy, 117,260 LF; Marking Paint, 129,000 LF; HMA Pavement, 56,300 Ton; Removing Asphaltic Surface Milling, 27,800 SY; Tack Coat, 30,900 Gals; Base Patching Concrete SHES, 2,960 SY; Concrete Pavement Repair SHES, 200 SY; Concrete Pavement Replacement SHES, 3,000 SY; Removing HMA Pavement Notched Wedge Longitudinal Joint Milling, 57,000 LF.

**DBE Goal:** 7 %

**Contract Completion Date:** August 16, 2019

**Contact Information:** John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

**4. LaCrosse - Sparta, B-32-23, 24, 25, 26, 27, 28, and 57;** LaCrosse County; 1071-07-78, WISC 2019 068; IH 90; 0.000 Miles; Base, Beam Guard, Pavement Marking, Bridge Deck Overlay, and Bridge Rehabilitation.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 14 Ton; Marking Epoxy, 21,355 LF; Construction Staking, 6 Each; Construction Staking, 1 LS; Beam Guard, 235 LF; HMA Pavement, 790 Ton; Tack Coat, 322 Gals; Polymer Overlay, 3,015 SY.

**DBE Goal:** 6 %

**Contract Completion Time:** 60 Working Days

**Contact Information:** Brian Meyer, (608) 789-5676 / brian.meyer@dot.wi.gov

**5. Horicon - West Bend, CTH P Intersection;** Dodge County; 1411-01-79, WISC 2019 069; STH 33; 0.402 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Signs, Street Lighting, and Roundabout Construction.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 23,946 CY; Excavation Marsh, 1,060 CY; Base Aggregate Dense, 13,467 Ton; Select Crushed Material, 11,903 Ton; Concrete Pavement, 1,081 SY; Marking Epoxy, 14,550 LF; Construction Staking, 23,848 LF; Construction Staking, 22 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 147 LF 24", 67 LF 36"; Culvert Pipe Reinforced Concrete, 176 LF 48", 129 LF 60"; Storm Sewer Pipe Reinforced Concrete, 67 LF 12", 208 LF 15", 140 LF 30"; Concrete Curb and Gutter, 4,620 LF; Concrete Sidewalk, 14,381 SF; HMA Pavement, 4,220 Ton; Tack Coat, 1,188 Gals; Signs, 608 SF; Conduit Rigid Nonmetallic Schedule 40 2-Inch, 2,377 LF.

**DBE Goal: 10 %**

**Contract Completion Date: July 3, 2019**

**Contact Information:** John Jenkins, (608) 246-3866 / john.jenkins@dot.wi.gov

**6. Marquette - Prairie Du Chien, Mississippi River Structure B-12-27; Marquette - Prairie Du Chien, Mississippi River Structures B-12-28/29/30; Bloomington - Prairie Du Chien, Blake Fork Creek Structure B-22-59;** Crawford; Crawford; Grant County; 1660-03-67; 1660-03-68, WISC 2019 070; 5580-00-82; USH 18; USH 18; STH 35; 0.000 Miles; Bridge Rehabilitation.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 111 CY; Borrow, 405 CY; Backfill Structure, 369 CY; Base Aggregate Dense, 178 Ton; Concrete Masonry Bridges, 320 CY; Bar Steel Reinforcement, 35,020 Lbs; Bar Steel Reinforcement Coated, 36,010 Lbs; Structural Steel Carbon, 1,100 Lbs; Marking Epoxy, 25,782 LF; Construction Staking, 613 LF; Construction Staking, 1 LS; Beam Guard, 505 LF; Beam Guard Energy Absorbing Terminals, 9 Each; Asphaltic Surface, 45 Ton; Tack Coat, 17 Gals; Haunch Removal, 8,032 LF; HMA Overlay Polymer-Modified, 2,201 Ton.

**DBE Goal: 4 %**

**Contract Completion Date: October 15, 2019**

**Contact Information:** Tim Maedke, (608) 789-6317 / tim.maedke@dot.wi.gov

**7. City of Lake Mills, Mulberry Street, East Madison Street to East Grant Street; City of Lake Mills, Mulberry Street, East Madison Street to East Grant Street;** Jefferson County; 3638-00-73, WISC 2019 071; 3638-00-74; Local Street; 0.523 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Sanitary Sewer, and Water Main.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 10,647 CY; Base Aggregate Dense, 11,270 Ton; Select Crushed Material, 1,157 Ton; Marking Epoxy, 4,385 LF; Construction Staking, 16,720 LF; Construction Staking, 119 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 1,196 LF 12", 1,574 LF 24", 24 LF 15", 50 LF 30", 1,099 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 350 LF 14" X 23"; Concrete Curb and Gutter, 6,539 LF; Concrete Sidewalk, 32,020 SF; HMA Pavement, 2,561 Ton; Tack Coat, 582 Gals; Signs, 201 SF; Water Main Ductile Iron DI 8-Inch, 3,541 LF; Sanitary Lateral 4-Inch, 1,873 LF.

**DBE Goal: 10 %**

**Contract Completion Date: September 27, 2019**

**Contact Information: Zachary Pearson, (608) 246-5319 /  
zachary.pearson@dot.wi.gov**

**8. Genoa - Chaseburg, STH 56 to CTH O;** Vernon County; 5476-01-60, WISC 2018 235; CTH K; 5.046 Miles; Excavation, Base, Beam Guard, Signs, and Heavy Riprap.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 120 CY; Base Aggregate Dense, 1,000 Ton; Construction Staking, 27,280 LF; Construction Staking, 1 LS; Beam Guard, 3,426 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Signs, 716 SF.

**DBE Goal: 6 %**

**Contract Completion Time: 20 Working Days**

**Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov**



**9. STH 33 - Reedsburg, Hay Creek Bridge, B-56-0232;** Sauk County; 5799-00-74; CTH V; 0.066 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, Signs, and Bridge Replacement.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 500 CY; Excavation Marsh, 110 CY; Borrow, 500 CY; Backfill Structure, 290 Ton; Base Aggregate Dense, 1,090 Ton; Select Crushed Material, 75 Ton; Concrete Masonry Bridges, 342 CY; Bar Steel Reinforcement, 5,350 Lbs; Bar Steel Reinforcement Coated, 40,570 Lbs; Piling Steel, 720 LF 10-Inch, 455 LF 12-Inch; Marking Epoxy, 1,400 LF; Construction Staking, 1,043 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Concrete Curb and Gutter, 200 LF; Concrete Sidewalk, 1,200 SF; Beam Guard, 80 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 260 Ton; Tack Coat, 60 Gals; Signs, 31 SF.

**DBE Goal: NA**

**Contract Completion Date: August 24, 2019**

**Contact Information:** Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

**10. Dodgeville - Hollandale, Diamond Oaks Drive - STH 39; Hollandale – New Glarus, CTH K to STH 78;** Iowa County; 5953-02-82; 5970-02-83; STH 191; STH 39; 0.258 Miles; Excavation, Base, Asphaltic Surface, Signs, Beam Guard, Pavement Marking, and Structure Construction.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 6,615 CY; Borrow, 919 CY; Backfill Structure, 5,160 Ton; Base Aggregate Dense, 3,160 Ton; Breaker Run, 740 Ton; Concrete Masonry Culverts, 554 CY; Bar Steel Reinforcement, 45,220 Lbs; Bar Steel Reinforcement Coated, 6,740 Lbs; Marking Epoxy, 3,845 LF; Construction Staking, 4,470 LF; Construction Staking, 7 Each; Construction Staking, 8 LS; Culvert Pipe, 82 LF 18"; Culvert Pipe Corrugated Steel, 28 LF 24", 70 LF 36", 68 LF 48"; Beam Guard, 200 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 600 Ton; Tack Coat, 189 Gals; Signs, 12 SF; Precast Concrete Box Culvert 12 Ft X 6 Ft 52 LF, 14 Ft X 5 Ft, 66 LF.

**DBE Goal: NA**

**Contract Completion Date: August 29, 2019**

**Contact Information:** Mahesh Shrestha, (608) 245-2674 / mahesh.shrestha@dot.wi.gov

**11. LaCrosse - Trempealeau, USH 53 to West County Line;** LaCrosse County; 7141-02-60, WISC 2019 139; STH 35; 2.209 Miles; Base, HMA Pavement, Pavement Marking, and Beam Guard.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Borrow, 2,029 CY; Base Aggregate Dense, 1,390 Ton; Marking Epoxy, 35,597 LF; Construction Staking, 13,176 LF; Construction Staking, 1 LS; Beam Guard, 900 LF; Beam Guard Energy Absorbing Terminals, 10 Each; HMA Pavement, 5,945 Ton; Tack Coat, 3,197 Gals.

**DBE Goal:** 8 %

**Contract Completion Time:** 15 Working Days

**Contact Information:** Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

**12. IH 894, 84th Street to National Avenue;** Milwaukee County; 1060-52-70, WISC 2019 072; IH 41; 0.000 Miles; Noise Walls N-40-0089, 90, and 91; Erosion Control; Traffic Control; and Permanent Signing.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Marking Tape, 3,326 LF; Culvert Pipe Reinforced Concrete, 8 LF 12"; Concrete Curb and Gutter, 80 LF; Signs, 81 SF; Survey Project, 1 LS; Noise Barriers Double Sided Sound Absorptive, 81,919 SF.

**DBE Goal:** 10 %

**Contract Completion Date:** October 15, 2019

**Contact Information:** Ashley Kiepczynski, (262) 488-9254 / ashley.kiepczynski@dot.wi.gov

**13. Airport Freeway, Forest Home Avenue and 76th Street Overpasses;** Milwaukee County; 1090-31-70, WISC 2019 073; IH 43; 0.000 Miles; Deck Preparation, Polymer Overlay, Concrete Surface Repair, Concrete Sidewalk, Traffic Signals, and Pavement Marking.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 79 CY; Base Aggregate Dense, 186 Ton; Concrete Pavement, 38 SY; Bar Steel Reinforcement Coated, 660 Lbs; Marking Tape, 5,448 LF; Marking Epoxy, 13,245 LF; Concrete Curb, 55 LF; Concrete Curb and Gutter, 281 LF; Concrete Sidewalk, 1,084 SF; Asphaltic Surface, 52 Ton; Tack Coat, 12 Gals; Signs, 758 SF; Conduit, 2,426 LF; Survey Project, 1 LS; Poles, 3 Each; Traffic Signal Standards, 8 Each; Temporary Traffic Signals for Intersections, 1 Each; Concrete Surface Repair, 719 SF; Polymer Overlay, 5,504 SY; Rapid Set Deck Patching, 6 CY; Embedded Galvanic Anodes, 350 Each; Expansion Device (Structure), 1 LS; Concrete Girder End Repair, 42 Each.

**DBE Goal:** 12 %

**Contract Completion Date:** August 31, 2019

**Contact Information:** Joshua LeVeque, (414) 750-1468 / [joshua.leveque@dot.wi.gov](mailto:joshua.leveque@dot.wi.gov)

**14. Milwaukee - Fond du Lac, Milwaukee County Line to Washington County Line, NB; Milwaukee - Fond du Lac, Milwaukee County Line to Washington County Line, SB;** Waukesha and Milwaukee Counties; 1100-36-70, WISC 2019 074; 1100-36-71, WISC 2019 075; USH 41; 6.941 Miles; Asphalt Milling, Excavation Common, Base Aggregate, Concrete Pavement, Concrete Barrier, HMA Pavement, Curb and Gutter, Sidewalk, Lighting, Signals, Pavement Marking, Signing, Underdrain, and Traffic Control.

**Guaranty Required: \$390,000.00**

**Estimate of Principal Items:** Excavation Common, 236 CY; Borrow, 487 CY; Backfill Structure, 603 Ton; Base Aggregate Dense, 5,200 Ton; Base Aggregate Open Graded, 225 Ton; Concrete Pavement, 11,910 SY; Concrete Masonry Bridges, 5 CY; Bar Steel Reinforcement Coated, 1,000 Lbs; Marking Tape, 1,240 LF; Marking Epoxy, 139,180 LF; Marking Paint, 205,470 LF; Construction Staking, 3 LS; Culvert Pipe Reinforced Concrete, 70 LF 24"; Storm Sewer Pipe Reinforced Concrete, 8 LF 12", 53 LF 15", 51 LF 24"; Concrete Curb, 165 LF; Concrete Curb and Gutter, 745 LF; Concrete Sidewalk, 4,350 SF; Beam Guard, 504 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 760 Ton; HMA Pavement, 85,150 Ton; Removing Asphaltic Surface Milling, 72,160 Ton; Tack Coat, 17,445 Gals; Signs, 5,931 SF; Conduit, 17,588 LF; Electrical Service Main Lugs Only Meter Pedestal, 5 LS; Transformer Bases Breakaway, 46 Each; Poles, 175 Each; Traffic Signal Standards Aluminum, 2 Each; Luminaire Arms Truss Type, 45 Each; Trombone Arms, 1 Each; Luminaires High Mast Lighting LED, 24 Each; Luminaires Utility, 58 Each; High Mast Lighting Tower, 5 LS; Concrete Barrier Single-Faced 32-Inch, 165 LF; Concrete Barrier Double-Faced 51-Inch, 660 LF.

**DBE Goal: 12 %**

**Contract Completion Date: November 15, 2019**

**Contact Information: David Pittman, (262) 548-6439 / david.pittman@dot.wi.gov**

**15. South 35th Street, Bridge Over Kinnickinnic River;** Milwaukee County; 2100-00-70; Local Street; 0.038 Miles; Structure P-40-0511, Steel Railing, Slope Paving Replacement, Removing Pavement, Concrete Pavement, Grading, Base Aggregate, Concrete Curb and Gutter, Sidewalk, Storm Sewer, Conduit, and Pavement Marking.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 105 CY; Backfill Structure, 230 Ton; Base Aggregate Dense, 131 Ton; Concrete Pavement, 395 SY; Concrete Masonry Bridges, 310 CY; Bar Steel Reinforcement Coated, 67,750 Lbs; Marking Tape, 3,670 LF; Marking Epoxy, 945 LF; Construction Staking, 489 LF; Construction Staking, 9 Each; Construction Staking, 2 LS; Concrete Curb and Gutter, 322 LF; Concrete Sidewalk, 1,624 SF; HMA Pavement, 46 Ton; Tack Coat, 34 Gals; Conduit, 495 LF; Removing Old Structure Over Waterway with Minimal Debris, 1 LS; Expansion Device, 1 Each; Bearing Pads Elastomeric Laminated, 22 Each; Railing Steel Type NY4, 300 LF; Structure Repainting Recycled Abrasive, 1 LS; Negative Pressure Containment and Collection of Waste Materials, 1 LS; Portable Decontamination Facility, 1 LS.

**DBE Goal:** NA

**Contract Completion Date:** October 31, 2019

**Contact Information:** Joan Bonack, (262) 521-5351 / joan.bonack@dot.wi.gov

**16. CTH KR to Braun Road;** Racine County; 3760-00-70; CTH H; 1.223 Miles; Excavation, Roadway Embankment, Concrete Pavement, Asphaltic Pavement, Curb and Gutter, Storm Sewer, Traffic Signals, Permanent Signing, Traffic Control, Pavement Marking, and Lighting.

**Guaranty Required:** \$341,000.00

**Estimate of Principal Items:** Excavation Common, 111,083 CY; Base Aggregate Dense, 58,316 Ton; Breaker Run, 64,094 Ton; Concrete Pavement, 54,868 SY; Marking Tape, 76,315 LF; Marking Epoxy, 32,784 LF; Marking Paint, 4,854 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 46 LF 12", 80 LF 18"; Storm Sewer Pipe Reinforced Concrete, 787 LF 12", 6,473 LF 15", 1,765 LF 18", 2,893 LF 24", 29 LF 30", 67 LF 36", 200 LF 60"; Concrete Curb and Gutter, 29,324 LF; Concrete Sidewalk, 46,714 SF; Asphaltic Surface, 5,502 Ton; HMA Pavement, 8,638 Ton; Removing Asphaltic Surface Milling, 382 SY; Tack Coat, 751 Gals; Signs, 1,127 SF; Conduit, 26,276 LF; Concrete Bases, 78 Each; Electrical Service Meter Breaker Pedestal, 5 LS; Traffic Signal Standards Aluminum, 22 Each; Temporary Traffic Signals, 2 LS; Roadway Embankment, 141,262 CY; EBS Excavation, 14,675 CY; EBS Backfill, 14,675 CY; Pond G Outlet Storm Sewer Structure, 1 Each; ATC Thermal Backfill, 1 LS; Transport and Install State Furnished Traffic Signal Cabinet, 3 LS; Transport and Install State Furnished Radar Detection System, 3 LS; Transport and Install State Furnished EVP Detector Heads with Confirmation, 3 LS; Topsoil Special, 136,854 LS.

**DBE Goal:** NA

**Contract Completion Date:** April 30, 2020

**\*\*\* NON-MANDATORY PRE-BID MEETING**

**DATE:** \*\*\* December 20, 2018 **TIME:** 9 AM

**LOCATION:** Mt. Pleasant Village Hall  
8811 Campus Drive  
Mt. Pleasant, WI

**NOTE:** No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

**Contact Information:** Steven Hoff, (262) 548-6718 / [steve.hoff@dot.wi.gov](mailto:steve.hoff@dot.wi.gov)

**17. CTH FF - Beardsley Street, Recreational Trail Bridge and Approach;** Kewaunee County; 4394-03-71; CTH E; 0.109 Miles; Excavation, Base, Curb and Gutter, Beam Guard, Signs, Pavement Marking, Bridge Construction, and Geosynthetic Reinforced Soil Abutment.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 1,730 CY; Base Aggregate Dense, 1,571 Ton; Concrete Masonry Bridges, 102 CY; Bar Steel Reinforcement, 16,050 Lbs; Marking Epoxy, 2,300 LF; Construction Staking, 1,787 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 28 LF 15", 98 LF 18"; Concrete Curb and Gutter, 170 LF; Beam Guard, 189 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Signs, 32 SF; Geosynthetic Reinforced Soil Abutment, 3,981 SF.

**DBE Goal: NA**

**Contract Completion Time: 45 Working Days**

**Contact Information:** Dave Schmidt, (920) 492-5715 / dave.schmidt@dot.wi.gov

**18. City of Menasha, Broad Street, Tayco Street - Racine Street;** Winnebago County; 4992-00-58, WISC 2019 076; Local Street; 0.334 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement, Storm Sewer, Curb and Gutter, Concrete Driveway, Sidewalk, and Pavement Markings.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 6,000 CY; Base Aggregate Dense, 7,635 Ton; Concrete Pavement, 3,824 SY; Marking Epoxy, 9,018 LF; Construction Staking, 8,026 LF; Construction Staking, 22 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 8 LF 18", 94 LF 30", 346 LF 12"; Concrete Curb and Gutter, 4,530 LF; Concrete Sidewalk, 15,555 SF; Asphaltic Surface, 55 Ton; HMA Pavement, 1,130 Ton; Tack Coat, 240 Gals; Concrete Driveway, 982 SY; Storm Sewer Pipe 12" 245 LF, 15" 489 LF; Storm Sewer Pipe PVC 8" 10 LF, 10" 8 LF, 12" 12 LF.

**DBE Goal: 8 %**

**Contract Completion Time: 50 Working Days**

**Contact Information:** Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

**19. Utility Corridor Multi-Use Path, S. Business Drive - S. 18th Street;** Sheboygan County; 4996-22-71, WISC 2018 345; Non-Hwy.; 0.599 Miles; Grading, Base, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Fence, Pavement Markings, and Signs.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 4,412 CY; Borrow, 206 CY; Base Aggregate Dense, 3,591 Ton; Breaker Run, 2,754 Ton; Concrete Pavement, 107 SY; Marking Epoxy, 2,108 LF; Construction Staking, 12,184 LF; Construction Staking, 6 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 49 LF 18"; Concrete Curb and Gutter, 1,135 LF; Concrete Sidewalk, 3,800 SF; Asphaltic Surface, 525 Ton; HMA Pavement, 468 Ton; Tack Coat, 213 Gals; Signs, 123 SF; Concrete Driveway, 39 SY; Chain Link Fence, 66 LF.

**DBE Goal:** 8 %

**Contract Completion Time:** 35 Working Days

**Contact Information:** Dave Schmidt, (920) 492-5715 / dave.schmidt@dot.wi.gov

**20. Town of Black Creek, Mayflower Road - STH 47;** Outagamie County; 6505-03-71, WISC 2019 077; CTH A; 2.175 Miles; Grading, Base Aggregate Dense, Culverts, Curb and Gutter, HMA Pavement, Signing, and Pavement Marking.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 30,056 CY; Excavation Marsh, 370 CY; Backfill Granular, 1,090 Ton; Base Aggregate Dense, 44,930 Ton; Marking Epoxy, 33,170 LF; Construction Staking, 37,797 LF; Construction Staking, 13 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 33 LF 12", 81 LF 15", 1,455 LF 18"; Culvert Pipe Reinforced Concrete, 60 LF 36"; Storm Sewer Pipe Reinforced Concrete, 74 LF 12", 32 LF 15", 332 LF 18"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 106 LF 19" X 30"; Culvert Pipe Arch, 89 LF 77" X 52", 85 LF 83" X 57"; Concrete Curb and Gutter, 2,430 LF; Asphaltic Surface, 190 Ton; HMA Pavement, 12,540 Ton; Tack Coat, 2,980 Gals; Signs, 225 SF; Pipe Slurry Backfill, 105 CY; Research and Locate Existing Land Parcel Monuments, 25 Each; Verify and Replace Existing Land Parcel Monuments, 25 Each.

**DBE Goal:** 10 %

**Contract Completion Time:** 50 Working Days

**Contact Information:** Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov



**21. Suring - Mountain, North Branch Oconto River Bridge; Mountain - Townsend, CTH W - CTH F; Suring - Mountain, CTH AA - Parkway Drive;** Oconto County; 9150-07-71; 9150-29-60, WISC 2019 098; 9170-17-60, WISC 2019 099; STH 32; 13.929 Miles; Base Aggregate, Milling, Asphalt Pavement, Bridge Deck Overlay, Curb and Gutter, Beam Guard, Temporary Traffic Signals, and Pavement Markings.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 2,970 Ton; Concrete Masonry Overlay, 19 CY; Marking Epoxy, 243,146 LF; Construction Staking, 74,388 LF; Construction Staking, 11 Each; Construction Staking, 3 LS; Concrete Curb and Gutter, 420 LF; Concrete Sidewalk, 150 SF; Beam Guard, 688 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 360 Ton; HMA Pavement, 39,180 Ton; Removing Asphaltic Surface Milling, 311,935 SY; Tack Coat, 23,450 Gals; Cleaning Decks, 441 SY; Temporary Traffic Signals, 1 LS.

**DBE Goal:** 6 %

**Contract Completion Time:** 60 Working Days

**Contact Information:** Andrew Fulcer, (920) 362-6126 / andrew.fulcer@dot.wi.gov

**22. Village of Ashwaubenon, Cormier Road, Oneida Street to Ashland Avenue;** Brown County; 9266-11-01, WISC 2019 078; Local Street; 0.617 Miles; Concrete Pavement Removal, Storm Sewer, Base Aggregate Dense, Asphalt Pavement, Concrete Pavement, Concrete Curb and Gutter, Traffic Signals, and Pavement Markings.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 18,090 CY; Selected Borrow, 9,835 CY; Base Aggregate Dense, 10,365 Ton; Concrete Pavement, 21,912 SY; Marking Tape, 17,812 LF; Marking Epoxy, 17,397 LF; Marking Paint, 450 LF; Construction Staking, 10,830 LF; Construction Staking, 58 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 562 LF 12", 144 LF 24", 186 LF 48", 208 LF 15", 630 LF 36", 130 LF 18", 788 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 931 LF 34" X 53", 664 LF 38" X 60"; Concrete Curb, 450 LF; Concrete Curb and Gutter, 6,772 LF; Concrete Sidewalk, 30,525 SF; Asphaltic Surface, 420 Ton; Signs, 176 SF; Conduit, 2,177 LF; Removing Pavement, 21,300 SY; Pull Boxes, 12 Each; Concrete Bases, 16 Each; Poles, 5 Each; Traffic Signal Standards Aluminum, 6 Each; Monotube Arms, 4 Each; Trombone Arms, 1 Each; Storm Sewer Tap, 16 Each; Storm Sewer PVC, 581 LF.

**DBE Goal:** 10 %

**Contract Completion Date:** September 13, 2019

**Contact Information:** Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

**23. Minocqua - Manitowish, Minocqua Bridge - Lakeshore Drive;** Oneida County; 1170-19-60, WISC 2019 079; USH 51; 0.607 Miles; Base Aggregate, Concrete Pavement Repair, Curb and Gutter, Sidewalk, Signs, and Pavement Markings.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 50 Ton; Marking Epoxy, 6,421 LF; Construction Staking, 3,205 LF; Construction Staking, 1 LS; Concrete Curb, 20 LF; Concrete Curb and Gutter, 1,146 LF; Concrete Sidewalk, 630 SF; Signs, 285 SF; Concrete Pavement Partial Depth Joint Repair, 7,433 LF; Concrete Pavement Partial Depth Crack Repair, 528 LF; Concrete Pavement Partial Depth Surface Repair, 1,223 SF; Concrete Pavement Partial Depth Edge Repair, 204 LF; Concrete Pavement Repair Full Depth Adjustment, 200 SF; Concrete Pavement Repair, 1,031 SY.

**DBE Goal:** 8 %

**Contract Completion Date:** June 13, 2019

**Contact Information:** Robin Stafford, (715) 365-5750 / robin.stafford@dot.wi.gov

**24. City of Montello, Underwood Avenue, Park Street - West Street; City of Montello, Underwood Avenue, Morningside Court - Park Street; City of Montello, Underwood Avenue, Park Street - West Street; City of Montello, Underwood Avenue, Morningside Court - Park Street;** Marquette County; 1430-00-77, WISC 2019 080; 1430-00-79, WISC 2019 081; 1430-00-87; 1430-00-89; STH 23; 0.610 Miles; Grading, Base, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Concrete Driveway, Street Lighting, Fence, Water Main, Sanitary Sewer, Modular Block Wall, Temporary Traffic Signals, Pavement Markings, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 13,895 CY; Excavation Rock, 100 CY; Backfill Granular, 7,600 CY; Base Aggregate Dense, 18,437 Ton; Marking Epoxy, 14,157 LF; Marking Paint, 5,568 LF; Construction Staking, 24,743 LF; Construction Staking, 106 Each; Construction Staking, 9 LS; Culvert Pipe, 122 LF 15"; Storm Sewer Pipe Reinforced Concrete, 293 LF 12", 8 LF 30", 342 LF 15", 27 LF 24"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 170 LF 19" X 30", 553 LF 24" X 38"; Concrete Curb, 153 LF; Concrete Curb and Gutter, 7,177 LF; Concrete Sidewalk, 32,244 SF; Asphaltic Surface, 500 Ton; HMA Pavement, 5,688 Ton; Tack Coat, 1,872 Gals; Signs, 317 SF; Concrete Driveway, 1,201 SY; Storm Sewer Pipe 12" 592 LF, 15" 333 LF, 18" 809 LF, 24" 307 LF, 36" 557 LF; Light Poles, 13 Each; Light Pole Assemblies, 15 Each; Chain Link Fence, 598 LF; Water Service, 937 LF; Water Main, 3,867 LF; Sanitary Service, 1,025 LF; Sanitary Sewer, 3,489 LF; Modular Block Wall, 96 SF; Management and Disposal of Contaminated Soil and Groundwater, 765 Ton; Base Aggregate Disintegrated Granite, 23 Ton; Temporary Traffic Signals, 1 LS.

**DBE Goal:** 10 %

**Contract Completion Date:** November 15, 2019

**Contact Information:** Dan Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

**25. Clintonville - Howard, Bridge Painting, B-68-08 and B-68-11; Clintonville - Howard, STH 22 - Shawano County Line;** Waupaca County; 6580-00-60, WISC 2019 082; 6580-02-70, WISC 2019 083; STH 156; 7.210 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipes, Sidewalk, Beam Guard, Structure Repainting, Temporary Traffic Signals, Pavement Marking, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 2,873 CY; Borrow, 623 CY; Subbase, 621 CY; Base Aggregate Dense, 7,666 Ton; Select Crushed Material, 105 CY; Marking Epoxy, 87,173 LF; Construction Staking, 40,134 LF; Construction Staking, 10 Each; Construction Staking, 1 LS; Culvert Pipe, 31 LF 30"; Culvert Pipe Reinforced Concrete, 60 LF 36", 162 LF 30", 68 LF 48", 52 LF 24"; Concrete Sidewalk, 192 SF; Beam Guard, 720 LF; Beam Guard Energy Absorbing Terminals, 12 Each; Asphaltic Surface, 563 Ton; HMA Pavement, 15,467 Ton; Removing Asphaltic Surface Milling, 119,851 SY; Tack Coat, 10,131 Gals; Signs, 458 SF; Culvert Pipe Liners 36-Inch, 62 LF; Temporary Traffic Signals, 2 LS; Structure Repainting, 2 LS.

**DBE Goal:** 3 %

**Contract Completion Time:** 75 Working Days

**Contact Information:** Mark Steidl, (715) 421-8043 / mark.steidl@dot.wi.gov

**26. City of Wausau, East Thomas Street, Structure Painting, B-37-0971;** Marathon County; 6999-03-64, WISC 2019 084; Local Street; 0.000 Miles; Structure Repainting and Traffic Control.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Structure Repainting Recycled Abrasive, 1 LS; Negative Pressure Containment and Collection of Waste Materials, 1 LS; Portable Decontamination Facility, 1 Each.

**DBE Goal:** 1 %

**Contract Completion Date:** August 29, 2019

**Contact Information:** Jesse Jefferson, (715) 365-5714 / jesse.jefferson@dot.wi.gov

**27. Stetsonville - STH 97, West County Line to STH 97;** Marathon County; 9478-00-70, WISC 2019 085; CTH F; 4.905 Miles; Excavation, Base, HMA Pavement, Cold-in-Place Recycling (CIR) Asphaltic Pavement, Signs, Pavement Marking, and Beam Guard.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 259 CY; Borrow, 1,889 CY; Base Aggregate Dense, 2,625 Ton; Marking Epoxy, 72,835 LF; Construction Staking, 28,642 LF; Construction Staking, 1 LS; Beam Guard, 415 LF; Beam Guard Energy Absorbing Terminals, 8 Each; HMA Pavement, 8,140 Ton; Tack Coat, 4,935 Gals; Signs, 335 SF; Cold-in-Place Recycling (CIR) Asphaltic Pavement, 69,030 SY.

**DBE Goal:** 6 %

**Contract Completion Time:** 30 Working Days

**Contact Information:** Mike Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**28. City of Antigo, 8th Avenue, Springbrook Bridge, B-34-0055;** Langlade County; 9835-00-70; Local Street; 0.043 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, Storm Sewer, Curb and Gutter, and Concrete Sidewalk.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 635 CY; Backfill Structure, 415 Ton; Subbase, 510 CY; Base Aggregate Dense, 555 Ton; Concrete Masonry Bridges, 355 CY; Bar Steel Reinforcement, 7,510 Lbs; Bar Steel Reinforcement Coated, 41,350 Lbs; Piling Steel, 1,100 LF 10 3/4-Inch; Construction Staking, 670 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 32 LF 12", 56 LF 30"; Concrete Curb and Gutter, 145 LF; Concrete Sidewalk, 390 SF; Asphaltic Surface, 10 Ton; HMA Pavement, 155 Ton; Tack Coat, 35 Gals.

**DBE Goal:** NA

**Contract Completion Time:** 40 Working Days

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**29. Eau Claire - Osseo, CTH NN and Buffalo River E and WB Bridges;** Trempealeau County; 1023-07-72, WISC 2018 174; IH 94; 0.309 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Beam Guard, Pavement Marking, Signs, Fencing, Retaining Walls, and Bridge Construction.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 32,467 CY; Borrow, 20,599 CY; Backfill Structure, 3,340 Ton; Base Aggregate Dense, 43,372 Ton; Concrete Pavement, 7,594 SY; Concrete Masonry Bridges, 2,740 CY; Prestressed Girders, 4,384 LF 72-Inch; Bar Steel Reinforcement, 34,080 Lbs; Bar Steel Reinforcement Coated, 374,480 Lbs; Piling CIP Concrete, 10,090 LF 12 3/4-Inch; Marking Epoxy, 15,525 LF; Construction Staking, 17,800 LF; Construction Staking, 6 Each; Construction Staking, 7 LS; Culvert Pipe Reinforced Concrete, 88 LF 24"; Storm Sewer Pipe Reinforced Concrete, 334 LF 24"; Concrete Curb and Gutter, 146 LF; Beam Guard, 3,839 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 4,137 Ton; Tack Coat, 461 Gals; Signs, 111 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 17,400 LF; Wall Concrete Panel Mechanically Stabilized Earth, 6,300 SF.

**DBE Goal: 5 %**

**Contract Completion Date: October 1, 2020**

**Contact Information:** Matt Thornson, (715) 836-3922 / matthew.thornson@dot.wi.gov

**30. Town of Roosevelt, Bakker Road, N. Fork Clam River Bridge, B-07-0058;** Burnett County; 8370-00-70, WISC 2019 086; Local Street; 0.045 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 376 CY; Backfill Structure, 200 Ton; Base Aggregate Dense, 569 Ton; Concrete Masonry Bridges, 113 CY; Bar Steel Reinforcement, 3,060 Lbs; Bar Steel Reinforcement Coated, 12,670 Lbs; Piling CIP Concrete, 350 LF 10 3/4-Inch; Construction Staking, 852 LF; Construction Staking, 2 LS; Asphaltic Surface, 39 Ton; Tack Coat, 10 Gals; Signs, 35 SF.

**DBE Goal: 5 %**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

By order of:

Joe Nestler  
Administrator  
Division of Transportation System Development