



Wisconsin Department of Transportation

March 7, 2019

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #33: 4430-10-71, WISC 2019 169
Algoma – Sturgeon Bay
SCL – South Junction 42/57
STH 42
Door County

Letting of March 12, 2019

This is Addendum No. 03, which provides for the following:

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
305.0120	Base Aggregate Dense 1 ¼-Inch	Ton	1,238	186	1,424

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
48	Miscellaneous Quantities – Revised miscellaneous quantity for Base Aggregate Dense 1 ¼-Inch

Schedule of Items

Attached, dated March 7, 2018, is the revised Schedule of Items Page 2.

Plan Sheets

The following 8½ x 11-inch sheet is attached and made part of the plans for this proposal:

Revised: 48

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

END OF ADDENDUM

FROM	TO	211.0100	REMARKS
BEGIN PROJECT	END PROJECT	1	GAP OUT B-15-24
		1	

Addendum No. 03
ID 4430-10-71
Revised Sheet 48
March 7, 2019

BASE AGGREGATES

STATION	TO	STATION	OFFSET	REMARKS	305.0110 BASE AGGREGATE DENSE 3/4-INCH	305.0120 BASE AGGREGATE DENSE 1 1/4-INCH	REMARKS
TON	TON	TON	TON		TON	TON	
243+00	-	252+42	LT	3' AGG SHLDR	32	---	---
243+00	-	252+26	RT	3' AGG SHLDR	32	---	---
253+68	-	266+48	LT	3' AGG SHLDR	44	---	---
253+39	-	266+48	RT	3' AGG SHLDR	45	---	---
266+48	-	276+87	LT	6' AGG SHLDR	71	---	---
266+48	-	276+87	RT	6' AGG SHLDR	71	---	---
276+87	-	289+57	LT	3' AGG SHLDR	43	---	---
276+87	-	293+35	RT	3' AGG SHLDR	56	---	---
296+42	-	296+85	LT/RT	CULVERT TRENCH	163	---	---
304+18	-	304+81	LT	STORM SEWER TRENCH	12	---	---
306+34	-	306+37	LT/RT	STORM SEWER TRENCH	23	---	---
308+31	-	309+64	LT/RT	STORM SEWER TRENCH	119	---	---
311+40	-	311+27	LT	STORM SEWER TRENCH	11	---	---
312+38	-	312+67	RT	STORM SEWER TRENCH	22	---	---
312+52	-	312+70	LT	STORM SEWER TRENCH	10	---	---
313+23	-	313+31	LT/RT	STORM SEWER TRENCH	30	---	---
316+43	-	316+37	RT	STORM SEWER TRENCH	70	---	---
319+02	-	339+15	LT	3' AGG SHLDR	68	---	---
321+71	-	336+65	RT	3' AGG SHLDR	51	---	---
336+65	-	340+88	RT	8' AGG SHLDR	38	---	---
339+15	-	343+78	LT	AGG SHLDR - PER BEAM GUARD SOD	32	---	---
341+30	-	344+05	RT	AGG SHLDR - PER BEAM GUARD SOD	17	---	---
343+78	-	346+54	LT	6' AGG SHLDR	19	---	---
344+05	-	346+54	RT	6' AGG SHLDR	17	---	---
346+54	-	514+11	LT	3' AGG SHLDR	570	---	---
346+54	-	519+14	RT	3' AGG SHLDR	587	---	---
372+47	-	373+32	LT/RT	CULVERT TRENCH	236	---	---
414+56	-	416+31	LT/RT	CULVERT TRENCH	243	---	---
523+04	-	523+68	LT/RT	STORM SEWER TRENCH	80	---	---
524+90	-	526+31	LT/RT	STORM SEWER TRENCH	53	---	---
530+31	-	656+91	LT	3' AGG SHLDR	431	---	---
537+60	-	656+91	RT	3' AGG SHLDR	406	---	---
551+15	-	551+75	---	CULVERT TRENCH	167	---	---

SUBTOTAL= 2629 1424

SUBTOTAL= 96 0

TOTAL= 2725 1424

STORM SEWER & CULVERT TRENCHES BAD DEPTHS ARE AS SHOWN ON THE CONSTRUCTION DETAILS.
SHOULDERS & DRIVEWAYS WILL BE GRADED WITH A MAX DEPTH OF 1.75" BAD, UNLESS OTHERWISE NOTED
*MAX DEPTH OF 4" AGGREGATE TO WIDEN EXISTING DRIVEWAY



Proposal Schedule of Items

Proposal ID: 20190312033 Project(s): 4430-10-71

Federal ID(s): WISC 2019169

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0032	305.0120 Base Aggregate Dense 1 1/4-Inch	1,424.000 TON	_____.	_____.
0034	315.0100 Asphaltic Base	447.000 TON	_____.	_____.
0036	416.1010 Concrete Surface Drains	1.000 CY	_____.	_____.
0038	455.0605 Tack Coat	17,016.000 GAL	_____.	_____.
0040	460.0105.S HMA Percent Within Limits (PWL) Test Strip Volumetrics	2.000 EACH	_____.	_____.
0042	460.0110.S HMA Percent Within Limits (PWL) Test Strip Density	2.000 EACH	_____.	_____.
0044	460.2005 Incentive Density PWL HMA Pavement	24,286.000 DOL	1.00000	24,286.00
0046	460.2010 Incentive Air Voids HMA Pavement	32,702.000 DOL	1.00000	32,702.00
0048	460.4110.S Reheating HMA Pavement Longitudinal Joints	79,675.000 LF	_____.	_____.
0050	460.5223 HMA Pavement 3 LT 58-28 S	17,873.000 TON	_____.	_____.
0052	460.5224 HMA Pavement 4 LT 58-28 S	14,829.000 TON	_____.	_____.
0054	465.0110 Asphaltic Surface Patching	200.000 TON	_____.	_____.
0056	465.0120 Asphaltic Surface Driveways and Field Entrances	98.000 TON	_____.	_____.
0058	465.0475 Asphalt Centerline Rumble Strips 2-Lane Rural	38,357.000 LF	_____.	_____.
0060	520.1024 Apron Endwalls for Culvert Pipe 24-Inch	4.000 EACH	_____.	_____.

