



Wisconsin Department of Transportation

April 1, 2019

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

<p>Proposal #21: 1009-42-70 Regionwide Culvert Replacement Wood County Culverts Var Hwy Wood County</p>	<p>1009-42-73 Regionwide Culvert Replacement Waupaca County Culverts Var Hwy Waupaca County</p>
<p>6841-00-60, WISC 2019 229 Fremont - Appleton Wolf River Bridge B-68-31 STH 110 Waupaca County</p>	

Letting of April 9, 2019

This is Addendum No. 01, which provides for the following:

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
509.2500	Concrete Masonry Overlay Decks	CY	205	22	227

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
110	Changed painting girders at abutment ends from 3 feet to 5 feet and changed the proposed cross slope in the inside lanes from 1.0% to 1.5%.

Schedule of Items

Attached, dated April 2, 2019, are the revised Schedule of Items Page 3.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

6841-00-60

Revised: 110

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman


Proposal Development Specialist
Proposal Management Section

END OF ADDENDUM


DESIGN DATA

LIVE LOAD:
DESIGN RATING: HS-14
OPERATING RATING: HS-24
MAXIMUM STANDARD PERMIT VEHICLE LOAD: 190 (KIPS)

MATERIAL PROPERTIES:
CONCRETE: MASONRY
OVERLAY DECKS: f'c = 4,000 P.S.I.
SURFACE REPAIR: f'c = 3,500 P.S.I.
SURFACE REPAIR (SUPERSTRUCTURE): f'c = 4,000 P.S.I.



PLAN



CROSS SECTION THRU ROADWAY
LOOKING EAST

GENERAL NOTES

- DRAWINGS SHALL NOT BE SCALED.
- PROTECTIVE SURFACE TREATMENT TO BE APPLIED TO THE ENTIRE TOP SURFACE OF THE NEW CONCRETE OVERLAY AND TO ENTIRE SIDEWALK.
- PIGMENTED SURFACE SEALER TO BE APPLIED TO THE FRONT FACE AND THE TOP OF THE PARAPETS AND BRUSH COMB.
- DIMENSIONS SHOWN ARE BASED ON THE ORIGINAL STRUCTURE PLANS.
- ANY EXCAVATION NECESSARY TO COMPLETE THE OVERLAY OR JOINT REPAIR AT THE ABUTMENTS IS TO BE CONSIDERED INCIDENTAL TO THE BID ITEM "CONCRETE MASONRY OVERLAY DECKS".
- PROFILE GRADE LINE SHALL BE DETERMINED IN THE FIELD BASED ON A MINIMUM OVERLAY THICKNESS OF 1/2" ABOVE THE DECK SURFACE AFTER PREPARATION. EXPECTED AVERAGE OVERLAY THICKNESS IS 2 1/4".
- CONTACT THE BUREAU OF STRUCTURES BEFORE PLACEMENT OF OVERLAY IF THE AVERAGE THICKNESS OF THE NEW OVERLAY WILL EXCEED THE AVERAGE OVERLAY SHOWN ON THE PLANS BY MORE THAN 1/2".
- THE EXISTING OVERLAY SHALL BE REMOVED FROM THE BRIDGE DECK UNDER BID ITEM "REMOVING CONCRETE MASONRY DECK OVERLAY".
- PREPARATION DECKS TYPE 1, PREPARATION DECKS TYPE 2, AND FULL-DEPTH DECK REPAIR SHALL BE BASED ON THE PLANS AND AS DETERMINED BY THE ENGINEER. DECK PREPARATION AND DECK REPAIRS SHALL BE FILLED WITH "CONCRETE MASONRY OVERLAY DECKS".
- EXISTING BEARINGS ARE TO BE SALVAGED.
- DURING REMOVAL PREVENT ALL LARGE PIECES AND MINIMIZE THE NUMBER OF SMALL PIECES OF DEBRIS FROM ENTERING THE WATERWAY. REMOVE ALL CONCRETE OR OTHER DEBRIS THAT FALLS INTO WATERWAY.

Addendum No. 01
ID 6841-00-60
Revised Sheet 110
April 2, 2019

TOTAL ESTIMATED QUANTITIES

BID ITEM NUMBER	BID ITEMS	UNIT	TOTALS
502.3100	EXPANSION DEVICE B-68-31	LS	1
502.3200	PROTECTIVE SURFACE TREATMENT	SY	3,568
502.3210	PIGMENTED SURFACE SEALER	SY	520
502.4205	ADHESIVE ANCHORS NO. 5 BAR	EACH	108
505.0600	BAR STEEL REINFORCEMENT HS COATED STRUCTURES	LB	3,270
506.6000	BEARING ASSEMBLIES EXPANSION B-68-31	EACH	12
506.7050.S	REMOVING BEARINGS B-68-31	EACH	12
508.0301	PREPARATION DECKS TYPE 1	SY	200
508.0302	PREPARATION DECKS TYPE 2	SY	100
509.0505.S	CLEANING DECKS TO REAPPLY CONCRETE MASONRY OVERLAY	SY	3,221
509.1000	JOINT REPAIR	LF	44
509.1200	CURB REPAIR	LF	75
509.1500	CONCRETE SURFACE REPAIR	SF	55
509.2000	FULL-DEPTH DECK REPAIR	SY	5
509.2500	CONCRETE MASONRY OVERLAY DECKS	CY	227
509.9005.S	REMOVING CONCRETE MASONRY DECK OVERLAY B-68-31	LF	3,121
509.9050.S	CLEANING PARAPETS	LF	1,236
517.3000.S	STRUCTURE OVERCOATING CLEANING AND PRIMING B-68-31	LS	1
517.4000.S	CONTAINMENT AND COLLECTION OF WASTE MATERIALS B-68-31	LS	1
517.6000.S	PORTABLE DECONTAMINATION FACILITY	EACH	1

William C. Decker 3/28/19

STRUCTURE DESIGN CONTACTS:
MICHAEL BROOKS (608) 266-5080
LAURA SHADEWALD (608) 267-9592

NO. DATE	REVISION	BY
1	MODIFIED CROSS SLOPE	03/19



ACCEPTED: _____
CHIEF STRUCTURES DESIGN ENGINEER DATE


STRUCTURE B-68-31

COUNTY	WALPACA	TOWNSHIP	FREMONT
DESIGN SPEC.	REHABILITATION	NO. 2	
BY	FOR	DATE	
WMB	MWB	DATE	

CONCRETE OVERLAY
SHEET 1 OF 7
110

LIST OF DRAWINGS

- CONCRETE OVERLAY
- JOINT REPAIR 1
- JOINT REPAIR 2
- COVER PLATE DETAILS 1
- COVER PLATE DETAILS 2
- BEARING DETAILS
- DECK CONDITION



CURB REPAIR DETAIL
NOT TO SCALE



Proposal Schedule of Items

Proposal ID: 20190409021 Project(s): 1009-42-70, 1009-42-73, 6841-00-60

Federal ID(s): N/A, N/A, WISC 2019229

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0062	509.0600 Cleaning Approaches	612.000 SY	_____.	_____.
0064	509.1000 Joint Repair	44.000 SY	_____.	_____.
0066	509.1200 Curb Repair	75.000 LF	_____.	_____.
0068	509.1500 Concrete Surface Repair	55.000 SF	_____.	_____.
0070	509.2000 Full-Depth Deck Repair	5.000 SY	_____.	_____.
0072	509.2500 Concrete Masonry Overlay Decks	227.000 CY	_____.	_____.
0074	509.2600 Concrete Masonry Overlay Approaches	26.000 CY	_____.	_____.
0076	509.9005.S Removing Concrete Masonry Deck Overlay (structure) 01. B-68-31	3,121.000 SY	_____.	_____.
0078	509.9050.S Cleaning Parapets	1,236.000 LF	_____.	_____.
0080	517.3000.S Structure Overcoating Cleaning and Priming (structure) 01. B-68-31	LS	LUMP SUM	_____.
0082	517.4000.S Containment and Collection of Waste Materials (structure) 01. B-68-31	LS	LUMP SUM	_____.
0084	517.6001.S Portable Decontamination Facility	1.000 EACH	_____.	_____.
0086	520.1018 Apron Endwalls for Culvert Pipe 18-Inch	2.000 EACH	_____.	_____.
0088	520.1030 Apron Endwalls for Culvert Pipe 30-Inch	8.000 EACH	_____.	_____.
0090	520.3418 Culvert Pipe Class III-A Non-metal 18-Inch	102.000 LF	_____.	_____.