



# Wisconsin Department of Transportation

## Division of Transportation Systems Development

Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

December 4, 2019

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

### NOTICE TO ALL CONTRACTORS:

**Proposal #31: 1610-08-74, WISC 2019 754**  
**Park Falls - Mellen**  
**Morse Road – Cayuga Road**  
**STH 13**  
**Ashland County**

**1610-08-76, WISC 2019 755**  
**Park Falls - Mellen**  
**Cayuga Road – Jefferson Ave**  
**STH 13**  
**Ashland County**

**1610-11-73, WISC 2019 756**  
**Park Falls - Mellen**  
**Soo Line Railroad Bridge B-02-0025**  
**STH 13**  
**Ashland County**

### Letting of December 10, 2019

This is Addendum No. 02, which provides for the following:

#### Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
604.9010.S	Slope Paving Repair Crushed Aggregate	CY	45	-40	5

#### Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
251	Structure B-2-25 – Quantities and Notes (Quantity Revision)

**Schedule of Items**

Attached, dated December 4, 2019, are the revised Schedule of Items Page 5.

**Plan Sheets**

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 251.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

END OF ADDENDUM

**TOTAL ESTIMATED QUANTITIES**

BID ITEM NUMBER	BID ITEMS	UNIT	TOTAL
203.0200	REMOVING OLD STRUCTURE STATION 434+02.50	LS	1
203.0210.S	ABATEMENT OF ASBESTOS CONTAINING MATERIAL B-2-25	LS	1
206.1000	EXCAVATION FOR STRUCTURES BRIDGES B-2-25	LS	1
210.1500	BACKFILL STRUCTURE TYPE A	TON	210
502.0100	CONCRETE MASONRY BRIDGES	CY	29
502.3200	PROTECTIVE SURFACE TREATMENT	SY	845
502.4206	ADHESIVE ANCHORS NO. 6 BAR	EA	190
505.0600	BAR STEEL REINFORCEMENT HS COATED STRUCTURES	EA	28
509.0301	PREPARATION DECKS TYPE 1	LB	2,820
509.0302	PREPARATION DECKS TYPE 2	SY	340
509.0900	CLEANING DECKS	SY	335
509.1500	CURB AND GUTTER REPAIR	SY	845
509.2500	CONCRETE MASONRY OVERLAY DECKS	CY	300
509.9050.S	CLEANING PARAPETS	SY	45
511.1200	TEMPORARY SHORING B-2-25	SY	170
516.0500	RUBBERIZED MEMBRANE WATERPROOFING	SY	400
604.9010.S	SLOPE PAVING REPAIR CRUSHED AGGREGATE	SY	8
604.9015.S	RESALE CRUSHED AGGREGATE SLOPE PAVING	SY	435
614.0150	ANCHOR ASSEMBLIES FOR STEEL PLATE BEAM GUARD	EACH	4
	NON-BID ITEMS	SIZE	1/2"
	FILLER		

- UNDISTRIBUTED FOR ABUTMENTS, PIER AND PARAPETS AS DIRECTED BY THE ENGINEER IN THE FIELD.
- BID ITEM ALSO INCLUDES CONCRETE FOR "PREPARATION DECKS TYPE 1", "PREPARATION DECKS TYPE 2", AND "FULL DEPTH DECK REPAIR".

**GENERAL NOTES**

DRAWINGS SHALL NOT BE SCALED.  
 BAR STEEL REINFORCEMENT SHALL BE EMBEDDED 2" CLEAR UNLESS SHOWN OR NOTED OTHERWISE.  
 DIMENSIONS SHOWN ARE BASED ON THE ORIGINAL PLANS.  
 THE FIRST DIGIT OF A THREE DIGIT BAR NO. OR THE FIRST TWO DIGITS OF A FOUR DIGIT BAR NO. SIGNIFIES THE BAR SIZE.  
 OVERLAY SHALL BE DEFINED BY A DEEP SAW CUT, CONCRETE PREPARATION DECKS, CONCRETE SURFACE REPAIR, AND FULL DEPTH DECK REPAIR SHALL BE AS DETERMINED BY THE ENGINEER IN THE FIELD.  
 PROTECTIVE SURFACE TREATMENT SHALL BE APPLIED TO THE ENTIRE TOP SURFACE OF THE NEW CONCRETE OVERLAY.  
 ON A MINIMUM OVERLAY THICKNESS OF 1 1/2" AT THE CENTERLINE AND AT THE FACE OF PARAPETS PLACED ABOVE THE DECK SURFACE AFTER "CLEANING DECKS", EXPECTED AVERAGE OVERLAY THICKNESS IS 2". IF EXPECTED AVERAGE OVERLAY THICKNESS IS EXCEEDED BY MORE THAN 1/2", CONTACT THE STRUCTURES DESIGN ENGINEER.  
 PREVIOUS PATCHES SHALL BE REMOVED UNDER THE BID ITEM "PREPARATION DECKS".  
 A MINIMUM OF 1-INCH OF CONCRETE SHALL BE REMOVED FROM THE ENTIRE BRIDGE DECK UNDER THE BID ITEM, "CLEANING DECKS", BUT LESS THAN 1/2" MAXIMUM.  
 UTILIZE EXISTING BAR STEEL REINFORCEMENT WHERE SHOWN AND JOINT FILLER SHALL CONFORM TO THE REQUIREMENTS OF A.A.S.H.T.O. DESIGNATION M 153, TYPE 1, 11 OR 111 OR A.A.S.H.T.O. DESIGNATION M 213.  
 PIGMENTED SURFACE SEALER IS TO BE APPLIED TO THE INSIDE FACES AND TOP SURFACES OF THE NEW PARAPETS ON THE WINGWALLS PER MANUFACTURER'S RECOMMENDATIONS. THE COLOR OF THE PIGMENTED SURFACE SEALER SHALL BE WHITE.  
 THE INSIDE FACES AND TOP SURFACES OF THE EXISTING PARAPETS ON THE WINGWALLS SHALL BE REPAIRED PER SPECIAL PROVISIONS. THE COLOR OF THE SURFACE TREATMENT SHALL BE WHITE.  
 THE CONCRETE APPROACH SLABS AT THE ABUTMENTS WILL VARY IN THICKNESS FROM 1'-0 1/2" MIN. AT THE C. OF STN. 13 & 77.  
 THE CONTRACTOR SHALL SUPPLY A NEW NAME PLATE IN ACCORDANCE WITH SECTION 502.3.1 OF THE STANDARD SPECIFICATIONS AND THE STANDARD DETAIL DRAWINGS. NAME PLATE TO SHOW ORIGINAL CONSTRUCTION YEAR OF 1985.  
 THE EXISTING GROUNDLINE SHALL BE THE UPPER LIMITS OF EXCAVATION FOR STRUCTURES AT THE WING REPAIR.  
 AT WING REPAIRS, ALL EXCAVATED VOLUME NOT OCCUPIED BY THE NEW WING SHALL BE BACKFILLED WITH STRUCTURE BACKFILL.  
 PREPARATION DECKS AND FULL DEPTH REPAIR TO BE FILLED WITH CONCRETE MASONRY OVERLAY DECKS".

Addendum No. 02  
 ID 1610-11-73  
 Revised Sheet 251  
 December 4, 2019



*William C. Decker*  
 12/04/19

NO. DATE	REVISION	BY
12/19	REVISE SLOPE PAVING REPAIR QUANTITY	AYRES
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION		
STRUCTURE B-2-25		
DRAWN BY	CLS	PLANS QUANTITY
QUANTITIES AND NOTES		SHEET 3 OF 6
		251

ORIGINAL PLANS PREPARED BY  
 3433 Oakwood Hills Parkway  
 Eau Claire, WI 54601  
**AYRES ASSOCIATES** www.ayresassociates.com



Proposal Schedule of Items

Proposal ID: 20191210031 Project(s): 1610-08-74, 1610-08-76, 1610-11-73

Federal ID(s): WISC 2019754, WISC 2019755, WISC 2019756

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0122	522.1060 Apron Endwalls for Culvert Pipe Reinforced Concrete 60-Inch	16.000 EACH	_____.	_____.
0124	603.8000 Concrete Barrier Temporary Precast Delivered	610.000 LF	_____.	_____.
0126	603.8125 Concrete Barrier Temporary Precast Installed	1,220.000 LF	_____.	_____.
0128	604.9010.S Slope Paving Repair Crushed Aggregate	5.000 CY	_____.	_____.
0130	604.9015.S Reseal Crushed Aggregate Slope Paving	435.000 SY	_____.	_____.
0132	606.0300 Riprap Heavy	180.000 CY	_____.	_____.
0134	608.0318 Storm Sewer Pipe Reinforced Concrete Class III 18-Inch	34.000 LF	_____.	_____.
0136	611.3220 Inlets 2x2-FT	2.000 EACH	_____.	_____.
0138	611.9710 Salvaged Inlet Covers	2.000 EACH	_____.	_____.
0140	614.0150 Anchor Assemblies for Steel Plate Beam Guard	4.000 EACH	_____.	_____.
0142	614.2300 MGS Guardrail 3	1,500.000 LF	_____.	_____.
0144	614.2310 MGS Guardrail 3 HS	1,800.000 LF	_____.	_____.
0146	614.2610 MGS Guardrail Terminal EAT	10.000 EACH	_____.	_____.
0148	618.0100 Maintenance And Repair of Haul Roads (project) 01. 1610-08-74	1.000 EACH	_____.	_____.
0150	618.0100 Maintenance And Repair of Haul Roads (project) 02. 1610-08-76	1.000 EACH	_____.	_____.