

**STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT  
NOTICE TO CONTRACTORS**

**BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 11 A.M. LOCAL TIME, TUESDAY, DECEMBER 14, 2021,** to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4<sup>th</sup> Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct street address for mailing and/or shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

**ELECTRONIC BIDDING**

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

**PROPOSAL GUARANTY**

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

## **PLANS AND PROPOSALS**

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the respective regional offices where the work is located.

### **\*\*\* QUESTIONS REGARDING PLANS AND/OR PROPOSALS \*\*\***

Contractors should submit all questions concerning plans and/or proposals through Bid Express at <https://www.bidx.com/>. This process is documented and can be found at <https://wisconsindot.gov/hccidocs/qa/bid-express-qa-user-guide.pdf>. A login is not required.

## **PLAN HOLDERS AND ELIGIBLE BIDDERS**

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

## **QUALIFICATIONS OF BIDDERS**

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## **HOURS OF LABOR AND MINIMUM WAGE RATES**

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

## **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

## **AFFIDAVIT OF NON-COLLUSION**

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

## **SUMMARY SHEET**

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

1, 2, 3, 4, 5, 6, 8, 9, 11, 12, 14, 18, 19, 21, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 34, 37, 38, 39, 40, 41, 42

### **GRADING**

19

### **CONCRETE PAVEMENT**

### **ASPHALTIC PAVEMENT**

2, 5, 6, 8, 10, 14, 23, 28, 30, 34, 37, 40

### **STRUCTURES**

1, 3, 4, 11, 12, 13, 15, 16, 17, 20, 22, 26, 32, 33, 35, 36, 38, 41, 42, 43, 44

### **BRIDGE PAINTING**

### **STREET OR AIRPORT LIGHTING**

### **BUILDING CONSTRUCTION**

### **INCIDENTAL CONSTRUCTION**

18, 21, 25, 39

**1. Juneau County Structure Repair, B-29-18, 19, 44, & 45;** Juneau County; 1016-01-64, WISC 2022 061; IH 90; 0.000 Miles; Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Beam Guard, Pavement Marking, and Structures.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Backfill Structure, 95 Ton; Base Aggregate Dense, 529 Ton; Concrete Pavement, 445 SY; Concrete Masonry Bridges, 40 CY; Bar Steel Reinforcement Coated, 9,170 Lbs; Marking Epoxy, 6,793 LF; Concrete Curb and Gutter, 27 LF; Beam Guard, 154 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 1,256 Ton; Tack Coat, 17 Gals; Expansion Device, 248 LF; Polymer Overlay, 98 SY; Concrete Surface Repair, 271 SF; Riprap, 10 CY.

**DBE Goal: 8 %**

**Contract Completion Date: June 22, 2022**

**2. Edgerton - Whitewater, Vickerman Road to E. County Line;** Rock County; 3140-00-72, WISC 2022 062; STH 59; 7.451 Miles; Base, HMA Pavement, Signs, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 2,834 Ton; Construction Staking, 39,339 LF; Construction Staking, 1 LS; HMA Pavement, 33,529 Ton; Removing Asphaltic Surface Milling, 33,528 SY; Tack Coat, 16,764 Gals; Signs, 76 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 78,678 LF.

**DBE Goal: 9 %**

**Contract Completion Date: July 22, 2022**

**3. Town of Emmet, Apple Road, Silver Creek Bridge, B-14-0223;** Dodge County; 3810-00-71, WISC 2022 063; Local Street; 0.000 Miles; Grade, Base, Asphalt Pavement, and a Structure.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 456 CY; Borrow, 913 CY; Backfill Structure, 190 Ton; Base Aggregate Dense, 1,157 Ton; Concrete Masonry Bridges, 137 CY; Bar Steel Reinforcement, 3,150 Lbs; Bar Steel Reinforcement Coated, 17,790 Lbs; Piling Steel, 120 LF 10-Inch; Construction Staking, 1,215 LF; Construction Staking, 2 LS; Asphaltic Surface, 179 Ton; Tack Coat, 56 Gals; Signs, 12 SF; Railing Tubular Type M, 132 LF; Riprap, 160 CY; Flashing Stainless Steel, 85 LF.

**DBE Goal: 6 %**

**Contract Completion Time: 40 Working Days**

**4. STH 16 - CTH G, Beaver Dam River Bridge, B-14-0222;** Dodge County; 3907-00-70, WISC 2022 064; CTH J; 0.000 Miles; Grade, Base, Asphalt Pavement, Beam Guard, Signing, Pavement Marking, and a Structure.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 420 CY; Borrow, 437 CY; Backfill Structure, 430 Ton; Base Aggregate Dense, 1,825 Ton; Concrete Masonry Bridges, 190 CY; Prestressed Girders, 570 LF 36W-Inch; Bar Steel Reinforcement, 4,610 Lbs; Bar Steel Reinforcement Coated, 23,690 Lbs; Piling CIP Concrete, 495 LF 10 3/4-Inch; Marking Epoxy, 1,722 LF; Construction Staking, 1,287 LF; Construction Staking, 2 LS; Beam Guard, 382 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 306 Ton; Tack Coat, 191 Gals; Signs, 12 SF; Steel Diaphragms, 10 Each; Riprap , 195 CY.

**DBE Goal: 6 %**

**Contract Completion Time: 55 Working Days**

**5. Hillsboro - Mauston, STH 80 to CTH G / B-29-61, 62, & 63;** Juneau County; 5010-06-72, WISC 2022 065; STH 82; 9.741 Miles; Base, HMA Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Pavement Marking, and Wingwall Replacements.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Backfill Structure, 516 Ton; Base Aggregate Dense, 7,363 Ton; Breaker Run, 57 Ton; Concrete Masonry Culverts, 107 CY; Bar Steel Reinforcement Coated, 11,160 Lbs; Marking Epoxy, 63,781 LF; Construction Staking, 51,435 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Concrete Curb and Gutter, 73 LF; Concrete Sidewalk, 429 SF; Asphaltic Surface, 296 Ton; HMA Pavement, 45,418 Ton; Removing Asphaltic Surface Milling, 178,025 SY; Tack Coat, 22,661 Gals.

**DBE Goal: 4 %**

**Contract Completion Time: 70 Working Days**

**6. Genoa - LaCrosse, V. Stoddard N. Limit to N. County Line;** Vernon County; 5160-06-70, WISC 2022 066; STH 35; 4.091 Miles; Base Aggregate Dense, Pavement Marking, Construction Staking, Culvert Pipe Reinforced Concrete, HMA Pavement, Removing Asphaltic Surface Milling, Tack Coat, and Curbs Treated Timber.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 228 Ton; Marking Epoxy, 59,237 LF; Marking Paint, 13,083 LF; Construction Staking, 21,690 LF; Construction Staking, 1 LS; Culvert Pipe, 8 LF 24", 24 LF 36"; HMA Pavement, 10,741 Ton; Removing Asphaltic Surface Milling, 95,829 SY; Tack Coat, 6,713 Gals; Curbs Treated Timber, 274 LF.

**DBE Goal: 3 %**

**Contract Completion Time: 20 Working Days**

**7. DEFERRED**

**8. Ferryville - Genoa, Old Hwy. 35 to STH 56 / B-62-93, 264;** Crawford and Vernon Counties; 5160-07-71, WISC 2022 068; STH 35; 0.000 Miles; Mill and Relay, Grade, Base, Concrete Pavement, Asphalt Pavement, Beam Guard, Pavement Marking, and Structures.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 7,655 CY; Borrow, 3,108 CY; Backfill Granular, 14,992 Ton; Backfill Structure, 2,065 Ton; Base Aggregate Dense, 16,585 Ton; Select Crushed Material, 1,453 Ton; Breaker Run, 328 Ton; Concrete Pavement, 39 SY; Concrete Masonry Bridges, 22 CY; Concrete Masonry Overlay, 20 CY; Bar Steel Reinforcement, 43,090 Lbs; Bar Steel Reinforcement Coated, 6,830 Lbs; Marking Epoxy, 355,049 LF; Construction Staking, 67,386 LF; Construction Staking, 21 Each; Construction Staking, 1 LS; Culvert Pipe, 832 LF 24", 417 LF 36", 310 LF 48"; Beam Guard, 18,006 LF; Beam Guard Energy Absorbing Terminals, 36 Each; Asphaltic Surface, 816 Ton; HMA Pavement, 49,648 Ton; Removing Asphaltic Surface Milling, 239,726 SY; Tack Coat, 25,850 Gals; CIR Asphaltic Base Layer, 161,887 SY; Mill and Relay, 83,531 SY; Asphaltic Stabilizing Agent, 727 Ton; Riprap, 314 CY; Sprayed Asphaltic Surface Treatment, 3,904 Gal; Salvaged Asphaltic Pavement, 11,510 Ton; Shot Rock, 1,272 Ton.

**DBE Goal: 5 %**

**Contract Completion Date: November 1, 2022**

**9. Genoa - LaCrosse, Sunnyside Drive to Garner Place;** LaCrosse County; 5163-07-77, WISC 2022 069; STH 35; 0.635 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Beam Guard, Retaining Wall, Storm Sewer, Water and Sanitary, Street Lighting, and Overhead Sign Structures.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Excavation Common, 46,042 CY; Excavation Rock, 175 CY; Base Aggregate Dense, 36,028 Ton; Select Crushed Material, 1,034 Ton; Concrete Pavement, 25,477 SY; Marking Epoxy, 28,334 LF; Construction Staking, 38,024 LF; Construction Staking, 145 Each; Construction Staking, 8 LS; Conduit, 7,452 LF; Storm Sewer Pipe, 16 LF 42", 537 LF 12", 51 LF 15", 230 LF 18", 64 LF 24", 294 LF 30", 95 LF 42", 83 LF 48", 2,000 LF 12", 264 LF 15", 790 LF 18", 2,015 LF 24", 238 LF 30", 695 LF 36", 20 LF 8"; Concrete Curb and Gutter, 9,110 LF; Concrete Sidewalk, 68,270 SF; Beam Guard, 113 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 481 Ton; HMA Pavement, 2,884 Ton; Tack Coat, 535 Gals; Signs, 1,643 SF; Wall Modular Block Mech. Stabilized Earth, 1,442 SF.

**DBE Goal: 7 %**

**Contract Completion Date: May 26, 2023**

**10. Boscobel - Gotham, CTH W to STH 80;** Richland County; 5190-00-70, WISC 2022 070; STH 60; 0.000 Miles; Mill, Base, Asphalt Pavement, Signing, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 7,830 Ton; Marking Epoxy, 200,070 LF; Construction Staking, 60,150 LF; Construction Staking, 1 LS; HMA Pavement, 54,230 Ton; Removing Asphaltic Surface Milling, 216,240 SY; Tack Coat, 30,280 Gals; Signs, 40 SF.

**\*\*\* NOTE \*\*\***

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions.

**DBE Goal: 2 %**

**Contract Completion Time: 70 Working Days**

**11. T. of Clayton, Norwegian Hollow Road, Br. Johnson Valley Creek Bridge, B-12-0247;** Crawford County; 5325-00-73, WISC 2022 071; Local Street; 0.057 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Beam Guard, Pavement Marking, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 670 CY; Backfill Structure, 360 Ton; Base Aggregate Dense, 681 Ton; Select Crushed Material, 613 Ton; Concrete Masonry Bridges, 135 CY; Bar Steel Reinforcement, 4,760 Lbs; Bar Steel Reinforcement Coated, 15,990 Lbs; Piling Steel, 315 LF 10-Inch; Construction Staking, 1,170 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 195 LF; Beam Guard, 160 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 217 Ton; Tack Coat, 57 Gals; Signs, 17 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 50 Working Days**



**12. T. of Wauzeka, Gran Grae Road, Gran Grae Creek, B-12-0253;** Crawford County; 5339-00-72, WISC 2022 072; Local Street; 0.092 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Signs, and Bridge Replacement.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 2,110 CY; Backfill Structure, 680 Ton; Base Aggregate Dense, 1,074 Ton; Select Crushed Material, 1,000 Ton; Concrete Masonry Bridges, 206 CY; Bar Steel Reinforcement, 4,830 Lbs; Bar Steel Reinforcement Coated, 23,790 Lbs; Piling Steel, 900 LF 10-Inch; Construction Staking, 1,936 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe, 48 LF 18"; Beam Guard, 185 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 293 Ton; Tack Coat, 72 Gals; Signs, 12 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 60 Working Days**

**13. Town of Franklin, Tainter Hollow Road, Br. Tainter Creek Bridge, B-62-0262;** Vernon County; 5385-00-70, WISC 2022 073; Local Street; 0.027 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 110 CY; Backfill Structure, 450 Ton; Base Aggregate Dense, 139 Ton; Concrete Masonry Bridges, 150 CY; Bar Steel Reinforcement, 4,580 Lbs; Bar Steel Reinforcement Coated, 16,890 Lbs; Piling Steel, 260 LF 10-Inch; Construction Staking, 306 LF; Construction Staking, 2 LS; Asphaltic Surface, 48 Ton; Tack Coat, 18 Gals; Signs, 12 SF.

**DBE Goal: 3 %**

**Contract Completion Time: 40 Working Days**

**14. Argyle - Mt. Horeb, V. Argyle N. Limit to Lien Court;** Lafayette County; 5590-01-70, WISC 2022 074; STH 78; 0.000 Miles; Mill, Culvert Pipe, Base, Asphalt Pavement, Beam Guard, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 6,940 Ton; Marking Epoxy, 133,015 LF; Construction Staking, 40,711 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Culvert Pipe, 226 LF 24"; Storm Sewer / Culvert Pipe Horizontal Elliptical or Pipe Arch, 50 LF 28" X 20"; Beam Guard, 2,613 LF; Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 320 Ton; HMA Pavement, 25,000 Ton; Removing Asphaltic Surface Milling, 95,800 SY; Tack Coat, 12,910 Gals; Riprap, 2 CY.

**DBE Goal: 5 %**

**Contract Completion Time: 35 Working Days**

**15. CTH Q - CTH I, Otter Creek Bridge, B-25-0191;** Iowa County; 5682-00-75, WISC 2022 075; CTH II; 0.142 Miles; Removing Structure, Concrete Masonry Bridges, Bar Steel Reinforcement HS Structures, Bar Steel Reinforcement HS Coated Structures, Piling CIP Concrete, MGS Beam Guard, Turbidity Barrier, Site Mowing, Railing Tubular Type M, and Flashing Stainless Steel.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Backfill Structure, 330 Ton; Concrete Masonry Bridges, 351 CY; Bar Steel Reinforcement, 7,720 Lbs; Bar Steel Reinforcement Coated, 53,240 Lbs; Piling CIP Concrete, 870 LF 10 3/4-Inch; Construction Staking, 2 LS; Beam Guard, 247 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Turbidity Barrier, 1,000 SY; Site Mowing, 1 Each; Railing Tubular Type M, 258 LF; Flashing Stainless Steel, 243 LF; Removing Structure, 1 Each.

**DBE Goal: 3 %**

**Contract Completion Time: 95 Working Days**

**16. STH 11 - CTH N, Pecatonica River Bridge, B-33-0138;** Lafayette County; 5725-00-72, WISC 2022 076; CTH D; 0.000 Miles; Grade, Base, Concrete Pavement, Beam Guard, and a Structure.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 2,216 CY; Borrow, 2,851 CY; Backfill Structure, 300 Ton; Base Aggregate Dense, 186 Ton; Breaker Run, 320 Ton; Concrete Pavement, 114 SY; Concrete Masonry Bridges, 538 CY; Bar Steel Reinforcement, 11,650 Lbs; Bar Steel Reinforcement Coated, 67,120 Lbs; Piling Steel, 1,120 LF 10-Inch, 1,280 LF 12-Inch; Construction Staking, 315 LF; Construction Staking, 2 LS; Beam Guard, 346 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Signs, 12 SF; Railing Tubular Type M, 297 LF.

**DBE Goal: 3 %**

**Contract Completion Date: November 20, 2022**

**17. Town of Perry, Drammen Vallery Road, Pleasant Valley Br. Bridge, B-13-0691;** Dane County; 5728-00-73; Local Street; 0.024 Miles; Excavation Common, Backfill Structure, Base Aggregate Dense, Select Crushed Material, Concrete Masonry Bridges, HS Bar Steel Reinforcement, HS Bar Steel Reinforcement Coated, Piling Steel, HMA Pavement, Tack Coat, and Construction Staking.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 187 CY; Backfill Structure, 216 Ton; Base Aggregate Dense, 128 Ton; Select Crushed Material, 204 Ton; Concrete Masonry Bridges, 154 CY; Bar Steel Reinforcement, 3,160 Lbs; Bar Steel Reinforcement Coated, 22,070 Lbs; Piling Steel, 220 LF 10-Inch; Construction Staking, 360 LF; Construction Staking, 2 LS; HMA Pavement, 44 Ton; Tack Coat, 10 Gals; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 25 Working Days**

**18. City of Janesville, W. Memorial Drive, N. Washington Street Intersection; City of Janesville, E. Milwaukee Street, Randall Avenue Intersection;** Rock County; 5990-01-28, WISC 2022 077; 5990-01-30, WISC 2022 078; Local Streets; 0.288 Miles; Base, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Traffic Signals.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 100 CY; Base Aggregate Dense, 134 Ton; Marking Epoxy, 1,609 LF; Conduit, 3,625 LF; Concrete Curb and Gutter, 274 LF; Concrete Sidewalk, 1,941 SF; Asphaltic Surface, 18 Ton; Signs, 62 SF; Concrete Bases Type 1, 12 Each; Poles Type 2, 6 Each.

**DBE Goal: 8 %**

**Contract Completion Time: 105 Calendar Days**

**19. Deforest - Portage, STH 22 / STH 60 Intersection;** Columbia County; 6020-00-70, WISC 2022 103; USH 51; 0.000 Miles; Mill, Grade, Storm Sewer, Culvert Pipe, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Lighting, Signing, Pavement Marking, and a Structure.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 56,150 CY; Excavation Rock, 135 CY; Base Aggregate Dense, 20,147 Ton; Select Crushed Material, 29,379 Ton; Concrete Pavement, 1,955 SY; Marking Epoxy, 32,035 LF; Construction Staking, 32,527 LF; Construction Staking, 35 Each; Construction Staking, 3 LS; Conduit, 2,368 LF; Culvert Pipe, 144 LF 18", 67 LF 24"; Storm Sewer Pipe, 77 LF 15", 1,028 LF 18", 767 LF 24"; Concrete Curb, 170 LF; Concrete Curb and Gutter, 6,617 LF; Concrete Sidewalk, 9,737 SF; Beam Guard, 350 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 214 Ton; HMA Pavement, 7,895 Ton; Removing Asphaltic Surface Milling, 1,039 SY; Tack Coat, 3,326 Gals; Signs, 784 SF; Obliterate Old Road, 27 Sta; Riprap, 93 CY; Pull Boxes, 14 Each; Concrete Bases, 15 Each; Poles, 14 Each; Lighting Control Cabinet, 1 Each; Concrete Masonry Ancillary Structures, 5 CY; Steel Reinforcement HS Ancillary Structures, 770 Lbs; Monotube Cantilever Type III, 1 Each.

**DBE Goal: 12 %**

**Contract Completion Date: September 30, 2022**

**20. Town of Columbus, Hall Road, Crawfish River Bridge, B-11-174; Town of Columbus, Wendt Road, Crawfish River Bridge, B-11-176;** Columbia County; 6217-00-77, WISC 2022 079; 6217-00-79, WISC 2022 080; Local Streets; 0.059 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacements.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 360 CY; Borrow, 100 CY; Backfill Structure, 740 Ton; Base Aggregate Dense, 525 Ton; Concrete Masonry Bridges, 309 CY; Prestressed Girders, 244 LF 36-Inch; Bar Steel Reinforcement, 10,510 Lbs; Bar Steel Reinforcement Coated, 41,750 Lbs; Piling Steel, 1,205 LF 10-Inch; Construction Staking, 570 LF; Construction Staking, 4 LS; Asphaltic Surface, 115 Ton; Tack Coat, 30 Gals; Signs, 24 SF.

**DBE Goal: 5 %**

**Contract Completion Time: 70 Working Days**

**21. C. Beaver Dam, East Davis Street, S. Spring Street - S. University Avenue; C. Beaver Dam, East Davis Street, S. Spring Street - S. University Avenue;** Dodge County; 6995-00-13, WISC 2022 081; 6995-00-14; Local Street; 0.000 Miles; Grade, Sanitary Sewer, Water Main, Storm Sewer, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Lighting, Signing, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 7,720 CY; Base Aggregate Dense, 4,196 Ton; Base Aggregate Open Graded, 10 CY; Breaker Run, 5,800 Ton; Concrete Pavement, 8,189 SY; Marking Epoxy, 1,571 LF; Construction Staking, 5,307 LF; Construction Staking, 66 Each; Construction Staking, 2 LS; Conduit, 41 LF; Storm Sewer Pipe, 13 LF 10", 318 LF 12", 28 LF 15", 349 LF 18", 233 LF 24", 428 LF 30", 94 LF 36"; Concrete Curb, 350 LF; Concrete Curb and Gutter, 4,555 LF; Concrete Sidewalk, 23,675 SF; Asphaltic Surface, 29 Ton; Tack Coat, 3 Gals; Signs, 132 SF; Pull Boxes, 2 Each; Fire Hydrant, 6 Each; Sanitary Sewer Pipe, 2,550 LF; PVC Water Main, 2,610 LF; Sanitary Lateral, 1,470 LF; Water Service, 1,540 LF.

**DBE Goal: 10 %**

**Contract Completion Date: October 1, 2022**

**22. IH 90 to STH 16, CTH B and CP RR Bridge, B-32-69;** LaCrosse County; 7048-00-80, WISC 2022 082; CTH C; 0.106 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Signs, Beam Guard, Pavement Marking, and Bridge Rehabilitation.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 855 CY; Backfill Structure, 158 Ton; Base Aggregate Dense, 1,220 Ton; Breaker Run, 70 Ton; Concrete Pavement, 164 SY; Concrete Masonry Bridges, 546 CY; Bar Steel Reinforcement Coated, 136,290 Lbs; Marking Epoxy, 2,460 LF; Construction Staking, 1,009 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 46 LF; Beam Guard, 237 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 277 Ton; Tack Coat, 55 Gals; Signs, 25 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 70 Working Days**

**23. LaCrosse - Sparta, .27 Mi. E. of LaCrosse R to Big CK;** LaCrosse County; 7570-05-64, WISC 2022 083; STH 16; 8.071 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, and Culvert Replacement.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 3 CY; Base Aggregate Dense, 6,353 Ton; Marking Epoxy, 48,901 LF; Construction Staking, 91,624 LF; Construction Staking, 1 LS; Culvert Pipe, 58 LF 18", 20 LF 24"; Concrete Curb and Gutter, 457 LF; Concrete Sidewalk, 468 SF; Beam Guard, 9,604 LF; Beam Guard Energy Absorbing Terminals, 40 Each; Asphaltic Surface, 13 Ton; HMA Pavement, 38,720 Ton; Tack Coat, 8,884 Gals; Mill and Relay, 149,312 SY.

**DBE Goal: 5 %**

**Contract Completion Date: June 30, 2022**

**24. I-43 North South Freeway, W. County Line Road Interchange;** Milwaukee and Ozaukee Counties; 1229-04-74, WISC 2022 106; IH 43; 1.470 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Bridge Construction, Box Culvert Construction, Retaining Walls, Noise Barrier Wall, Sign Structures, Signs, Pavement Markings, Guardrail, Concrete Barrier, Fence, Street Lighting, and Traffic Signals.

**Guaranty Required: \$1,000,000.00**

**Estimate of Principal Items:** Excavation Common, 164,092 CY; Backfill Structure, 12,442 Ton; Base Aggregate Dense, 106,057 Ton; Base Aggregate Open Graded, 730 Ton; Breaker Run, 185,920 Ton; Concrete Pavement, 145,580 SY; Concrete Masonry Bridges, 1,294 CY; Concrete Masonry Culverts, 930 CY; Concrete Masonry Retaining Walls, 895 CY; Prestressed Girders, 2,643 LF 36-Inch, 3,470 LF 45-Inch; Bar Steel Reinforcement, 161,570 Lbs; Bar Steel Reinforcement Coated, 700,910 Lbs; Piling CIP Concrete, 15,480 LF 12 3/4-Inch; Marking Tape, 10,370 LF; Marking Epoxy, 87,897 LF; Conduit, 23,493 LF; Culvert Pipe, 72 LF 12", 55 LF 15"; Storm Sewer Pipe, 6,003 LF 15", 2,697 LF 36", 230 LF 12", 8,113 LF 18", 1,245 LF 42", 782 LF 84", 5,656 LF 24", 303 LF 48", 633 LF 30", 668 LF 60"; Storm Sewer Pipe Horizontal Elliptical, 361 LF; Concrete Curb, 25 LF; Concrete Curb and Gutter, 20,160 LF; Concrete Sidewalk, 75,480 SF; Beam Guard, 124 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 300 Ton; HMA Pavement, 22,390 Ton; Tack Coat, 6,300 Gals; Signs, 4,769 SF; Base Patching Asphaltic, 2,600 SY; Concrete Driveway, 620 SY; Bar Steel HS Stainless, 7,440 Lbs; Polymer Overlay, 2,153 SY; Sign Structures, 5 LS; Noise Barrier Wall, 67,350 SF; Concrete Barrier, 36,055 LF; Chain Link Fence, 13,838 LF; Light Poles, 21 Each; Traffic Signal Standards, 19 Each; Roadway Embankment, 87,605 CY; HPC Masonry Structures, 2,312 CY; Wall Concrete Panel MSE, 41,062 SF; Excavation, Hauling and Disposal of Contaminated Soil, 1,907 Ton.

**\*\*\* NON-MANDATORY PRE-BID MEETING \*\*\***

A Non-Mandatory Pre-Bid Meeting will be held at 2 PM on November 16, 2021.

For further information, please see the special provisions.

**DBE Goal: 10 %**

**Contract Completion Date: June 30, 2023**

**25. STH 11, IH 94 - Ohio Street; STH 20, IH 94 - STH 31;** Racine County; 1320-16-71, WISC 2022 084; 2250-14-71, WISC 2022 085; STH 11; STH 20; 0.000 Miles; Signals and Signing.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Conduit, 11,070 LF; Signs, 90 SF; Pull Boxes, 40 Each; Communication Vault, 5 Each; Poles, 3 Each.

**DBE Goal: 7 %**

**Contract Completion Time: 55 Working Days**

**26. Mill Road, Bridge Over Oak Creek, B-40-0936;** Milwaukee County; 2575-03-70; Local Street; 0.000 Miles; Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Pavement Marking, and a Structure.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 169 CY; Base Aggregate Dense, 281 Ton; Concrete Masonry Bridges, 2 CY; Bar Steel Reinforcement, 400 Lbs; Marking Epoxy, 260 LF; Construction Staking, 520 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 260 LF; Concrete Sidewalk, 1,164 SF; HMA Pavement, 102 Ton; Tack Coat, 64 Gals; Signs, 6 SF; Epoxy Injection Crack Repair, 300 LF; Riprap, 36 CY.

**DBE Goal:** NA

**Contract Completion Time:** 60 Working Days

**27. Goold Street, Douglas Avenue to Main Street;** Racine County; 2703-11-70, WISC 2022 086; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Lighting, Signing, and Pavement Marking.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 16,045 CY; Base Aggregate Dense, 6,592 Ton; Base Aggregate Open Graded, 28 Ton; Breaker Run, 14,023 Ton; Concrete Pavement, 15,468 SY; Marking Epoxy, 7,586 LF; Construction Staking, 10,071 LF; Construction Staking, 128 Each; Construction Staking, 2 LS; Conduit, 3,821 LF; Culvert Pipe, 1,537 LF 12", 98 LF 15", 14 LF 30"; Concrete Curb, 155 LF; Concrete Curb and Gutter, 6,681 LF; Concrete Sidewalk, 19,814 SF; Asphaltic Surface, 46 Ton; Signs, 278 SF; Pull Boxes, 7 Each; Concrete Bases, 26 Each; Poles, 25 Each.

**DBE Goal:** 15 %

**Contract Completion Date:** August 22, 2022

**28. Manitowoc - Green Bay, STH 310 - Devil's River State Trail; Manitowoc - Green Bay, Devil's River State Trail - STH 96; Manitowoc - Green Bay, Pleasant Road - CTH R;** Manitowoc County; 1227-12-71, WISC 2022 104; 1227-12-72, WISC 2022 105; 1227-12-73; IH 43; IH 43; CTH Z; 15.676 Miles; Concrete Pavement Repair, Base Patching, Milling, Asphalt Pavement, Base, Culvert Pipe, Storm Sewer, Bridge Rehabilitation, Guardrail, Fence, Curb and Gutter, Signs, Pavement Markings, and Trees.

**Guaranty Required: \$560,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 26,767 Ton; Concrete Masonry Bridges, 39 CY; Concrete Masonry Overlay, 159 CY; Prestressed Girders, 121 LF 70-Inch; Bar Steel Reinforcement Coated, 14,880 Lbs; Marking Tape, 58,227 LF; Marking Epoxy, 370,944 LF; Construction Staking, 193,667 LF; Construction Staking, 4 Each; Construction Staking, 4 LS; Culvert Pipe, 261 LF 18"; Storm Sewer Pipe, 118 LF 18"; Concrete Curb and Gutter, 1,398 LF; Beam Guard, 92,604 LF; Beam Guard Energy Absorbing Terminals, 72 Each; Asphaltic Surface, 90 Ton; HMA Pavement, 161,736 Ton; Removing Asphaltic Surface Milling, 756,315 SY; Tack Coat, 94,178 Gals; Signs, 4,615 SF; Removing Concrete Surface Partial Depth, 1,746 SF; Base Patching Concrete, 9,317 SY; Pigmented Surface Sealer, 5,201 SY; Protective Surface Treatment Reseal, 423 SY; Preparation Decks, 765 SY; Cleaning Decks, 2,171 SY; Concrete Surface Repair, 589 SF; Woven Wire Fence, 168,770 LF; Trees, 25,860 LF; Concrete Pavement Repair, 10,878 SY.

**DBE Goal: 14 %**

**Contract Completion Date: November 4, 2022**

**29. W. Johnson Street, C. of Fond du Lac, Pioneer Road Intersection;** Fond du Lac County; 1440-40-71, WISC 2022 087; USH 45; 0.118 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Pavement Markings, Signs, Street Lighting, and Traffic Signals.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 1,419 CY; Borrow, 279 CY; Base Aggregate Dense, 2,092 Ton; Concrete Pavement, 1,550 SY; Marking Epoxy, 3,779 LF; Construction Staking, 2,868 LF; Construction Staking, 22 Each; Construction Staking, 2 LS; Conduit, 3,839 LF; Culvert Pipe, 145 LF 30"; Storm Sewer Pipe, 276 LF 12", 46 LF 15"; Concrete Curb, 55 LF; Concrete Curb and Gutter, 1,344 LF; Concrete Sidewalk, 4,845 SF; Asphaltic Surface, 54 Ton; HMA Pavement, 299 Ton; Tack Coat, 59 Gals; Signs, 155 SF; Concrete Pavement Replacement, 760 SY; Light Poles, 6 Each; Traffic Signal Standards, 6 Each.

**DBE Goal: 15 %**

**Contract Completion Time: 50 Working Days**



**30. Howards Grove - Kiel, STH 32/57 South Junction - STH 67;** Manitowoc County; 4085-48-71, WISC 2022 088; STH 32; 0.000 Miles; Milling, Culvert Pipe, Culvert Liners, Base, Concrete Pavement, Asphalt Pavement, Beam Guard, Electrical, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 4,825 Ton; Concrete Pavement, 713 SY; Marking Tape, 9,123 LF; Marking Epoxy, 89,854 LF; Construction Staking, 43,179 LF; Construction Staking, 1 LS; Conduit, 10 LF; Culvert Pipe, 174 LF 18"; Beam Guard, 2,891 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 50 Ton; HMA Pavement, 34,946 Ton; Removing Asphaltic Surface Milling, 161,318 SY; Tack Coat, 15,700 Gals; Culvert Pipe Liners, 173 LF; Riprap, 37 CY; Concrete Base, 1 Each.

**DBE Goal: 8 %**

**Contract Completion Time: 45 Working Days**

**31. C. Sheboygan, Indiana Avenue, Esslingen Park to South 24th Street;** Sheboygan County; 4291-02-71, WISC 2022 107; Local Street; 0.000 Miles; Grade, Storm Sewer, Sanitary Sewer, Water Main, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Signals, Lighting, Pavement Marking, and a Structure.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 18,561 CY; Base Aggregate Dense, 18,831 Ton; Breaker Run, 10,555 Ton; Concrete Pavement, 10,816 SY; Concrete Masonry Bridges, 122 CY; Bar Steel Reinforcement Coated, 11,060 Lbs; Marking Paint, 19,138 LF; Construction Staking, 16,550 LF; Construction Staking, 76 Each; Construction Staking, 2 LS; Conduit, 8,000 LF; Storm Sewer Pipe, 10 LF 10", 1,134 LF 12", 14 LF 19", 250 LF 15", 21 LF 18", 13 LF 30", 82 LF 36"; Concrete Curb, 89 LF; Concrete Curb and Gutter, 10,181 LF; Concrete Sidewalk, 10,446 SF; Beam Guard, 146 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 647 Ton; HMA Pavement, 2,460 Ton; Signs, 479 SF; Riprap, 36 CY; Pull Boxes, 25 Each; Concrete Bases, 48 Each; Poles, 46 Each; Sanitary Sewer 10-Inch, 20 LF; Water Main PVC, 2,531 LF.

**DBE Goal: 14 %**

**Contract Completion Date: October 21, 2022**

**32. T. Ahnapee, Willow Drive, Silver Creek Bridge;** Kewaunee County; 4375-06-71, WISC 2022 089; Local Street; 0.028 Miles; Excavation Common, Backfill Structure, Concrete Masonry Bridges, HS Bar Steel Reinforcement, HS Bar Steel Reinforcement Coated, Piling Steel, Pavement Marking Epoxy, MGS Guardrail, Asphaltic Surface, Signs, and Railing Tubular Type M.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 250 CY; Backfill Structure, 660 Ton; Base Aggregate Dense, 360 Ton; Concrete Masonry Bridges, 189 CY; Bar Steel Reinforcement, 4,430 Lbs; Bar Steel Reinforcement Coated, 22,750 Lbs; Piling Steel, 396 LF 10-Inch; Marking Epoxy, 2,600 LF; Construction Staking, 579 LF; Construction Staking, 2 LS; Culvert Pipe, 10 LF 30"; Beam Guard, 331 LF; Asphaltic Surface, 65 Ton; Tack Coat, 20 Gals; Signs, 12 SF; Railing Tubular Type M, 98 LF.

**DBE Goal: 7 %**

**Contract Completion Time: 35 Working Days**

**33. Howards Grove - Manitowoc, Silver Creek Bridge;** Manitowoc County; 4570-24-71, WISC 2022 090; STH 42; 0.122 Miles; Excavation Common, Borrow, Backfill Structure, Base Aggregate Dense, Concrete Pavement, Prestressed Girders, HS Bar Steel Reinforcement, HS Bar Steel Reinforcement Coated, Piling Steel, Marking Epoxy, Construction Staking, Concrete Curb and Gutter, Steel Plate Beam Guard, MGS Guardrail, HMA Pavement, Tack Coat, and Turbidity Barrier.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 806 CY; Borrow, 1,244 CY; Backfill Structure, 835 Ton; Base Aggregate Dense, 1,211 Ton; Concrete Pavement, 179 SY; Concrete Masonry Bridges, 360 CY; Prestressed Girders, 380 LF 36-Inch; Bar Steel Reinforcement, 7,180 Lbs; Bar Steel Reinforcement Coated, 39,340 Lbs; Piling Steel, 2,045 LF 10-Inch; Marking Epoxy, 1,835 LF; Construction Staking, 2,074 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 84 LF; Beam Guard, 468 LF; Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement, 433 Ton; Tack Coat, 186 Gals; Turbidity Barrier, 414 SY.

**DBE Goal: 5 %**

**Contract Completion Time: 50 Working Days**

**34. Portage - Coloma, Columbia Co. Line - Waushara Co. Line, NB;** Marquette County; 1166-04-82, WISC 2022 091; IH 39; 23.808 Miles; Grading, Base, Milling, Concrete Pavement Repair, Asphalt Pavement, Guardrail, Fencing, and Pavement Markings.

**Guaranty Required: \$290,000.00**

**Estimate of Principal Items:** Excavation Common, 10,580 CY; Borrow, 1,240 CY; Base Aggregate Dense, 23,046 Ton; Marking Tape, 31,784 LF; Marking Epoxy, 297,488 LF; Construction Staking, 160,191 LF; Construction Staking, 1 LS; Beam Guard, 5,721 LF; Beam Guard Energy Absorbing Terminals, 23 Each; Asphaltic Surface, 1,407 Ton; HMA Pavement, 107,462 Ton; Removing Asphaltic Surface Milling, 535,080 SY; Tack Coat, 59,245 Gals; Concrete Pavement Repair, 340 SY; Concrete Pavement Replacement, 750 SY; Woven Wire Fence, 180 LF.

**DBE Goal: 7 %**

**Contract Completion Date: October 30, 2022**

**35. CTH L - North County Line, North Br. County Line Creek Bridge; CTH L - North County Line, South Br. County Line Creek Bridge;** Marathon County; 9491-06-72, WISC 2022 092; 9491-06-73, WISC 2022 093; CTH K; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Beam Guard, Signing, Pavement Marking, and Structures.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 1,008 CY; Borrow, 435 CY; Backfill Structure, 810 Ton; Base Aggregate Dense, 1,505 Ton; Concrete Pavement, 320 SY; Concrete Masonry Bridges, 654 CY; Prestressed Girders, 350 LF 36W-Inch; Bar Steel Reinforcement, 15,270 Lbs; Bar Steel Reinforcement Coated, 69,760 Lbs; Piling Steel, 1,620 LF 10-Inch; Marking Epoxy, 1,028 LF; Construction Staking, 2,153 LF; Construction Staking, 4 LS; Beam Guard, 583 LF; Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 360 Ton; Tack Coat, 87 Gals; Signs, 35 SF; Steel Diaphragms, 4 Each; Railing Tubular Type M, 362 LF; Riprap, 665 CY; Flashing Stainless Steel, 336 LF.

**DBE Goal: 5 %**

**Contract Completion Time: 100 Working Days**

**36. T. Plum Lake, CTH N, Plum Creek Bridge, B-63-0030;** Vilas County; 9509-00-70, WISC 2022 094; CTH N; 0.000 Miles; Grade, Culvert Pipe, Base, Asphalt Pavement, Curb and Gutter, Beam Guard, Signing, Pavement Marking, and a Structure.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 752 CY; Backfill Structure, 400 Ton; Base Aggregate Dense, 1,359 Ton; Concrete Masonry Bridges, 203 CY; Bar Steel Reinforcement, 5,420 Lbs; Bar Steel Reinforcement Coated, 23,980 Lbs; Piling CIP Concrete, 1,485 LF 10 3/4-Inch; Marking Epoxy, 1,800 LF; Construction Staking, 1,219 LF; Construction Staking, 2 LS; Storm Sewer / Culvert Pipe Horizontal Elliptical or Pipe Arch, 30 LF 17" X 13"; Concrete Curb and Gutter, 35 LF; Beam Guard, 158 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 396 Ton; Tack Coat, 96 Gals; Signs, 15 SF; Riprap, 177 CY.

**DBE Goal: 5 %**

**Contract Completion Date: May 27, 2022**

**37. C. River Falls, Cemetery Road, South Main Street to STH 65;** Pierce County; 7640-00-72, WISC 2022 101; STH 29; 1.223 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, and Pavement Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 441 CY; Base Aggregate Dense, 728 Ton; Marking Epoxy, 16,880 LF; Construction Staking, 446 LF; Construction Staking, 29 Each; Construction Staking, 1 LS; Concrete Curb and Gutter, 852 LF; Concrete Sidewalk, 2,673 SF; HMA Pavement, 5,690 Ton; Removing Asphaltic Surface Milling, 28,230 SY; Tack Coat, 3,457 Gals.

**DBE Goal: 9 %**

**Contract Completion Time: 50 Working Days**

**38. WCL - CTH M, Roger Creek Bridge, B-10-0391;** Clark County; 7834-03-72, WISC 2022 095; CTH NN; 0.052 Miles; Excavation Common, Borrow, Backfill Structure, Base Aggregate Dense, Concrete Masonry Bridges, HS Bar Steel Reinforcement, HS Bar Steel Reinforcement Coated, Piling Steel, Rail Tubular Type M, MGS Guardrail, Asphaltic Surface, Tack Coat, Signs, Construction Staking, and Marking Line Epoxy.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 370 CY; Borrow, 140 CY; Backfill Structure, 520 Ton; Base Aggregate Dense, 880 Ton; Concrete Masonry Bridges, 192 CY; Bar Steel Reinforcement, 4,880 Lbs; Bar Steel Reinforcement Coated, 23,030 Lbs; Piling Steel, 630 LF HP 10-Inch; Marking Epoxy, 630 LF; Construction Staking, 687 LF; Construction Staking, 2 LS; Beam Guard, 160 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 180 Ton; Tack Coat, 40 Gals; Signs, 12 SF; Turbidity Barrier, 375 SY; Railing Tubular Type M, 100 LF.

**DBE Goal: 4 %**

**Contract Completion Time: 40 Working Days**

**39. STH 35 - USH 10, Great River Road to USH 10;** Pierce County; 7896-02-70, WISC 2022 096; CTH A; 7.627 Miles; Base Aggregate Dense, Asphaltic Surface, Tack Coat, Signs, Traffic Control, Asphalt Centerline Rumble Strips, Pavement Marking Epoxy, and Construction Staking.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Base Aggregate Dense, 60 Ton; Marking Epoxy, 160,385 LF; Construction Staking, 40,300 LF; Construction Staking, 1 LS; Asphaltic Surface, 174 Ton; Tack Coat, 35 Gals; Signs, 1,150 SF; Asphalt Centerline Rumble Strips, 37,408 LF.

**DBE Goal: 7 %**

**Contract Completion Time: 20 Working Days**

**40. Cylon - Amery, STH 64 to Snow Street; Cylon - Amery, STH 64 to Snow Street;** St. Croix and Polk Counties; 8072-00-70, WISC 2022 097; 8072-00-71, WISC 2022 098; STH 46; 0.000 Miles; Milling, Culvert Pipe, Base, Asphalt Pavement, Curb and Gutter, Beam Guard, Signals, Lighting, Pavement Marking, and a Structure.

**Guaranty Required: \$100,000.00**

**Estimate of Principal Items:** Backfill Structure, 23 CY; Base Aggregate Dense, 5,550 Ton; Bar Steel Reinforcement, 100 Lbs; Marking Epoxy, 173,907 LF; Construction Staking, 61,293 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Conduit, 70 LF; Culvert Pipe, 165 LF 24"; Concrete Curb and Gutter, 1,725 LF; Beam Guard, 1,062 LF; Beam Guard Energy Absorbing Terminals, 15 Each; Asphaltic Surface, 765 Ton; HMA Pavement, 45,900 Ton; Removing Asphaltic Surface Milling, 233,530 SY; Tack Coat, 30,150 Gals; Epoxy Crack Sealing, 20 LF; Concrete Bases, 2 Each; Poles, 2 Each.

**DBE Goal: 3 %**

**Contract Completion Time: 40 Working Days**

**41. T. Pilsen, Old USH 2, Pine Creek Bridge, B-04-0123;** Bayfield County; 8354-00-70; Local Street; 0.028 Miles; Excavation Common, Backfill Structure, Base Aggregate Dense, Concrete Masonry Bridges, HS Bar Steel Reinforcement, Piling CIP Concrete, Construction Staking, MGS Guardrail, Steel Plate Beam Guard, Asphaltic Surface, Tack Coat, Signs, and Railing Tubular Type M.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 198 CY; Backfill Structure, 1,080 Ton; Base Aggregate Dense, 345 Ton; Concrete Masonry Bridges, 210 CY; Bar Steel Reinforcement, 4,680 Lbs; Bar Steel Reinforcement Coated, 22,850 Lbs; Piling CIP Concrete, 700 LF 10 3/4-Inch; Construction Staking, 636 LF; Construction Staking, 2 LS; Beam Guard, 185 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 70 Ton; Tack Coat, 41 Gals; Signs, 12 SF; Railing Tubular Type M, 101 LF.

**DBE Goal: NA**

**Contract Completion Time: 45 Working Days**

**42. T. Alden, West Church Road, Apple River Bridge, P-48-0063;** Polk County; 8397-00-71, WISC 2022 099; Local Street; 0.044 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Signs, and Bridge Rehabilitation.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 160 CY; Base Aggregate Dense, 425 Ton; Concrete Masonry Overlay Decks, 40 CY; Construction Staking, 849 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 209 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 50 Ton; Tack Coat, 20 Gals; Signs, 12 SF.

**DBE Goal: 3 %**

**Contract Completion Time: 35 Working Days**

**43. T. Lenroot, Tag Alder Road, Namekagon River Bridge, B-57-0091;** Sawyer County; 8452-00-70; Local Street; 0.038 Miles; Excavation Common, Borrow, Base Aggregate Dense, Select Crushed Material, Concrete Masonry Bridges, Bar Steel Reinforcement, Bar Steel Reinforcement Coated, Steel Piling, Asphaltic Surface, Tack Coat, and Railing Type M.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 62 CY; Borrow, 16 CY; Backfill Structure, 220 Ton; Base Aggregate Dense, 129 Ton; Select Crushed Material, 80 Ton; Concrete Masonry Bridges, 281 CY; Bar Steel Reinforcement, 4,560 Lbs; Bar Steel Reinforcement Coated, 56,195 Lbs; Piling Steel, 540 LF HP-10-Inch; Construction Staking, 288 LF; Construction Staking, 2 LS; Asphaltic Surface, 50 Ton; Tack Coat, 16 Gals; Railing Type M, 254 LF.

**DBE Goal: NA**

**Contract Completion Time: 45 Working Days**

**44. Hawkins - NCL, Skinner Creek Bridge, B-54-0135;** Rusk County; 8771-00-70, WISC 2022 100; CTH M; 0.032 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 153 CY; Backfill Structure, 304 Ton; Base Aggregate Dense, 250 Ton; Concrete Masonry Bridges, 178 CY; Prestressed Girders, 288 LF 36-Inch; Bar Steel Reinforcement, 3,430 Lbs; Bar Steel Reinforcement Coated, 21,630 Lbs; Piling CIP Concrete, 420 LF 12 3/4-Inch; Construction Staking, 300 LF; Construction Staking, 2 LS; Asphaltic Surface, 68 Ton; Tack Coat, 18 Gals; Signs, 12 SF.

**DBE Goal: 3 %**

**Contract Completion Time: 45 Working Days**

By order of:

Rebecca Burkel  
Administrator  
Division of Transportation System Development