



Wisconsin Department of Transportation

January 10, 2022

**Division of Transportation Systems
Development**

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

**Proposal #17: 1090-08-71, WISC 2022119
IH 43 Rock Freeway
Moorland Rd to Hale I/C
IH 43
Waukesha & Milwaukee County**

Letting of January 11, 2022

This is Addendum No. 02, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
77	Base Patching

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

1090-08-71

January 10, 2022

Special Provisions

77. Base Patching.

Replace standard spec 390.2 Materials with the following:

390.2 Materials

- (1) The contractor may use either concrete or asphaltic mixture.
- (2) Furnish concrete conforming to 501, except use of supplementary cementitious materials of 501.3.2.2.2 are not required for high early strength (HES) and special high early strength (SHES) concrete mixes. Provide QMP for class II ancillary concrete as specified in 716.
- (3) Furnish concrete conforming to the requirements specified for high early strength concrete, grade B under 501, except that under the Base Patching Concrete SHES bid item, furnish concrete as specified for SHES concrete repair and replacement in 416.2. Provide QMP for class II ancillary concrete as specified in 716.
- (4) Furnish asphaltic mixture as specified for asphaltic base under 315.2
- (5) Furnish dowel bars and tie bars as the plans show and conforming to 505.2.6

END OF ADDENDUM