



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

February 28, 2022

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #20: 2707-06-70, WISC 2022244
18th Avenue
Vogt Drive to Paradise Drive
Local Street
Washington County

Letting of March 8, 2022

This is Addendum No. 01, which provides for the following:

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
611.0624	Inlet Covers Type H	EACH	29	1	30

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
60	Miscellaneous Quantities: Revised storm sewer structures table.

Schedule of Items

Attached, dated February 28, 2022, are the revised Schedule of Items Page 3.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 60

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

END OF ADDENDUM

STORM SEWER STRUCTURES (2 OF 2)

STRUCTURE NUMBER	STATION	OFFSET	RIM ELEV.	INVERT ELEV.	STR DEPTH	TYPE H	INLET COVERS	CATCH BASINS	CATCH BASINS	MANHOLES	MANHOLES	MANHOLES	CONSTRUCTION		CATCH BASINS	CATCH BASINS	CATCH BASINS	MANHOLE TYPE	MANHOLE TYPE	COVERS TYPE	COVERS TYPE	INLET BEHIVE A	INLET BEHIVE B	COMMENTS	
													DIA	DIAMETER											DIAMETER
50C	33+50.00	17.00'	992.55	988.45	3.60	-	1	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
50	33+50.00	5.50'	992.76	986.72	5.37	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	CONNECT PIPE UNDER DRAIN 6-INCH TO SOUTH SIDE OF STRUCTURE. INVERT ELEV = 988.16
55A	35+00.00	38.41'	991.00	989.00	3.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CONNECT PIPE UNDER DRAIN 6-INCH TO NORTH SIDE OF STRUCTURE. INVERT ELEV = 988.11
55B	34+90.00	17.00'	991.50	987.50	3.80	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
55C	35+00.00	17.00'	991.89	987.40	3.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
55D	35+00.00	13.44'	989.75	987.75	3.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
55E	34+90.00	17.00'	991.90	987.60	3.80	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	CONNECT PIPE UNDER DRAIN 6-INCH TO SOUTH SIDE OF STRUCTURE. INVERT ELEV = 988.16
55F	35+00.00	17.00'	991.89	987.40	3.99	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	CONNECT PIPE UNDER DRAIN 6-INCH TO NORTH SIDE OF STRUCTURE. INVERT ELEV = 988.11
55	35+00.00	5.50'	992.10	984.67	6.26	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
60A	37+50.00	17.00'	992.18	986.62	5.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
60B	37+50.00	17.00'	992.18	986.40	5.28	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
60	37+50.00	5.50'	992.39	983.67	7.55	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
65A	39+50.00	40.72'	988.03	983.83	6.20	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65B	39+50.00	17.00'	990.19	983.60	7.59	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
65	39+50.00	5.50'	990.40	982.37	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
70A	39+50.00	17.00'	990.19	982.32	8.87	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	FLAT TOP SLAB WITH 2'x3' FT OPENING
70B	39+50.00	45.5'	987.50	985.50	3.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
70	39+50.00	31.47'	991.01	982.27	7.58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2006	42+09.18	30.7'	988.79	983.23	6.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUBTOTALS			9	2	0	1	7	0	2	1	4	19	1	3	6	0	3	6	0	0	0	0	0	3	6
TOTAL 0010			30	6	2	4	25	10	1	3	1	4	59	3	6	18	2	6	2	2	2	2	2	6	6

1. RIM ELEVATIONS ARE GIVEN AT THE FLANGE LINE OF STRUCTURES WITHIN CURB LINES. RIM ELEVATIONS ARE GIVEN AT THE CENTER OF ALL OTHER STRUCTURES.
2. STATIONS AND OFFSETS ARE TO THE CENTER OF STRUCTURES.
3. STRUCTURE DEPTH FOR CATCH BASINS 4 FT DIAMETER, CATCH BASINS 5 FT DIAMETER, AND CATCH BASINS 2'x3 FT.
4. STRUCTURE DEPTH FOR MANHOLES 4 FT, 5 FT, 6 FT, 7 FT, 8 FT, AND 9 FT DIAMETERS.
5. STRUCTURE DEPTH FOR CATCH BASINS MEDIAN 2 GRATE.
6. STRUCTURE DEPTH FOR CATCH BASINS TYPE B.
7. CASTING HEIGHT = 6" FOR TYPES C COVERS, 8" FOR TYPE WB COVERS, AND 8" FOR TYPE BEHIVE A COVERS. CASTING HEIGHT FOR TYPES COVERS AND TYPE BEHIVE B COVERS ARE NOT INCLUDED IN STRUCTURE DEPTH CALCULATIONS.

PIPE UNDERDRAIN

CATEGORY	STATION	TO	STATION	LOCATION	LF	SY
0010	20+15	-	20+65	RT & LT	100	67
0010	20+80	-	21+30	RT & LT	100	67
0010	34+40	-	34+90	RT & LT	100	67
0010	35+00	-	35+50	RT & LT	100	67
TOTAL 0010					400	268

TEMPORARY FENCE

CATEGORY	STATION	TO	STATION	LOCATION	LF	SY
0010	15+65	-	21+00	LT & RT	830	830
0010	21+00	-	27+00	LT	605	605
TOTAL 0010					1,435	1,435

MAINTENANCE AND REPAIR OF HAUL ROADS

CATEGORY	LOCATION	EACH	SY	
618.0100	MAINTENANCE AND REPAIR OF HAUL ROADS	2707-06-70	1	
TOTAL 0020				1

Addendum No. 01
ID 2707-06-70
Revised Sheet 60
February 28, 2022



Proposal Schedule of Items

Proposal ID: 20220308020 Project(s): 2707-06-70

Federal ID(s): WISC 2022244

SECTION: 0001 Roadway Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0062	608.0318 Storm Sewer Pipe Reinforced Concrete Class III 18-Inch	60.100 LF	_____.	_____.
0064	608.0324 Storm Sewer Pipe Reinforced Concrete Class III 24-Inch	994.600 LF	_____.	_____.
0066	608.0330 Storm Sewer Pipe Reinforced Concrete Class III 30-Inch	132.500 LF	_____.	_____.
0068	608.0336 Storm Sewer Pipe Reinforced Concrete Class III 36-Inch	172.500 LF	_____.	_____.
0070	608.0342 Storm Sewer Pipe Reinforced Concrete Class III 42-Inch	450.000 LF	_____.	_____.
0072	608.0348 Storm Sewer Pipe Reinforced Concrete Class III 48-Inch	285.100 LF	_____.	_____.
0074	608.0412 Storm Sewer Pipe Reinforced Concrete Class IV 12-Inch	185.800 LF	_____.	_____.
0076	608.0424 Storm Sewer Pipe Reinforced Concrete Class IV 24-Inch	277.900 LF	_____.	_____.
0078	608.0436 Storm Sewer Pipe Reinforced Concrete Class IV 36-Inch	71.400 LF	_____.	_____.
0080	611.0624 Inlet Covers Type H	30.000 EACH	_____.	_____.
0082	611.0642 Inlet Covers Type MS	6.000 EACH	_____.	_____.
0084	611.1004 Catch Basins 4-FT Diameter	2.000 EACH	_____.	_____.
0086	611.1005 Catch Basins 5-FT Diameter	4.000 EACH	_____.	_____.
0088	611.1230 Catch Basins 2x3-FT	25.000 EACH	_____.	_____.

