



Wisconsin Department of Transportation

July 27, 2022

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #13 1641-02-72, WISC 2022497
C Lacrosse, South Avenue
Green Bay Street to Ward Avenue
USH 14
La Crosse County

1641-02-82, N/A
C Lacrosse, South Avenue
Green Bay Street to Ward Avenue
USH 14
La Crosse County

Letting of August 09, 2022

This is Addendum No. 02, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
68	Concrete Core and Pour Manhole Casting Adjustment, Storm, Item SPV.0060.137; Concrete Core and Pour Manhole Casting Adjustment, Sanitary, Item SPV.0060.138

Schedule of Items:

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
SPV.0060.137	Concrete Core and Pour Manhole Casting Adjustment, Storm	EACH	0	4	4
SPV.0060.138	Concrete Core and Pour Manhole Casting Adjustment, Sanitary	EACH	0	1	1

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
275	Miscellaneous Quantities: Bid Item SPV.0060.137 was added for the 1641-02-72 Project
17	Miscellaneous Quantities: Bid Item SPV.0060.138 was added for the 1641-02-82 Project

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 02
1641-02-72/1641-02-82
July 27, 2022

Special Provisions

68. Concrete Core and Pour Manhole Casting Adjustment, Storm, Item SPV.0060.137; Concrete Core and Pour Manhole Casting Adjustment, Sanitary, Item SPV.0060.138

A. Description

This special provision describes the installation of Core & Pour Manhole of all manholes within project limits in HMA pavement.

B. Materials

Concrete shall conform to the 2022 WisDOT Standard Specifications for Highway and Structure Construction.

Reinforcement shall conform to the 2022 WisDOT Standard Specification for Highway and Structure Construction.

Aggregate material shall conform to the 2022 WisDOT Standard Specifications for Highway and Structure Construction

C. Construction

The contractor shall give the engineer notice to guarantee GPS equipment availability three (3) days prior to removal of casting and rings of manholes.

The engineer shall work with the contractor and locate the center of the manholes prior to the contractor plating the manholes to ensure Core and Pour is properly centered. Plates will not be used for the location of the structure.

After paving of the project, but three (3) days prior to coring, the contractor shall give the engineer notice to guarantee GPS equipment availability and to locate the center of the structures for the contractor. The engineer will instruct the contractor how the centers are to be marked so there is no confusion of marks.

A 4-foot diameter coring bit shall be used to cut through bituminous cement and aggregate material.

Bituminous cookie and aggregate material shall be removed and excavated to expose plate.

Manhole rings shall be installed at this point to bring casting up to final elevation.

The area shall be backfilled and compacted to within eight (8) inches below the bituminous surface for concrete.

A single #4 3-foot diameter epoxy coated bar shall be placed in the concrete area.

Concrete shall be poured and reinforcement centered in thickness of collar.

Collar shall be finished with a broom finish, excess concrete material removed from casting and casting pockets so casting can be removed.

Once concrete has ample cure time the joint between the concrete and HMA pavement shall be sealed with a CSSI or approved equal sealer. All edges shall be tacked and sand sealed. Any gap between the casting and rings shall be filled with mortar and rings skim coated.

D. Measurement

The department will measure Core & Pour Manholes as each individual unit acceptably completed.

E. Payment

The department will pay for the measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.137	Concrete Core and Pour Manhole Casting Adjustment, Storm	EACH
SPV.0060.138	Concrete Core and Pour Manhole Casting Adjustment, Sanitary	EACH

Payment is full compensation for furnishing all work and all materials required to be acceptably completed including all necessary locating, coring, excavation and disposal of materials, plating, reinforcement, backfilling, aggregate, compacting, concrete pavement, brooming, tacking, sealing, mortar, clearing, and restoration of site of work.

Schedule of Items

Attached, dated July 27, 2022, are the revised Schedule of Items Page 26.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:
1641-02-72 Revised: 275
1641-02-82 Revised: 17

END OF ADDENDUM

(CONT)

STORM SEWER STRUCTURES

STRUCTURE	STATION	OFFSET	LOCATION	RECONSTRUCTING MANHOLES	MANHOLE COVERS TYPE J	INLET COVERS TYPE B	INLET COVERS TYPE HD	INLET COVERS TYPE T	INLET COVERS TYPE Z	INLET COVERS TYPE Z SP	CATCH BASINS 3 FT DIAMETER	CATCH BASINS 4 FT DIAMETER	CATCH BASINS 5 FT DIAMETER	CATCH BASINS 2X3 FT DIAMETER	MANHOLES 4 FT DIAMETER	MANHOLES 5 FT DIAMETER	MANHOLES 6 FT DIAMETER	MANHOLES 7 FT DIAMETER	MANHOLES 8 FT DIAMETER	CONSTRUCTION STAKING SEWER	ELEVATION	RIM	INVERT	DEPTH
19	71+06.31	37.44 RT	ALL US14_EB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	689.88	684.74	4.07	
20	75+96.91	39.75 RT	ALL US14_EB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	674.41	657.00	16.17	
21	76+30.33	4.09 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	674.89	658.38	13.42	
22	76+30.33	4.09 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	674.89	658.38	13.42	
23	76+30.33	4.09 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	674.89	658.38	13.42	
24	81+26.41	5.00 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	671.65	658.54	11.87	
25	81+26.41	23.76 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	671.26	663.23	7.14	
27	83+96.06	5.50 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	671.82	660.81	10.10	
28	88+74.91	6.02 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	671.59	662.24	8.74	
29	90+86.35	42.46 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	672.53	666.02	5.52	
30	90+86.35	42.46 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	672.53	666.02	5.52	
31	90+18.84	46.11 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	672.81	666.71	5.05	
32	99+41.76	8.81 RT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	674.45	666.04	4.44	
33	101+52.58	14.70 RT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	674.08	666.99	6.00	
34	103+41.70	5.90 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	672.89	667.83	4.13	
35	103+41.70	5.90 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	672.89	667.83	4.13	
36	104+43.92	8.05 LT	ALL US14_WB	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	673.47	667.20	5.33	
TOTALS				2	40	62	1	6	58	2	3	122	2	2	15	13	8	2	1	1	168			

REMARKS
 * STATIONS AND OFFSETS ARE TO CENTER OF STRUCTURE
 ** FOR STRUCTURES WITH SUMPS, THE INVERT ELEVATION IS THE ELEVATION OF THE LOWEST PIPE FLOW LINE
 *** DEPTH = RIM ELEV. - TOP OF STRUCTURE BASE ELEV. - COVER HEIGHT - 6-INCH ADJUSTMENT RING HEIGHT

ADJUSTING INLET COVERS

STATION	LOCATION	611.8115 EACH
USH 14		
50+58	36'0" LT	1
ITEM TOTAL		1

CONCRETE CORE AND POUR MANHOLE CASTING ADJUSTMENT, STORM

STATION	LOCATION	SPV 0060.137 EACH	REMARKS
STH 35 - WEST AVENUE			
102+67	11'0" LT	1	ALL_STH_35
101+73	10'8" LT	1	ALL_STH_35
15TH STREET			
50+99	6'6" LT	1	ALL_15TH_ST
THOMPSON STREET			
88+80	10'8" LT	1	ALL_US14_EB
ITEM TOTAL		4	

Addendum No. 01
 ID 1641-02-72
 Revised Sheet 275
 July 27, 2022

NOTE: ALL ITEMS AND QUANTITIES ON THIS SHEET ARE FOR ENGINEER ESTIMATE CATEGORY 0010, UNLESS OTHERWISE NOTED.

Addendum No. 01
 ID 1641-02-82
 Revised Sheet 17
 July 27, 2022

SANITARY SEWER																	
MANHOLE	STATION	LOCATION	OFFSET	SANITARY SEWER WVE 15x4-INCH EACH	MANHOLE 48-INCH I.D. EACH	MANHOLE 48-INCH I.D. PROTECTIVE COATED	MANHOLE 72-INCH I.D. EACH	CONSTRUCTION STAKING SANITARY SEWER EACH	INSTALL SANITARY MANHOLE COVERS EACH	SANITARY SEWER 4-INCH LF	SANITARY SEWER 6-INCH LF	SANITARY SEWER 8-INCH LF	SANITARY SEWER 12-INCH LF	SANITARY SEWER 15-INCH LF	SANITARY SEWER 18-INCH LF	SANITARY SEWER 20-INCH LF	CONCRETE CORE AND POUR MANHOLE CASTING ADJUSTMENT, SANITARY SPV.0060.138 EACH
1	47+78.6	US 14	3.5' LT	-	1	-	-	1	1	-	-	-	-	-	-	20	-
2	50+12.2	US 14	5.5' LT	-	1	-	-	1	1	-	-	-	-	-	10	10	-
3	52+62.2	US 14	7.0' LT	-	-	-	-	-	1	-	-	-	-	-	-	-	-
4	54+32.6	US 14	6.7' LT	-	1	-	-	1	1	-	-	-	-	-	20	-	-
5	57+09.6	US 14	6.5' LT	-	1	-	-	1	1	-	-	-	-	-	20	-	-
6	58+07.0	US 14	6.3' LT	-	1	-	-	1	1	-	-	10	-	-	20	-	-
7	61.95.1	US 14	23.4' LT	-	-	-	1	1	1	-	-	-	20	10	10	-	-
8	66+65.5	US 14	3.3' RT	-	-	-	1	1	1	-	-	-	20	20	-	-	-
9	71+38.8	US 14	2.1' LT	-	-	-	1	1	1	-	-	-	20	20	-	-	-
10	76+12.7	US 14	0.6' LT	-	-	-	1	1	1	-	-	-	20	20	-	-	-
11	80+87.2	US 14	0.3' RT	-	-	-	1	1	1	-	-	-	20	20	-	-	-
-	83+07.0	US 14	0.0' LT	2	-	-	-	1	1	10	-	-	-	15	-	-	-
12	85+70.5	US 14	0.0' LT	-	1	-	-	1	1	-	-	-	-	20	-	-	-
13	90+26.3	US 14	20.7' LT	-	1	-	-	1	1	-	-	-	-	20	-	-	-
14	91+46.6	US 14	18.7' LT	-	1	-	-	1	1	-	10	-	-	20	-	-	-
15	95+20.9	US 14	2.8' LT	-	-	-	1	1	1	-	-	-	10	20	-	-	-
16	99+99.2	US 14	6.7' RT	-	-	1	-	1	1	-	-	-	-	10	-	-	-
17	102+00 A	5TH 35	2.0' RT	-	1	-	-	1	1	-	-	-	20	-	-	-	1
18	90+27.7	US 14	65.7' LT	-	1	-	-	1	1	-	-	-	-	-	-	-	-
20	51+35.0 J	17TH ST	0.6' RT	-	-	-	-	-	1	-	-	-	-	-	-	-	-
TOTALS				2	10	1	6	17	19	10	10	30	130	195	80	30	1



Proposal Schedule of Items

Proposal ID: 20220809013 Project(s): 1641-02-72, 1641-02-82

Federal ID(s): WISC 2022497, N/A

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0726	SPV.0090 Special 030. Reinforced Concrete Curb and Gutter	1,340.000 LF	_____.	_____.
0728	SPV.0090 Special 031. Mountable Concrete Curb and Gutter Integral 18-Inch	326.000 LF	_____.	_____.
0730	SPV.0165 Special 001. Wall Modular Block Gravity Landscape Sta. 56+13'EB'RT	132.000 SF	_____.	_____.
0732	SPV.0165 Special 002. Wall Modular Block Gravity Landscape Sta. 56+20'WB'LT	97.000 SF	_____.	_____.
0734	SPV.0165 Special 003. Wall Modular Block Gravity Landscape Sta. 71+64'WB'LT	229.000 SF	_____.	_____.
0736	SPV.0165 Special 004. Wall Modular Block Gravity Landscape Sta. 73+27'WB'LT	104.000 SF	_____.	_____.
0738	SPV.0165 Special 005. Wall Modular Block Gravity Landscape Sta. 78+72'WB'LT	100.000 SF	_____.	_____.
0740	SPV.0165 Special 006. Wall Modular Block Gravity Landscape Sta. 82+17'EB'RT	51.000 SF	_____.	_____.
0742	SPV.0165 Special 007. Wall Modular Block Gravity Landscape Sta. 84+13'EB'RT	100.000 SF	_____.	_____.
0744	SPV.0165 Special 008. Wall Modular Block Gravity Landscape Sta. 67+83'WB'LT	114.000 SF	_____.	_____.
0746	SPV.0060 Special 137. Concrete Core and Pour Manhole Casting Adjustment, Storm	4.000 EACH	_____.	_____.
0748	SPV.0060 Special 138. Concrete Core and Pour Manhole Casting Adjustment, Sanitary	1.000 EACH	_____.	_____.

Section: 0001

Total: _____.

Total Bid: _____.

