



Wisconsin Department of Transportation

April 6, 2023

**Division of Transportation Systems
Development**

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

**Proposal #03: 1000-57-70, FR-CRS-0068-2
Milwaukee Airport 2nd Platform RR Crossing
393023R to 1200 FT South
STH 119
Milwaukee County**

Letting of April 11, 2023

This is Addendum No. 02, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
51	PIDS, Communications, and Security Work, Item SPV.0060.31
58	Exterior Metal Panels, Item SPV.0060.38

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 02
PROJECT ID 100-57-70
April 6, 2023

Special Provisions

51. PIDS, Communications, and Security Work, Item SPV.0060.31.

Add the following under Section A.6.1 Design and Performance Requirements:

5. Provide and install the VMS system in the new CCTV cabinet in the IT room.

Add the following under Section B.5.2 Equipment:

4. Video Management Software (VMS)
 - a. Cognyte
 - b. See section C.5.3.7.a. for configuration.

Add the following under Section C.5.3 Installation:

7. Integration
 - a. VMS (Video Management System)
 - i. The VMS Server Hardware shall meet or exceed the required performance for running the VMS Software. The VMS hardware shall support both recording and streaming video at 30 frames per second and compressed in MJPEG format. The system shall have the capacity to record a minimum of 30 continuous days of video without overlap.
 - ii. Coordinate with WisDOT for additional details of existing security system.

58. Exterior Metal Panels, Item SPV.0060.38.

Replace entire section titled A.1 SUMMARY with the following:

A.1 SUMMARY

- a. Section Includes:
 - i Exterior Foamed-insulation-core metal wall panels smooth finish.
 - ii Exterior Foamed-insulation-core metal wall panels with horizontal ribbed appearance
 - iii Exterior non insulated horizontal metal panels under bridge construction
 - iii Interior L shaped non insulated steel cladding panels - knee wall under curtain walls
 - iv 9'-1" high interior laminated aluminum panels to full high gypsum board walls at public areas.
-

*Replace item 1. under section titled **B.4 MISCELLANEOUS MATERIALS** with the following:*

1. Miscellaneous Metal Subframing and Furring: ASTM C645, cold-formed, metallic-coated steel sheet, ASTM A653/A653M, G90 (Z275 hot-dip galvanized) coating designation or ASTM A792/A792M, Class AZ50 (Class AZM150) aluminum-zinc-alloy coating designation unless otherwise indicated. Provide manufacturer's standard sections as required for support and alignment of metal panel system.

For Exterior non insulated horizontal metal panels, provide all necessary miscellaneous structural steel frame components to comply with B.1 PERFORMANCE REQUIREMENTS and structural wind loads performance indicated in the plans.

END OF ADDENDUM
