



# Wisconsin Department of Transportation

## Division of Transportation Systems Development

Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

November 30, 2023

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

### NOTICE TO ALL CONTRACTORS:

**Proposal #07: 5145-00-71**  
**Mazomanie – USH 12**  
**STH 78 to USH 12**  
**STH 19**  
**Dane County**

### Letting of December 12, 2023

This is Addendum No. 01, which provides for the following:

#### Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
205.0100	Excavation Common	CY	280,598	7,000	287,598

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
209.2500	Backfill Granular Grade 2	TON	0	14,570	14,570

#### Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
16	Revised Construction Detail "Cross Drain Installation Detail" to define pay limits for Common Excavation and Backfill Granular Grade 2.
179	Revised Miscellaneous Quantity sheet, Base Course Summary Table, to include bid item 209.2500, Backfill Granular Grade 2.
180	Revised Miscellaneous Quantity sheet, Earthwork Summary Table, to reflect the changes in bid item 205.0100, Excavation Common, and to update Notes (3) & (11),
461	Revised Earthwork Detail sheet, Note 5 – Expanded EBS, to say "Will be backfilled with Engineer approved material from project excavation".

**Schedule of Items**

Attached, dated November 30, 2023, are the revised Schedule of Items Pages 1 and 17.

**Plan Sheets**

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:  
Revised: 16, 179, 180, and 461.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

END OF ADDENDUM


STATION	DIAMETER	D(FT)
0+70	24"x38"	2'
3+89	19"x30"	1.6'
7+4	19"x30"	1.1'
7+24	19"x30"	1.1'
21+12	14"x23"	1.8'
21+19	14"x23"	1.8'
27+19	29"x45"	1.3'
39+75	24"x38"	2.1'
39+83	24"x38"	2.1'
39+89	24"x38"	2'
46+43	24"x38"	1.4'
75+66	34"x53"	1.3'
75+78	34"x53"	1.3'
80+13	19"x30"	1.2'
89+13	19"x30"	1.1'
103+41	19"x30"	1.3'
120+73	24"x38"	1.1'
120+80	24"x38"	1.1'
120+87	24"x38"	1.1'
129+92	24"x38"	1.7'
143+81	19"x30"	1.9'
146+55	19"x30"	1.4'
149+85	19"x30"	2'
165+00	30"	2'
171+06	19"x30"	1.6'
211+05	19"x30"	2.2'
218+42	19"x30"	2.2'
248+23	19"x30"	1.8'
248+29	19"x30"	1.8'
286+25	30"	2.3'
288+03	38"x60"	2.6'
288+12	38"x60"	2.8'
463+50	19"x30"	2.4'
467+47	38"x60"	2.8'
467+56	38"x60"	2.8'
467+65	38"x60"	2.8'

STATION	DIAMETER	D(FT)
182+99	24"	5.7'
491+21	24"	5.8'

LEGEND  
 COMMON EXCAVATION & BACKFILL GRANULAR GRADE 2 PAID SEPARATELY  
 EXCAVATION & BACKFILL GRANULAR GRADE 2 INCIDENTAL TO REMOVING SMALL PIPE CULVERTS




Addendum No. 01  
 ID 5145-00-71  
 Revised Sheet 16  
 November 30, 2023



CROSS DRAIN INSTALLATION DETAIL  
 FOR D ≤ 5'

\* PAVEMENT REMOVAL LIMITS (TYP.)



CROSS DRAIN INSTALLATION DETAIL  
 FOR D ≥ 5'


\* PAVEMENT REMOVAL LIMITS (TYP.)

REMOVAL SUMMARY

STATION	TO	STATION	REMOVING ASPHALTIC SURFACE MILLING	REMOVING CURB & GUTTER	REMOVING GUARDRAIL	OBLITERATING OLD ROAD	SPV.0180.02 SPECIAL.02
0435	-	56+00	13,650	162	-	-	REMOVING DISTRESSED PAVEMENT MILLING
56+00	-	71+00	-	155	-	-	137
71+00	-	225+00	37,700	282	-	-	377
225+00	-	269+00	7,700	308	-	-	77
269+00	-	305+00	5,380	167	-	-	54
305+00	-	463+50	-	205	-	18	-
463+50	-	508+54	11,110	642	-	18	111
TOTAL			75,540	790	1,923	18	756

BASE COURSE SUMMARY

STATION	TO	STATION	BACKFILL GRANULAR GRADE	BASE AGGREGATE DENSE 3/4-INCH	BASE AGGREGATE DENSE 1 1/4-INCH	SELECT CRUSHED MATERIAL	371.2000'S QMP BASE AGGREGATE	624.0100 WATER	645.0220 GEGRID TYPE SR
0435	-	56+00	-	1,183	3,452	4,720	-	20	-
56+00	-	71+00	-	297	4,364	3,910	4	20	5,670
71+00	-	225+00	-	3,353	9,653	13,038	-	60	-
225+00	-	237+50	-	280	4,611	4,315	4	20	4,730
237+50	-	269+00	-	636	2,891	3,665	-	20	-
269+00	-	305+00	-	317	4,630	4,875	4	20	5,290
305+00	-	463+50	-	481	1,386	1,858	-	10	-
463+50	-	508+54	-	2,101	47,760	43,901	44	200	59,880
PEDESTRIAN UNDERPASS			-	479	2,821	3,884	-	20	-
PROJECT CURVE BACKFILL			-	19	-	-	-	-	-
PROJECT WIDE WEEPS			-	-	2,002	3,804	-	-	-
TOTAL			14,570	9,146	83,570	87,420	56	390	75,570



PAVEMENT APPROACH SUMMARY

LOCATION	CONCRETE PAVEMENT APPROACH SLAB	CONCRETE SURFACE DRAINS	CONCRETE CURB & GUTTER 4-INCH SLOPED 30-INCH TYPE TBT	CONCRETE CURB & GUTTER 4-INCH SLOPED 30-INCH TYPE TBT	CONCRETE CURB & GUTTER 4-INCH SLOPED 30-INCH TYPE TBT	REMARKS
B-13-796	60	104	5.4	95	12	
B-13-797	60	80	5.5	106	-	
TOTAL	120	184	10.9	201	12	

ASPHALTIC ITEMS SUMMARY

STATION	TO	STATION	HMA COLD WEATHER PAVING	TACK COAT	HMA PAVEMENT 3 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	ASPHALTIC SURFACE	ASPHALTIC SURFACE DRIVEWAYS AND FIELD ENTRANCES	ASPHALTIC SURFACE RUMBLE STRIPS, CENTERLINE	ASPHALTIC SURFACE RUMBLE STRIPS, SHOULDER
0435	-	56+00	-	2,484	2,470	1,980	14	-	5,567	11,134
56+00	-	71+00	-	660	660	530	-	-	1,500	3,000
71+00	-	225+00	-	6,810	6,770	5,420	40	-	15,400	30,800
225+00	-	237+50	-	610	610	490	-	-	1,250	2,500
237+50	-	269+00	-	1,408	1,400	1,120	8	-	3,150	6,300
269+00	-	283+00	-	810	810	650	-	-	1,400	2,800
283+00	-	304+75	-	966	960	770	6	-	2,275	4,350
304+75	-	463+50	-	7,900	7,900	6,320	-	-	15,875	31,750
463+50	-	508+54	-	2,292	2,280	1,830	12	-	4,504	9,008
SIDEROADS			-	-	-	1,500	-	-	-	-
DRIVEWAYS			-	-	-	-	-	-	-	-
UNDISTRIBUTED			-	-	-	-	-	-	150	-
PROJECT TOTAL			3,000	23,940	23,860	20,610	80	150	50,821	101,642

Addendum No. 01  
 ID 5145-00-71  
 Revised Sheet 179  
 November 30, 2023

\* ADDITIONAL QUANTITIES LISTED ELSEWHERE  
 \*\*\*ALL ITEMS CATEGORY 0010 UNLESS OTHERWISE NOTED

EARTHWORK SUMMARY TABLE

DIVISION	FROM/TO STATION	LOCATION	COMMON EXCAVATION		SALVAGED/UNUSABLE PAVEMENT MATERIAL (4)	AVAILABLE MATERIAL (5)	ROCK EXCAVATION (7)	REDUCED EBS IN FILL (9) FACTOR 0.80	EXPANDED EBS BACKFILL (11) FACTOR 3.50	EXPANDED ROCK FACTOR 3.10	UNEXPANDED FILL	EXPANDED FILL FACTOR 1.25	MASS ORDNATE +/- (14)	WASTE	208.0100 BORROW	COMMENT
			CUT (2)	EBS EXCAVATION (3)												
DIVISION 1																
08-CTH K	08+13.65/09+85		41	0	49	8	0	0	0	0	0	0	8	0	0	
08-CTH K	10+45/10+47.334		21	0	18	0	0	0	0	0	0	6	3	0	0	
08-JACOBY	10+11.002/10+71.066		42	0	37	5	0	0	0	0	3	4	1	0	0	
08-OLD SETTLERS	00+30.355/35+00		51,685	3,756	1,097	50,588	1,544	3,005	4,883	1,698	4,507	-245	50,833	50,833	0	
08-5TH 19 STA. 0+00-5TH 19+00			51,789	3,756	1,201	50,588	1,544	3,005	4,883	1,698	4,515	-235	50,823	50,834	0	
DIVISION 2																
08-CTH K	08+43.309/09+85		578	0	73	505	0	0	0	0	11	14	491	491	0	
08-5TH 19 STA. 195+44-5TH 263+13	195+44.62/263+13.803		21,944	551	146	21,798	0	281	456	0	3,919	3,658	18,159	18,159	0	
08-5TH 19 STA. 0+00-5TH 35+00			23,600	351	332	23,668	0	281	456	0	3,935	3,658	18,409	18,409	0	
DIVISION 3																
08-CTR KP NORTH	10+15/12+85		1,008	0	165	843	0	0	0	0	4	5	838	838	0	
08-ULAC	08+59.689/09+80		299	0	73	226	0	0	0	0	41	51	175	175	0	
08-IMATZ	06+65/08+78.503		392	0	110	282	0	0	0	0	2	3	280	280	0	
08-5TH 19 STA. 264+28-5TH 308+49	264+28.637/308+49.758		182,406	16,929	10,757	171,649	0	13,543	22,008	0	88,856	94,141	77,508	77,508	0	
08-SUTZGER	09+84.256/09+88.992		197	0	30	167	0	0	0	0	0	0	167	167	0	
08-5TH 19 STA. 0+00-5TH 35+00			182,406	16,929	11,238	173,135	0	13,543	22,008	0	91,388	97,406	78,867	78,867	0	
DIVISION 3 SUBTOTAL			7,000													
CROSS DRAIN INSTALLATION EXCAVATION		PROJECT	266,562	2,036	12,772	246,790	1,544	16,829	27,347	1,698	99,838	100,729	146,060	146,210	0	
GRAND TOTAL		TOTAL COMMON EXC.	287,598													

NOTES:  
 (1) COMMON EXCAVATION IS THE SUM OF THE CUT AND EBS EXCAVATION COLUMNS. ITEM NUMBER 205-0100  
 (2) COMMON EXCAVATION TO BE BACKFILLED WITH EBS UNLESS APPROVED MATERIAL FROM PROJECT EXCAVATION OR BORROW. USE OF SELECT CRUSHED MATERIAL TO BACKFILL EBS MUST BE APPROVED BY ENGINEER.  
 (3) EBS EXCAVATION TO BE BACKFILLED WITH EBS UNLESS APPROVED MATERIAL FROM PROJECT EXCAVATION OR BORROW. USE OF SELECT CRUSHED MATERIAL TO BACKFILL EBS MUST BE APPROVED BY ENGINEER.  
 (4) SALVAGED/UNUSABLE PAVEMENT MATERIAL  
 (5) AVAILABLE MATERIAL = CUT - SALVAGED/UNUSABLE PAVEMENT MATERIAL  
 (6) ROCK EXCAVATION ITEM NUMBER 205-0200  
 (7) ROCK EXCAVATION IN FILL - EXCAVATED EBS MATERIAL IS USABLE IN FILLS OUTSIDE THE 1:1 SLOPE. EBS IN FILL REDUCTION FACTOR = 0.80  
 (8) REDUCED EBS IN FILL - EXCAVATED EBS MATERIAL IS USABLE IN FILLS OUTSIDE THE 1:1 SLOPE. EBS IN FILL REDUCTION FACTOR = 0.80  
 (9) EXPANDED EBS BACKFILL - THIS IS TO BE FILLED WITH ENGINEER APPROVED MATERIAL FROM PROJECT EXCAVATION. EBS BACKFILL FACTOR = 1.30.  
 (10) EXPANDED ROCK FACTOR = 1.10  
 (11) EXPANDED FILL FACTOR = 1.25  
 (12) EXPANDED FILL = (UNEXPANDED FILL - EXPANDED ROCK - REDUCED EBS) \* FILL FACTOR  
 (13) EXPANDED FILL = (UNEXPANDED FILL - EXPANDED ROCK - REDUCED EBS) \* FILL FACTOR  
 (14) THE MASS ORDNATE +/- OR - QTY CALCULATED FOR THE DIVISION. PLUS QUANTITY INDICATES AN EXCESS OF MATERIAL WITHIN THE DIVISION. MINUS INDICATES A SHORTAGE OF MATERIAL WITHIN THE DIVISION.  
 (15) FACTORS USED TO COMPUTE ANTICIPATED WASTE AND THE COMPUTED WASTE VOLUME IDENTIFIED ARE FOR GENERAL INFORMATION ONLY.

Addendum No. 01  
 ID 5145-00-71  
 Revised Sheet 180  
 November 30, 2023

Addendum No. 01  
ID 5145-00-71  
Revised Sheet 461  
November 30, 2023

STATION	REAL STATION DISTANCE	AREA (SF)			INCREMENTAL VOL (CY) (UNADJUSTED)			CUMULATIVE VOL (CY)							
		CUT	FILL	ROCK EXC EBS	NOTE 1	NOTE 2	NOTE 3	ROCK EXC EBS	1.00	1.25	1.10	1.30	0.80	NOTE 8	
487+00	48700.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	64.090
487+50	48750.00	0.00	188.58	0.00	238	0	0	0	169.985	105.985	0	0	0	0	64.316
488+00	48800.00	0.00	156.28	0.00	319	0	0	0	170.268	105.985	0	0	0	0	64.590
488+50	48850.00	0.00	200.66	0.00	331	0	0	0	170.918	105.986	0	0	0	0	64.832
488+91.616	48891.616	4.162	258.47	0.00	354	0	0	0	171.272	106.223	0	0	0	0	65.050
489+00	48900.00	0.00	268.18	0.00	82	0	0	0	171.354	106.258	0	0	0	0	65.097
489+42.56	48942.56	42.56	270.87	0.00	425	0	0	0	171.779	106.454	0	0	0	0	65.325
489+50	48950.00	0.00	270.09	0.00	75	0	0	0	171.854	106.491	0	0	0	0	65.363
489+93.503	48993.503	43.50	276.37	0.00	440	0	0	0	172.299	106.761	0	0	0	0	65.533
490+00	49000.00	0.00	267.96	0.00	65	0	0	0	172.359	106.809	0	0	0	0	65.550
490+23.564	49023.564	32.56	243.52	0.00	308	0	0	0	172.667	107.076	0	0	0	0	65.591
490+50	49050.00	0.00	243.52	0.00	319	0	0	0	172.823	107.248	0	0	0	0	65.586
490+71.56	49071.56	71.56	188.81	0.00	208	0	0	0	173.038	107.438	0	0	0	0	65.588
491+00	49100.00	0.00	224.44	0.00	143	0	0	0	173.183	107.719	0	0	0	0	65.464
491+50	49150.00	0.00	243.04	0.00	372	0	0	0	173.555	108.174	0	0	0	0	65.381
492+00	49200.00	0.00	243.64	0.00	451	0	0	0	174.006	108.560	0	0	0	0	65.446
492+50	49250.00	0.00	268.50	0.00	474	0	0	0	174.480	108.926	0	0	0	0	65.554
493+00	49300.00	0.00	309.01	0.00	535	0	0	0	175.015	109.268	0	0	0	0	65.748
493+28.34	49328.34	28.34	260.47	0.00	299	0	0	0	175.314	109.451	0	0	0	0	65.863
494+00	49400.00	0.00	242.19	0.00	202	0	0	0	175.516	109.584	0	0	0	0	65.932
494+50	49450.00	0.00	247.13	0.00	453	0	0	0	175.989	109.849	0	0	0	0	66.120
495+00	49500.00	0.00	218.03	0.00	431	0	0	0	176.400	110.073	0	0	0	0	66.328
495+50	49550.00	0.00	205.22	0.00	392	0	0	0	176.792	110.258	0	0	0	0	66.535
496+00	49600.00	0.00	179.72	0.00	356	0	0	0	177.148	110.400	0	0	0	0	66.748
496+50	49650.00	0.00	184.13	0.00	194	0	0	0	177.322	110.532	0	0	0	0	66.860
497+00	49700.00	0.00	184.13	0.00	142	0	0	0	177.466	110.664	0	0	0	0	67.018
497+24.115	49724.115	24.115	159.18	0.00	142	0	0	0	177.598	110.800	0	0	0	0	67.122
497+50	49750.00	0.00	151.10	0.00	149	0	0	0	177.747	110.925	0	0	0	0	67.176
498+00	49800.00	0.00	138.76	0.00	71	0	0	0	177.818	110.643	0	0	0	0	67.338
498+50	49850.00	0.00	148.19	0.00	196	0	0	0	178.014	110.676	0	0	0	0	67.407
499+00	49900.00	0.00	148.06	0.00	77	0	0	0	178.091	110.684	0	0	0	0	67.595
499+50	49950.00	0.00	152.08	0.00	199	0	0	0	178.290	110.695	0	0	0	0	67.681
499+65.063	49965.063	15.06	161.29	0.00	216	0	0	0	178.377	110.696	0	0	0	0	67.897
500+00	50000.00	0.00	171.93	0.00	338	0	0	0	178.593	110.696	0	0	0	0	68.235
500+50	50050.00	0.00	193.31	0.00	404	0	0	0	178.931	110.698	0	0	0	0	68.638
501+00	50100.00	0.00	243.30	0.00	404	0	0	0	179.335	110.698	0	0	0	0	69.061
501+50	50150.00	0.00	239.92	0.00	447	0	0	0	179.782	110.721	0	0	0	0	69.371
502+00	50200.00	0.00	130.93	0.00	343	0	0	0	180.125	110.754	0	0	0	0	69.686
502+50	50250.00	0.00	130.93	0.00	447	0	0	0	180.466	110.783	0	0	0	0	69.954
503+00	50300.00	0.00	110.55	0.00	151	0	0	0	180.863	110.800	0	0	0	0	70.075
503+50	50350.00	0.00	123.59	0.00	217	0	0	0	180.877	110.803	0	0	0	0	70.264
504+00	50400.00	0.00	107.44	0.00	214	0	0	0	181.066	110.803	0	0	0	0	70.424
504+50	50450.00	0.00	96.23	0.00	189	0	0	0	181.226	110.803	0	0	0	0	70.504
505+00	50500.00	0.00	76.37	0.00	160	0	0	0	181.319	110.815	0	0	0	0	70.467
505+50	50550.00	0.00	24.32	0.00	93	0	0	0	181.359	110.893	0	0	0	0	70.435
506+00	50600.00	0.00	18.55	0.00	40	0	0	0	181.395	110.960	0	0	0	0	70.526
506+50	50650.00	0.00	20.30	0.00	36	0	0	0	181.491	110.965	0	0	0	0	70.704
507+00	50700.00	0.00	83.24	0.00	96	0	0	0	181.681	110.978	0	0	0	0	70.930
507+50	50750.00	0.00	121.56	0.00	190	0	0	0	181.936	111.068	0	0	0	0	71.072
508+00	50800.00	0.00	154.32	0.00	255	0	0	0	182.101	111.029	0	0	0	0	71.198
508+50	50850.00	0.00	23.72	0.00	165	0	0	0	182.128	111.068	0	0	0	0	71.088
509+00	50900.00	0.00	18.82	0.00	77	0	0	0	182.118	111.064	0	0	0	0	71.147
509+50	50950.00	0.00	21.38	0.00	22	0	0	0	182.213	111.064	0	0	0	0	71.166
509+93.888	50993.888	93.89	39.23	0.00	62	0	0	0	182.237	111.068	0	0	0	0	71.166
508+00	50800.00	40.11	53.15	0.00	14	0	0	0	182.296	111.070	0	0	0	0	71.318
508+40.96	50840.96	40.96	68.44	0.00	92	0	0	0	182.388	111.070	0	0	0	0	71.318
508+49.758	50849.758	49.76	44.92	0.00	18	0	0	0	182.406	111.070	0	0	0	0	71.336

NOTES:  
 1 - CUT  
 2 - SALVAGED/UNUSABLE PAVEMENT MATERIAL  
 THIS DOES NOT SHOW UP IN CROSS SECTIONS  
 3 - FILL (DOES NOT INCLUDE UNUSABLE PAVEMENT EXC VOLUME)  
 4 - EXPANDED MARSH BACKFILL  
 WILL BE BACKFILLED WITH GRANULAR BACKFILL (OR CUT, OR BORROW)  
 5 - EXPANDED EBS  
 REDUCED MARSH EXCAVATION THAT CAN BE USED IN FILL  
 6 - REDUCED MARSH IN FILL  
 REDUCED MARSH EXCAVATION THAT CAN BE USED IN FILL  
 7 - REDUCED EBS IN FILL  
 IF MARSH OR EBS TO BE BACKFILLED WITH COMMON OR BORROW: [(CUT - SALVAGED PAVT - EXPANDED MARSH EXC - EXPANDED EBS) - (FILL - EXPANDED ROCK) \* FILL FACTOR]  
 8 - MASS ORDINATE  
 IF MARSH AND EBS TO BE BACKFILLED WITH GRANULAR: [(CUT - SALVAGED PAVT - EXPANDED MARSH EXC - EXPANDED EBS) - (FILL - EXPANDED ROCK) \* FILL FACTOR]  
 9 - MASS ORDINATE  
 IF MARSH AND EBS TO BE BACKFILLED WITH GRANULAR: [(CUT - SALVAGED PAVT - (FILL - EXPANDED ROCK) \* FILL FACTOR)]



Proposal Schedule of Items

Proposal ID: 20231212007 Project(s): 5145-00-71

Federal ID(s): N/A

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	201.0105 Clearing	253.000 STA	_____.	_____.
0004	201.0205 Grubbing	253.000 STA	_____.	_____.
0006	203.0100 Removing Small Pipe Culverts	80.000 EACH	_____.	_____.
0008	203.0220 Removing Structure (structure) 01. STA 27+20	1.000 EACH	_____.	_____.
0010	203.0220 Removing Structure (structure) 02. STA 39+78	1.000 EACH	_____.	_____.
0012	203.0220 Removing Structure (structure) 03. STA 288+22	1.000 EACH	_____.	_____.
0014	203.0220 Removing Structure (structure) 04. STA 306+19	1.000 EACH	_____.	_____.
0016	203.0260 Removing Structure Over Waterway Minimal Debris (structure) 01. B-13-796	1.000 EACH	_____.	_____.
0018	203.0260 Removing Structure Over Waterway Minimal Debris (structure) 02. B-13-797	1.000 EACH	_____.	_____.
0020	204.0115 Removing Asphaltic Surface Butt Joints	96.000 SY	_____.	_____.
0022	204.0120 Removing Asphaltic Surface Milling	75,540.000 SY	_____.	_____.
0024	204.0150 Removing Curb & Gutter	790.000 LF	_____.	_____.
0026	204.0165 Removing Guardrail	1,923.000 LF	_____.	_____.
0028	204.0270 Abandoning Culvert Pipes	1.000 EACH	_____.	_____.
0030	205.0100 Excavation Common	287,598.000 CY	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20231212007 Project(s): 5145-00-71

Federal ID(s): N/A

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0464	SPV.0195 Special 01. Backfill Special	1,240.000 TON	_____.	_____.
0466	209.2500 Backfill Granular Grade 2	14,570.000 TON	_____.	_____.
<b>Section: 0001</b>			<b>Total:</b>	_____.
			<b>Total Bid:</b>	_____.